

This document was generated on 09/20/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0542800809

Status: Active

Overview: 2.00mm I/O Connectors

Description: 2.00mm Pitch Serial I/O Connector, Receptacle Kit, Wire-to-Wire, Solder Type, 8

Circuits

**Documents:** 

<u>3D Model</u> Application Specification 5006540609AS-A00 (PDF)
3D Model (PDF) Application Specification 551000680AS-A00 (PDF)

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Product Specification PS-54280-005-001 (PDF)

General

Product Family I/O Connectors

Series <u>54280</u>
Application Wire-to-Wire
Component Type Receptacle

Overview 2.00mm I/O Connectors
Product Name 2.00mm I/O Connectors

Type N/A

UPC 822348189199

**Physical** 

Circuits (Loaded) 8
Circuits (maximum) 8

Color - Resin Black, Gray
Durability (mating cycles max) 1500
Lock to Mating Part Yes

Material - Metal Phosphor Bronze, Steel

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic, Polycarbonate

N/A

Net Weight 10962.577/mg Orientation Vertical Packaging Type Bag Panel Mount No Pitch - Mating Interface 2.00mm Plating min - Mating 0.762µm Plating min - Termination 3.048um Polarized to Mating Part Yes

Temperature Range - Operating -40° to +85°C

Termination Interface: Style N/A

Wire Insulation Diameter 2.10mm max.

Wire Size AWG 16, 18, 20, 22, 24, 26, 28

**Electrical** 

Current - Maximum per Contact 2.0A Shielded Yes

Voltage - Maximum 125V AC (RMS)/DC


**Material Info** 

**Reference - Drawing Numbers** 

Surface Mount Compatible (SMC)

Application Specification 5006540609AS-A00, 551000680AS-A00

Product Specification PS-54280-005-001 Sales Drawing SD-54280-009-001



**EU ELV** 

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8

July 2021) Halogen-Free

**Status** 

**Not Low-Halogen** 

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

54280 Series

**Mates With** 

2.00mm Pitch Serial I/O Connector

<u>551000870</u>, <u>5006540809</u>

## This document was generated on 09/20/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

571763P 58098-0628 72.250.1628.2 72.250.2428.2 74720-0505 76.350.0729.0 76871-1403 FCN-244F080-G/1 FCN-260A9920 PCR-E36PM PCS-XE26MA+ G38A71314B 1571250010 157-22500-3 MS3471L14-19P L/C 192991-0703 172501-4002 172501-6002 FCN-260C008-A/L0 FCN-260C024-AL0 FCN-261Z008 2000314-1 200331-1 PCR-E36FC+ PCS-E28FS+ PCS-XE26SLFD+ PCS-XE26SLFD+ PCS-XE26SLFDT+ G730VID08BDC24 UE86K842720321 38113800006 DP3AR020WQ1R200 Z4.102.0680.0 500-1040 500-1052 500-1054 ZP-4008-66L 0709821002 DX40-20P(55) 5554841-1 MS3474W18-8P-LC\* U90B3054061110 U65-E04-4020 ZPF0000000000097891 747360449 10099439-003C-TRLF 10137239-0021LF E9320-001-01 10137239-0011LF 70289-001LF 70.060.1028.0