

This document was generated on 10/04/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>0543322070</u>		
Status:	Active		
Overview: CRC (Compact R		otic Connectors)	
		angular I/O Plug Assembly Set, Female Terminal, Signal, 20	
Description.		Type Standard, Lead-Free	
Documents:			
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	
		<i></i>	
General			Device integral. Deference entry
Product Family		I/O Connectors	Series image - Reference only
Series		54332	
Application		Wire-to-Wire	EU ELV
Component Type		Kit	Not Relevant
Overview		CRC (Compact Robotic Connectors)	
Product Name		CRC	EU RoHS China RoHS
Туре		N/A	Compliant
UPC		822350372664	REACH SVHC
		022000012001	Not Contained Per -
Physical			D(2021)4569-DC (8
Circuits (Loaded)		20	July 2021)
Circuits (maximum	n)	20	Halogen-Free
Color - Resin		Black, Gray	Status
Durability (mating cycles max)		100	Not Low-Halogen
Gender		Plug	For more information, please visit Contact U
Keying to Mating Part		Yes	To more mornation, please visit <u>contact of</u>
Lock to Mating Part		Yes	China ROHS Green Image
			ELV Not Relevant
Material - Metal		Phosphor Bronze, Stainless Steel	RoHS Phthalates Not Contained
Material - Plating Mating		Gold	
Material - Resin		Polyester	
Net Weight		31643.228/mg	
Number of Rows		4	Search Parts in this Series
Orientation		Vertical	<u>54332</u> Series
PCB Locator		No	
Packaging Type		Tray	Mates With
Panel Mount		No	CRC Shielded Rectangular I/O Receptacle
Pitch - Mating Interface		3.00mm	Housing <u>51233</u> , CRC Shielded Rectangul
Pitch - Termination Interface		3.00mm	I/O Receptacle Assembly <u>55837</u> , <u>55838</u>
Polarized to Mating Part		Yes	1/0 Receptacie //33embly <u>33037</u> , <u>30030</u>
Polarized to PCB		No	
Surface Mount Co	ompatible (SMC)	No	
Temperature Rang		-40° to +105°C	
Termination Interfa		Crimp or Compression	
Waterproof / Dustp		No	
Flootrigel			
Electrical			
Current - Maximum per Contact		2.0A, 3.0A, 4.0A, 5.0A, 7.0A	
Shield Type		Full Shield	
Shielded			
Voltage - Maximur	m	250V AC (RMS)/DC	
Material Info			
Reference - Draw	ving Numbers		
Sales Drawing	U	SD-54332-006-001 SD-54332-006-002	

Sales Drawing

SD-54332-006-001, SD-54332-006-002, SD-54332-006-003, SD-54332-006-004, SD-54332-006-005 This document was generated on 10/04/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 571763P
 58098-0628
 72.250.1628.2
 72.250.2428.2
 74720-0505
 76.350.0729.0
 76871-1403
 FCN-244F080-G/1
 FCN-260A9920
 PCR

 E36PM
 PCS-XE26MA+
 G38A71314B
 1571250010
 157-22500-3
 MS3471L14-19P L/C
 192991-0703
 172501-4002
 172501-6002
 FCN

 260C008-A/L0
 FCN-260C024-AL0
 FCN-261Z008
 2000314-1
 200331-1
 PCR-E36FC+
 PCS-E28FS+
 PCS-XE26SLFD+
 PCS

 XE26SLFDT+
 G730VID08BDC24
 U90B2054081210
 UE86K842720321
 38113800006
 DP3AR020WQ1R200
 Z4.102.0680.0
 500-1040

 500-1052
 500-1054
 ZP-4008-66L
 0709821002
 DX40-20P(55)
 5554841-1
 MS3474W18-8P-LC*
 U90B3054061110
 U65-E04-4020

 ZPF000000000097891
 747360449
 10099439-003C-TRLF
 10137239-0021LF
 E9320-001-01
 10137239-0011LF
 70289-001LF