

DO NOT SCALE DRAWING

EC NO. DRAWN: CHK'g: APPR:	EC NO. DRAWN: CHK'g: APPR:	EC NO. DRAWN: CHK'g: APPR:	EC NO. DRAWN: CHK'g: APPR:	EC NO. DRAWN: CHK'g: APPR:
EC NO. J2004-3185 DRAWN: T.UENO CHK'g: M.SASAO APPR: M.SASAO	EC NO. J2004-3185 DRAWN: T.UENO CHK'g: M.SASAO APPR: M.SASAO	EC NO. J2004-3185 DRAWN: T.UENO CHK'g: M.SASAO APPR: M.SASAO	EC NO. J2004-3185 DRAWN: T.UENO CHK'g: M.SASAO APPR: M.SASAO	EC NO. J2004-3185 DRAWN: T.UENO CHK'g: M.SASAO APPR: M.SASAO

RELEASED 04/03/18 EC NO. J2004-3185 DRAWN: T.UENO CHK'g: M.SASAO APPR: M.SASAO	DESCRIPTION SEE NOTES	MATERIAL 材料 SEE NOTES
FINISH 仕上り SEE NOTES	WIRE RANGE 適用電線範囲 —	INS. RANGE 被覆外径 —

GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE —	DESIGN UNITS <input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH	THIRD ANGLE PROJECTION <input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> FIRST ANGLE
10 UNDER 未満 ±0.2	20 OVER 以上 ±0.25	30 UNDER 未満 ±0.25	30 OVER 以上 ±0.3
ANGLE 角度 ±3°			

DRAWN BY & DATE T.UENO '04/03/18	CHECKED BY & DATE M.SASAO '04/03/18	APPROVED BY & DATE M.SASAO '04/03/18	CAD FILENAME SD-55244-009.S01	MATERIAL NO. 55244-5029	DRAWING NO. SD-55244-009	SHEET NO. 1 OF 2
TITLE: CF CARD CONN. 50P HEADER ASS'Y (NORMAL TYPE) -LEAD FREE-						
MOLEX INCORPORATED						
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						

55244-5029
MODEL No.

DWG. NO. SD-55244-009


注) NOTES

1. 材質 MATERIAL
 ハウジング : ガラス入り耐熱樹脂 UL94V-0
 HOUSING : LIQUID CRYSTAL POLYMER GLASS FILLED UL94V-0
 ピン : リン青銅
 PIN : PHOSPHOR BRONZE
 ネール : リン青銅
 NAIL : PHOSPHOR BRONZE

2. メッキ仕様 PIN 接点部 金めっき
 PLATING CONTACT AREA GOLD PLATING
 パラジウムニッケルめっき
 PALLADIUM-NICKEL PLATING
 半田付け部 錫めっき
 SOLDER TAIL AREA TIN PLATING
 下地めっき ニッケルめっき
 UNDERPLATING NICKEL PLATING
 NAIL 接点部 金めっき
 CONTACT AREA GOLD PLATING
 半田付け部 錫めっき
 SOLDER TAIL AREA TIN PLATING
 下地めっき ニッケルめっき
 UNDERPLATING NICKEL PLATING

3. 推奨基板厚 : t0.8 MIN.
 RECOMMENDED P.C.B. THICKNESS: t0.8 MIN.
 4. 適合カード厚 : 3.3±0.1 (TYPE I) AND 5 MAX. (TYPE II)
 RECOMMENDED CARD THICKNESS: 3.3±0.1 (TYPE I) AND 5 MAX. (TYPE II)
 5. 適合カード幅 : 42.8±0.1
 RECOMMENDED CARD WIDTH: 42.8±0.1
 6. ハウジング色 : 黒
 HOUSING COLOR: BLACK

△1. 寸法適用極 : 1,13,38,50
 THIS DIMENSION APPLIES TO CIRCUIT NUMBERS 1,13,38 AND 50.
 △2. 寸法適用極 : 25,26
 THIS DIMENSION APPLIES TO CIRCUIT NUMBERS 25 AND 26.
 △3. ピンの倒れは、ピン根元を基準に全方向へ 0.1 MAX.とする。
 PIN TIP LEAN TOWARD ANY DIRECTION NOT TO EXCEED 0.1 WHEN MEASURED FROM PIN BASE.
 △10. ピン根元に適用する。
 THIS DIMENSION TO BE MEASURED AT PIN BASE.
 △11. ソルダータール及びネールは、Z面を基準とし上へ 0.05 下へ 0.15 の範囲にあり、且つソルダータールの平坦度は、0.12 MAX. とし、テール先端にて測定する。
 SOLDER TAILS AND FITTING NAILS TO BE WITHIN 0.05 UPWARD AND 0.15 DOWNWARD FROM Z-DATUM PLACE, AND COPLANARITY OF SOLDER TAILS TO BE WITHIN 0.12. MEASUREMENT POINT IS SOLDER TAILS TIP.



- △12. 公差非累積 NON-CUMULATIVE
- △13. テールとネールを併せた平坦度は、0.12 MAX.とする。
TOTAL COPLANARITY OF SOLDER TAILS AND FITTING NAILS TO BE 0.12 MAX.
- △14. ボタンストロークが (6 mm) の時、カード飛び出し量は (3.25mm)。
WHEN BUTTON PUSH STROKE IS (6mm), CARD OUT BY (3.25mm).
- 15. 適合 SHEEL ASS'Y : 55246-001* , 58773-0010
APPLICABLE SHEEL ASS'Y : 55246-001* , 58773-0010
- 16. 本製品は 55244-5021 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 55244-5021.

DO NOT SCALE DRAWING

EC NO. DRWN: CH'K: APPR:					SEE SHEET 1 OF 2					MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION		DIMENSIONS: <input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY		SHT REV	
EC NO. DRWN: CH'K: APPR:					SEE SHEET 1 OF 2					FINISH 仕上げ		10 UNDER 未満 ±0.2		DRAWN BY & DATE T.UENO '04/03/18		TITLE: CF CARD CONN. 50P HEADER ASS'Y (NORMAL TYPE) -LEAD FREE-		MATERIAL NO. 55244-5029		DRAWING NO. SD-55244-009		SHEET NO. 2	
EC NO. DRWN: CH'K: APPR:					SEE SHEET 1 OF 2					WIRE RANGE 適用電線範囲		10 OVER 30 UNDER 未満 ±0.25		CHECKED BY & DATE M.SASAO '04/03/18		MOLEX MOLEX INCORPORATED		CAD FILENAME SD-55244-009.S02		REVISION		REVISION	
EC NO. DRWN: CH'K: APPR:					SEE SHEET 1 OF 2					ANGLE 角度		30 OVER 以上 ±0.3		APPROVED BY & DATE M.SASAO '04/03/18		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		SIZE B					

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Memory Card Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M21-033321-005](#) [6407-249V-25273P](#) [6407-249V-25343P](#) [6426-201-21343](#) [69.920.0553.0](#) [FCN-568P068-G/07-4V](#) [809180410000000](#)
[N7E50-7516PG-20-WF](#) [2041353-2](#) [33CFAE-DN](#) [502431-1011](#) [EN2997S61212BN](#) [EN2997SE61212BN](#) [617230001](#) [95622-003LF](#) [N7E50-](#)
[U516RB-50-SIN0005](#) [95079-00CALF](#) [68-580163-21S](#) [33DVIR-29S12R](#) [125A-78C00](#) [MI20A-50PD-SF-EJL\(71\)](#) [KP10S-SF-PEJ\(812\)](#)
[504536-0691](#) [504580-0691](#) [CCM03-3109 B LFT](#) [MI21-50PD-SF\(91\)](#) [2309923-1](#) [61126-050CAHLF](#) [IC1GA-68PD-1.27DS-EJ\(72\)](#)
[GTFP08432B1HR](#) [G85DT17001P1EU](#) [G85B21611142HHR](#) [GSD090144HR](#) [G85D1140022P1HR](#) [GMCB05801124EU](#) [G85C11101152HHR](#)
[G85B231021B1HR](#) [G85D1160022HHR](#) [055036006202862+](#) [112K-TAA0-RA1](#) [115S-ACA2](#) [115S-ACA3](#) [115S-BS00](#) [115S-BT00](#) [115V-](#)
[AD00](#) [MCSP-Q1-08-A-SG-T/R](#) [503960-0695](#) [101B-TAA0-R](#) [101D-TAAA-R01](#) [101D-TAAB-R01](#)