

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [56118-8228](#)
Status: **Active**
Overview: CRC™ (Compact Robotic Connectors)
Description: Shielded Rectangular I/O Male Terminal, Signal, Lead-Free, Reel Packaging

Documents:

[Drawing \(PDF\)](#) [Product Specification PS-51238-018 \(PDF\)](#)
[Product Specification PS-500810-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-51238-017 \(PDF\)](#)

General

Product Family I/O Connectors
 Series [56118](#)
 Application N/A
 Component Type Terminal
 Overview [CRC™ \(Compact Robotic Connectors\)](#)
 Product Name CRC™, Mini-HMC™
 Type N/A

Physical

Boot Color N/A
 Circuits (Loaded) N/A
 Durability (mating cycles max) 50
 Gender Male
 Lock to Mating Part Yes
 Material - Metal Phosphor Bronze
 Material - Plating Mating Gold
 Material - Plating Termination Tin
 Orientation Vertical
 PCB Locator No
 Packaging Type Reel
 Panel Mount N/A
 Pitch - Mating Interface N/A
 Plating min - Mating 0.254µm
 Plating min - Termination 1.016µm
 Polarized to Mating Part N/A
 Polarized to PCB N/A
 Surface Mount Compatible (SMC) N/A
 Temperature Range - Operating -55°C to +105°C
 Termination Interface: Style Crimp or Compression
 Waterproof / Dustproof No
 Wire Insulation Diameter 1.60mm max.
 Wire Size AWG 24, 28

Electrical

Current - Maximum per Contact 2.5A
 Shielded No
 Voltage - Maximum 250V AC (RMS)/DC

Material Info

UPC 822350008938

Reference - Drawing Numbers

Product Specification PS-500810-001, PS-51238-017, PS-51238-018, RPS-51238-001
 Sales Drawing SD-56118-004



EU RoHS

ELV and RoHS Compliant

REACH SVHC Contains SVHC: No Low-Halogen Status Low-Halogen

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[56118Series](#)

Mates With

[561208428](#)

Use With

[5008121000](#) Housing, [500810](#) Shell, [5008110010](#) Cover, [58550](#) End Bell Cap Assembly

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Hand Tool for I/O Male Terminals,A34 24-28 AWG Wire	0638192000
Extraction Tool for Compact Robot	0638133300

Connector Crimp
Male Terminal

Japan

Description	Product #
--------------------	------------------

Applicator for M211A	0574073000
----------------------	------------

Bench Press, 18-28

AWG Wire

Hand Extraction Tool	0574076000
----------------------	------------

This document was generated on 07/12/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [I/O Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[571763P](#) [58098-0628](#) [72.250.1628.2](#) [72.250.2428.2](#) [74720-0505](#) [76.350.0729.0](#) [76871-1403](#) [FCN-244F080-G/1](#) [FCN-260A9920](#) [PCR-E36PM](#) [PCS-XE26MA+](#) [G38A71314B](#) [1571250010](#) [157-22500-3](#) [MS3471L14-19P L/C](#) [192991-0703](#) [172501-4002](#) [172501-6002](#) [FCN-260C008-A/L0](#) [FCN-260C024-AL0](#) [FCN-261Z008](#) [2000314-1](#) [200331-1](#) [PCR-E36FC+](#) [PCS-E28FS+](#) [PCS-XE26SLFD+](#) [PCS-XE26SLFDT+](#) [G730VID08BDC24](#) [U90B2054081210](#) [UE86K842720321](#) [38113800006](#) [DP3AR020WQ1R200](#) [Z4.102.0680.0](#) [500-1040](#) [500-1052](#) [500-1054](#) [ZP-4008-66L](#) [0709821002](#) [DX40-20P\(55\)](#) [5554841-1](#) [MS3474W18-8P-LC*](#) [U90B3054061110](#) [U65-E04-4020](#) [ZPF00000000097891](#) [747360449](#) [10099439-003C-TRLF](#) [10137239-0021LF](#) [E9320-001-01](#) [10137239-0011LF](#) [70289-001LF](#)