

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0561618081](#)
Status: **Active**
Overview: [DuraClik Connector System](#)
Description: 2.00mm Pitch DuraClik Crimp Terminal, Female, 22-26 AWG, Gold (Au) Plating, Reel

Documents:

[Drawing \(PDF\)](#) [Packaging Specification 561619200-200 \(PDF\)](#)
[Product Specification PS-502351-002-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Application Specification AS-54992-006-001 \(PDF\)](#)

General

Product Family Crimp Terminals
 Series [56161](#)
 Application Automotive, Signal, Wire-to-Board
 Crimp Quality Equipment Yes
 Overview [DuraClik Connector System](#)
 Packaging Alternative [561618181 \(Bag\)](#)
 Product Name DuraClik
 UPC 800756476667

Physical

Gender Female
 Material - Metal Phosphor Bronze
 Material - Plating Mating Gold
 Material - Plating Termination Nickel
 Net Weight 18.300/mg
 Packaging Type Reel
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 1.40mm max.
 Wire Size AWG 22, 24, 26
 Wire Size mm² N/A


Electrical

Current - Maximum per Contact 3.0A
 Voltage - Maximum 125V

Material Info

Reference - Drawing Numbers

Application Specification [AS-54992-006-001](#)
 Application Tooling Documents [571753710ATS-000](#), [571753710ATS-J-000](#)
 Crimp Specification [CS-56161-003-001](#)
 Packaging Specification [561619200-200](#)
 Product Specification [PS-502351-002-001](#)
 Sales Drawing [SD-56161-002-001](#)



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 D(2021)4569-DC (8
 July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[56161 Series](#)

Use With

DuraClik Receptacle Housing [502351](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

FineAdjust Applicator for 2.0 Wire-to-Board Crimp Receptacle Terminal and SMEC Crimp Receptacle Terminals, 22-26 AWG and AVSS 0.3 Wires PremiumGrade Hand Crimp Tool for Micro-Latch, DuraClik, and	2037021900
---	----------------------------

Servo Motor Encoder
Female Terminals,
22-26 AWG
T2 Terminator Die 638528000

Japan

Description	Product #
--------------------	------------------

Applicator for M211A	<u>571753000</u>
----------------------	------------------

Bench Press, 22-30

AWG Wire

S-1 Applicator for	<u>571753710</u>
--------------------	------------------

DuraClik and Mi II

Terminals, 22-26

AWG

This document was generated on 09/23/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)