

This document was generated on 09/14/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0563775000		
Status:	Active		
Oversieve		Connectore	
Overview:	<u>CRC (Compact Robotic Connectors)</u> CRC Shielded Rectangular I/O Receptacle Shell, Panel Mount, Signal, 50 Circuits,		
Description:			
	Front Mount Type		
Documents:			
<u>3D Model</u>		Product Specification PS-51238-017-001 (PDF)	
<u>3D Model (PDF)</u>		Product Specification PS-51300-001-001 (PDF)	
Drawing (PDF)		Application Specification AS-51238-017-001 (PDF)	Series image - Reference only
Product Specification P	<u> S-51238-016-001 (PDF)</u>	RoHS Certificate of Compliance (PDF)	Series image - Reference only
General			EU ELV
Product Family		I/O Connectors	Not Relevant
Series		56377	
			EU RoHS China RoHS
Application		Panel-Mount, Wire-to-Wire	Compliant
Component Type		Panel Mount Shell	REACH SVHC
Overview Dreduct Name		CRC (Compact Robotic Connectors)	Not Contained Per -
Product Name		CRC	D(2021)4569-DC (8
Туре			July 2021)
UPC		756054154755	Halogen-Free
Physical			Status
		50	Low-Halogen
Circuits (Loaded)		50	For more information, please visit <u>Contact US</u>
Circuits (maximum)		100	For more information, please visit <u>contact oc</u>
Durability (mating cycles max)			China ROHS Green Image
Gender		Receptacle	ELV Not Relevant
Keying to Mating Part		Yes	RoHS Phthalates Not Contained
Lock to Mating Part		Yes	
Material - Metal		Zinc Alloy	
Material - Plating Mating		Nickel	
Material - Resin		Polyester	Search Parts in this Series
Net Weight		31929.600/mg	<u>56377</u> Series
Orientation		Vertical	
PCB Locator		No	Use With
Packaging Type		Tray	CRC Shielded Rectangular I/O Receptacle
Panel Mount		Front	Housing 51233 , 51238
Pitch - Mating Interface		N/A	<u> </u>
Polarized to Mating Par	rt	Yes	
Polarized to PCB		No	
Surface Mount Compatible (SMC)		N/A	
Temperature Range - 0		-40° to +105°C	
Termination Interface:		N/A	
Waterproof / Dustproof		No	
Electrical			
Current - Maximum per	Contact	2.5A	
Shield Type		Full Shield	
Shielded		Yes	
Voltage - Maximum		250V AC (RMS)/DC	
Material Info			
Reference - Drawing I	Numbers		
Application Specificatio		AS-51238-017-001	
Product Specification		PS-51238-016-001, PS-51238-017-001,	
· ·		PS-51300-001-001	
Colos Drowing		CD 50000 001 001	

SD-56377-015-001

This document was generated on 09/14/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 571763P
 58098-0628
 72.250.1628.2
 72.250.2428.2
 74720-0505
 76.350.0729.0
 76871-1403
 FCN-244F080-G/1
 FCN-260A9920
 PCR

 E36PM
 PCS-XE26MA+
 G38A71314B
 1571250010
 157-22500-3
 MS3471L14-19P L/C
 192991-0703
 172501-4002
 172501-6002
 FCN

 260C008-A/L0
 FCN-260C024-AL0
 FCN-261Z008
 2000314-1
 200331-1
 PCR-E36FC+
 PCS-E28FS+
 PCS-XE26SLFD+
 PCS

 XE26SLFDT+
 G730VID08BDC24
 U90B2054081210
 38113800006
 DP3AR020WQ1R200
 Z4.102.0680.0
 500-1040
 500-1052
 500-1054

 ZP-4008-66L
 0709821002
 DX40-20P(55)
 5554841-1
 MS3474W18-8P-LC*
 U90B3054061110
 U65-E04-4020
 ZPF000000000097891

 747360449
 10099439-003C-TRLF
 10137239-001LF
 F0329-001LF
 70.060.1028.0