

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0621005800](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** Backplane Insertion Tool for Signal Contact

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)


**General**

Product Family	Application Tooling
Series	<a href="#">207123</a>
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	Impact
Tool Type	Insertion Hand Tool
UPC	883906035532
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

**Reference - Drawing Numbers**  
Application Tooling Documents

ATS-621005800, TM-622018799



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2020)9139-DC (19  
Jan 2021)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Not Relevant

Not Relevant

Not Contained

**Search Parts in this Series**

[207123 Series](#)

**Use With**

Impact Backplane Signal Contact Series,  
[76155](#) , [76055](#) , [76145](#) , [76165](#)

**Application Tooling** | **FAQ**

<b>Description</b>	<b>Product #</b>
--------------------	------------------

Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<a href="#">760551103</a>
---	---------------------------

Impact 100 Ohm 5 Pair Vertical Backplane Header, Unguided, Open Endwall, 10	<a href="#">760551104</a>
---	---------------------------

Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551105  
5 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551106  
5 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551107  
5 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551108  
5 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551113  
5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551114  
5 Pair Vertical  
Backplane Header,  
Unguided, Left

Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551115  
5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551116  
5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551117  
5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551118  
5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551123  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551124  
5 Pair Vertical  
Backplane Header,

Unguided, Dual  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760551125](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760551126](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760551127](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760551128](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760551133](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760551134](#)

5 Pair Vertical

Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760551135](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760551136](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760551137](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760551138](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760551603](#)

5 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm	<u>760551604</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.90mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>760551605</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>760551606</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>760551607</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.90mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>760551608</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>760551613</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.50mm, Plated	
Through Hole	

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760551614

5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760551615

5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760551616

5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760551617

5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760551618

5 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760551623

5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551624  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551625  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760551626  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551627  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551628  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760551633  
5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 240  
Circuits, Pin Length



4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm [760551634](#)  
5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm [760551635](#)  
5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm [760551636](#)  
5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm [760551637](#)  
5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm [760551638](#)  
5 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm [760551828](#)  
5 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
120 Circuits, Pin

Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760553103](#)

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760553104](#)

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760553105](#)

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760553106](#)

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760553107](#)

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760553108](#)

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 150

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760553603  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760553604  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760553605  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760553606  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760553607  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760553608  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,

16 Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760553614  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Key Orientation A,  
Lead-Free  
Impact 100 Ohm 760553615  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Key Orientation A,  
Lead-Free  
Impact 100 Ohm 760555103  
5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760555104  
5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760555105  
5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760555106  
5 Pair Vertical

Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760555107](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760555108](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760555603](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 240  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760555604](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [760555605](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm	<u>760555606</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555607</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555608</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555615</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free	
Impact 100 Ohm	<u>760555617</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation A, Lead-Free	
Impact 100 Ohm	<u>760557103</u>
5 Pair Vertical Backplane Header, Left Guided, Right Endwall, 10 Columns, 150 Circuits, Pin Length 4.50mm, Plated	

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760557104  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760557105  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 150  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 760557106  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760557107  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 150  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760557108  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 150  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 760557156  
5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 150  
Circuits, Pin Length

4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Keying Orientation E,  
Lead-Free

Impact 100 Ohm 760557603

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 240  
Circuits, Pin Length

4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760557604

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 240  
Circuits, Pin Length

4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760557605

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 240  
Circuits, Pin Length

5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760557606

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 240  
Circuits, Pin Length

4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760557607

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 240  
Circuits, Pin Length

4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760557608

5 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,



16 Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760559103

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760559104

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760559105

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760559106

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760559107

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760559108

5 Pair Vertical  
Backplane Header,  
Right Guided,

Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [760559114](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm [760559115](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm [760559117](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm ,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm [760559127](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 150  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm ,  
Key Orientation B,  
Lead-Free

Impact 100 Ohm [760559603](#)

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760559604

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760559605

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 760559606

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760559607

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 240  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 760559608

5 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 240  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761451103

6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451104  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451105  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451106  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451107  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451108  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451113  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 180  
Circuits, Pin Length

4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451114  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451115  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451116  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451117  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451118  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451123  
6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 180

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451124  
6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451125  
6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451126  
6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451127  
6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451128  
6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451133  
6 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10

Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451134  
6 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451135  
6 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451136  
6 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451137  
6 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451138  
6 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451603  
6 Pair Vertical  
Backplane Header,  
Unguided, Open

Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451604  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451605  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451606  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451607  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451608  
6 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451613  
6 Pair Vertical  
Backplane Header,



Unguided, Left  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451614  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451615  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761451616  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451617  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451618  
6 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761451623  
6 Pair Vertical

Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [761451624](#)

6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [761451625](#)

6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm [761451626](#)

6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [761451627](#)

6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm [761451628](#)

6 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761451633</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761451634</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761451635</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761451636</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761451637</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>761451638</u>

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761453103

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761453104

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761453105

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761453106

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761453107

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761453108

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761453116  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm ,  
Keying Orientation A,  
Lead-Free  
Impact 100 Ohm 761453118  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm ,  
Keying Orientation A,  
Lead-Free  
Impact 100 Ohm 761453603  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761453604  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761453605  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761453606  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,

16 Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761453607  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761453608  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761453614  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Keying Orientation A,  
Lead-Free  
Impact 100 Ohm 761453667  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm ,  
Keying Orientation F,  
Lead-Free  
Impact 100 Ohm 761455103  
6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761455104  
6 Pair Vertical

Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761455105

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761455106

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761455107

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761455108

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761455118

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm ,  
Keying Orientation A,  
Lead-Free

Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761455603</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761455604</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761455605</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761455606</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761455607</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>761455608</u>



Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761455614

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm ,  
Keying Orientation A,  
Lead-Free

Impact 100 Ohm 761455617

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm ,  
Keying Orientation A,  
Lead-Free

Impact 100 Ohm 761457103

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761457104

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761457105

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761457106

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 180

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761457107

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 180

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761457108

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 180

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761457603

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 288

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761457604

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 288

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761457605

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 288

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761457606

6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,

16 Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761457607  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761457608  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 288  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761457636  
6 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Polarizing Key  
Position C, Lead  
Free  
Impact 100 Ohm 761459103  
6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761459104  
6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761459105  
6 Pair Vertical

Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761459106

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761459107

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761459108

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761459114

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 180  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm 761459603

6 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 288  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761459604</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761459605</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761459606</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761459607</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761459608</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Left Endwall, 16 Columns, 288 Circuits, Pin Length 4.50mm, Plated Through Hole	<u>761459616</u>

Dimension 0.39mm,  
Lead Free

Impact 100 Ohm 761551103

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551104

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551105

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551106

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551107

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551108

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551113  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551114  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551115  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551116  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551117  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551118  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 120  
Circuits, Pin Length

5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551123  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551124  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551125  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551126  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551127  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551128  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 120



Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551133

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 120

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551134

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 120

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551135

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 120

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551136

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 120

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551137

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 120

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551138

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10

Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551303  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead Free  
Impact 100 Ohm 761551304  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551305  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead Free  
Impact 100 Ohm 761551307  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551308  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551316  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551317

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551318

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551323

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551324

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551325

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551326

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551327

4 Pair Vertical  
Backplane Header,

Unguided, Dual  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551328

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551336

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551337

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551338

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551603

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551604

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 192  
Circuits, Pin Length

4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551605  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551606  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551607  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551608  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551613  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551614  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 192

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551615  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551616  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551617  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551618  
4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551623  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551624  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16

Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551625  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551626  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551627  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551628  
4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551633  
4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551634  
4 Pair Vertical  
Backplane Header,  
Unguided, Right

Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551635  
4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551636  
4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551637  
4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551638  
4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761551803  
4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761551804  
4 Pair Vertical  
Backplane Header,  
Unguided, Open



Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551805

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551806

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551807

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551808

4 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551813

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551814

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551815

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551816

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551817

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551818

4 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551823

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551824

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551825

4 Pair Vertical  
Backplane Header,

Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551826

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551827

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551828

4 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551833

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551834

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551835

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761551836

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551837

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761551838

4 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553103

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553104

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553105

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553106  
4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553107  
4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553108  
4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553118  
4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Key Position A, Lead  
Free

Impact 100 Ohm 761553158  
4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Key Position E, Lead  
Free

Impact 100 Ohm 761553304  
4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553307

4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553603

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553604

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553605

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553606

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553607

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553608

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553618

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm ,  
Orientation Key A,  
Lead-Free

Impact 100 Ohm 761553803

4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553804

4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553805

4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761553806

4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553807  
4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761553808  
4 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555103  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555104  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555105  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555106  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free



Impact 100 Ohm 761555107  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555108  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555117  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Key Position A, Lead  
Free

Impact 100 Ohm 761555127  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Key Position B, Lead  
Free

Impact 100 Ohm 761555137  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Key Position C, Lead  
Free

Impact 100 Ohm 761555304  
4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,

Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555307

4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555603

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555604

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555605

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761555606

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555607

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761555608  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761555618  
4 Pair Vertical  
Backplane Header,  
Right Guided,  
Open Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm ,  
Orientation Key A,  
Lead-Free  
Impact 100 Ohm 761555803  
4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761555804  
4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761555805  
4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761555806  
4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555807

4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761555808

4 Pair Vertical  
Backplane Header,  
Right Guided, Open  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557103

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761557104

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761557105

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761557106

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557107

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557108

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557118

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm ,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm 761557307

4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557308

4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 6 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557603

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761557604

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761557605

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761557606

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557607

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557608

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761557618

4 Pair Vertical  
Backplane Header,  
Left Guided,  
Right Endwall,  
16 Columns, 192  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm ,  
Key Orientation A,  
Lead-Free  
Impact 100 Ohm 761557803  
4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761557804  
4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761557805  
4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761557806  
4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761557807  
4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761557808  
4 Pair Vertical  
Backplane Header,  
Left Guided, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761559103</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761559104</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761559105</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761559106</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761559107</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>761559108</u>



Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559114

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm 761559165

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Key Position F, Lead  
Free

Impact 100 Ohm 761559603

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761559604

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761559605

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761559606

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559607

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559608

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559615

4 Pair Vertical  
Backplane Header,  
Right Guided,  
Left Endwall, 16  
Columns, 192

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Key Position A, Lead  
Free

Impact 100 Ohm 761559803

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761559804

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761559805

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761559806

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559807

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559808

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761559817

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm ,  
Key Orientation A,  
Lead-Free

Impact 100 Ohm 761559827

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm ,  
Key Orientation B,  
Lead-Free

Impact 100 Ohm 761559837

4 Pair Vertical  
Backplane Header,  
Right Guided, Left  
Endwall, 8 Columns,  
96 Circuits, Pin

Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm ,

Key Orientation C,  
Lead-Free  
Impact 100 Ohm 761651103  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651104  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651105  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651106  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651107  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651108  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651113  
3 Pair Vertical  
Backplane Header,

Unguided, Left  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm [761651114](#)  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm [761651115](#)  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm [761651116](#)  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm [761651117](#)  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm [761651118](#)  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm [761651123](#)  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651124  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651125  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651126  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651127  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651128  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651133  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651134  
3 Pair Vertical  
Backplane Header,

Unguided, Right  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651135

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651136

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651137

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651138

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651304

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651307

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole

Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651308

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651316

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651317

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651318

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651323

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651324

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651325

3 Pair Vertical  
Backplane Header,



Unguided, Dual  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651326

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651327

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead Free

Impact 100 Ohm 761651328

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651337

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651338

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651603

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651604  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651605  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651606  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651607  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651608  
3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651613  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 144  
Circuits, Pin Length

4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651614  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651615  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651616  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651617  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651618  
3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651623  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 144

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651624  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651625  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651626  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651627  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651628  
3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651633  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16

Columns, 144  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651634  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651635  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761651636  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651637  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651638  
3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761651803  
3 Pair Vertical  
Backplane Header,  
Unguided, Open

Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651804

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651805

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651806

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651807

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651808

3 Pair Vertical  
Backplane Header,  
Unguided, Open  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651813

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole

Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651814

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651815

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651816

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651817

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651818

3 Pair Vertical  
Backplane Header,  
Unguided, Left  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651823

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651824

3 Pair Vertical  
Backplane Header,

Unguided, Dual  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651825

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651826

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651827

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651828

3 Pair Vertical  
Backplane Header,  
Unguided, Dual  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651833

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651834

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole



Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651835

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761651836

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651837

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761651838

3 Pair Vertical  
Backplane Header,  
Unguided, Right  
Endwall, 8 Columns,  
72 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761653103

3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761653104

3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free

Impact 100 Ohm 761653105

3 Pair Vertical  
Backplane Header,

Left Guide, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761653106  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761653107  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761653108  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761653115  
3 Pair Vertical  
Backplane Header,  
Left Guided,  
Open Endwall, 10  
Columns, 90 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Key Position A, Lead  
Free  
Impact 100 Ohm 761653304  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761653307  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,

Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761653308

3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact 100 Ohm 761653317

3 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Key Position A, Lead  
Free

Impact 100 Ohm 761653337

3 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Key Position C, Lead  
Free

Impact 100 Ohm 761653357

3 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Key Position E, Lead  
Free

Impact 100 Ohm 761653377

3 Pair Vertical  
Backplane Header,  
Left Guided, Open  
Endwall, 6 Columns,  
54 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Key Position G, Lead  
Free

Impact 100 Ohm 761653603

3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761653604  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761653605  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact 100 Ohm 761653606  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761653607  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact 100 Ohm 761653608  
3 Pair Vertical  
Backplane Header,  
Left Guide, Open  
Endwall, 16  
Columns, 144  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free

This document was generated on 02/26/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15350698](#) [15350707](#) [15430130](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#) [OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#) [FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [CF-008025-000](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [483249-1](#) [5-1579007-2](#) [5-1579007-9](#) [BPR10](#)