

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0621005850](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Impact Insertion Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Insertion Hand Tool
UPC	887191234328
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
[Application Tooling Documents](#)

ATS-621005850, TM-622018799



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

Impact 85 Ohm Backplane [170522](#) , [170332](#) , [170472](#) , :Link:[170518](#), [170532](#) , [171065](#) , [170535](#) , [170525](#) , [170335](#) , [170475](#) , [170535](#)

Application Tooling | FAQ

Description	Product #
Impact BP 4x18 85-ohm GL/W Sn Custom	1703320003
Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided, Open End Walls, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	1703351105
Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided,	1703351106

Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351107
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351108
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351127
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351207
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351208
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
12 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351217
Plus 4 Pair Vertical
Header, Unguided,
Left End Wall,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351227](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351407](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
14 Columns, 168
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351408](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Wall,
14 Columns, 168
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351428](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Wall,
14 Columns, 168
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351604](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm [1703351605](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm [1703351607](#)
Plus 4 Pair Vertical
Header, Unguided,

Open End Walls,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351608
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351614
Plus 4 Pair Vertical
Header, Unguided,
Left End Wall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351625
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351627
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351804
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351807
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703351827
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703353106
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703353107
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703353127
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation B,
Lead-Free

Impact 85 Ohm 1703353207
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 4X14 85Ohm 1703353407
GL Open BP 4.9-.39

Impact 85 Ohm 1703353607
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703353608
Plus 4 Pair Vertical
Header, Left Guide,

Open End Walls,
16 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703353807
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703355104
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 10 Columns,
120 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703355106
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 10 Columns,
120 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703355107
Plus 4 Pair Vertical
Header, Right
Guided, Left Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1703355207
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 12 Columns,
144 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 4X14 85Ohm 1703355407
GR Open BP 4.9-.39
Impact 85 Ohm 1703355607
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 16 Columns,
192 Circuits, Pin
Length 4.90mm,

Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703355608
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 16 Columns,
192 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703355807
Plus 4 Pair Vertical
Header, Right Guide,
Open End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703357107
Plus 4 Pair Vertical
Header, Left Guide,
Right End Wall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703357157
Plus 4 Pair Vertical
Header, Left Guide,
Right End Wall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead-Free
Impact 4x12 85 1703357207
Ohm GL Endwall BP
4.9 .39
Impact 85 Ohm 1703357407
Plus 4 Pair Vertical
Header, Left Guide,
Right End Wall,
14 Columns, 168
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703357905
Plus 4 Pair Vertical
Header, Left Guide,
Right End Wall,
18 Columns, 216
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703359107
Plus 4 Pair Vertical
Header, Right
Guide, Left End
Wall, 10 Columns,
120 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 4X10 85ohm 1703359108
GR BP Endwall 0.46
Impact 85 Ohm 1703359207
Plus 4 Pair Vertical
Header, Right
Guide, Left End
Wall, 12 Columns,
144 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703359407
Plus 4 Pair Vertical
Header, Right
Guide, Left End
Wall, 14 Columns,
168 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1704751107
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751108
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751127
Plus 5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751128
Plus 5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751207
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751208
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751228
Plus 5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751607
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751608
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704753107
Plus 5 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704753207
Plus 5 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704753257
Plus 5 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Polarizing Key
Position E, Lead
Free
Impact 85 Ohm 1704753607
Plus 5 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704755107
Plus 5 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704755207
Plus 5 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,

12 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1704755607](#)
Plus 5 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1704757207](#)
Plus 5 Pair Vertical
Backplane Header,
Left Guide with
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1704759107](#)
Plus 5 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1704759207](#)
Plus 5 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1704759208](#)
Plus 5 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705251105](#)
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open

Endwalls, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251107
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251108
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251117
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251118
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251127
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251607
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251618
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact BP 85ohm 1705251628
3x16 Dual Wall 5.5
0.39
Impact 85 Ohm 1705251637
Plus 3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251805
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 8
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251807
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251813
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251814
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251815
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251816
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251817
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251818
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251824
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251827
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251828
Plus 3 Pair Vertical
Backplane Header,

Unguided, Dual
Endwalls, 8
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705251837](#)
Plus 3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705253105](#)
Plus 3 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm [1705253107](#)
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705253605](#)
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm [1705253607](#)
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705253608](#)
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253618
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead
Free
Impact 85 Ohm 1705253807
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253817
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through
Hole Dimension
0.39mm, Polarizing
Key Position A, Lead
Free
Impact 85 Ohm 1705255107
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705255117
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through
Hole Dimension
0.39mm, Polarizing
Key Position A, Lead
Free
Impact 85-OHM BP 1705255177
3x10 GR Sn

Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead Free	<u>1705255605</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead Free	<u>1705255607</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705255608</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705255807</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead- Free	<u>1705255817</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Left Guide with Endwall, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705257807</u>

Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Right Guide with Endwall, 16 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705259607</u>
Impact BP 3X16 85ohm GR Endwall 5.5 0.39	<u>1705259608</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351107</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351108</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351127</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351607</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 288 Circuits, Pin Length	<u>1705351608</u>

5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705353107](#)
Plus 6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705353607](#)
Plus 6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705353637](#)
Plus 6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free
Impact 85 Ohm [1705355107](#)
Plus 6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705355607](#)
Plus 6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705357107](#)
Plus 6 Pair Vertical
Backplane Header,
Left Guided, Endwall,

10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705359107](#)
Plus 6 Pair Vertical
Backplane Header,
Right Guided,
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1710653107](#)
Plus 2 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1710655107](#)
Plus 2 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1710659107](#)
Plus 2 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1710659607](#)
Plus 2 Pair Vertical
Backplane Header,
Right Guided,
Right Endwall, 16
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 02/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15350698](#) [15350707](#) [15430130](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#) [OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#) [FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [CF-008025-000](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [483249-1](#) [5-1579007-2](#) [5-1579007-9](#) [BPR10](#)