

This document was generated on 11/02/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0621007900

Status: **Active**

Application Tooling Overview:

Removal Tool for Ten60 Power Receptacle Terminals **Description:**

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series 207121

Comments See Tooling Specification (PDF) Above

Extraction **Function** Geographic Area Global

Level of Automation Semi-Automatic

More Detailed Tech Information applicationtooling@molex.com

Application Tooling Overview

Product Name N/A

Extraction Hand Tool Tool Type **UPC** 883906318000

Warranty Disclaimer CAUTION: Molex tooling crimp specifications are


valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is

modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-621007900-001



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Contained Per

-ED/01/2018 (15

January 2018) Halogen-Free

Status

ELV

Not Relevant

For more information, please visit Contact US

China ROHS

Not Relevant Not Relevant

China RoHS

RoHS Phthalates

Not Contained

Search Parts in this Series

207121 Series

Use With

46532, 46562 Ten60Power Receptacle

Assembly

Application Tooling | FAQ

Description

Product #

2.00mm Pitch

465621001

EXTreme

Ten60Power

Vertical Receptacle

Assembly with Guide

Receivers, 10 Signal

Circuits, 2 Power

Circuits

2.54mm, 5.50mm 465621003

Pitch EXTreme Ten60Power

Vertical Receptacle

Assembly with Guide

Receivers, 24 Signal

Circuits, 6 Power

Circuits

2.00mm, 5.50mm 465621005 Pitch EXTreme Ten60Power Right-Angle Receptacle Assembly with Guide Receiver, 32 Signal Circuits, 8 Power Circuits 2.54mm, 5.50mm 465621011 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 4 Power Circuits 2.54mm Pitch 465621013 **EXTreme** Ten60Power Vertical Receptacle Assembly, 12 Signal Circuits, 2 Power Circuits 465621020 2.54mm, 5.50mm, 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 7 Power Circuits 2.54mm, 5.50mm 465621035 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 3 DC Power Circuits, 33 Signal Circuits, 9 DC Power Circuits, 9 DC **Power Circuits** ten60, VERTICAL 465621041 **RECPT ASSY** 6DC-24S-3AC 2.00mm, 5.50mm 465621044 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Top Guide Receiver, 25 Signal Circuits, 2 **Power Circuits** 2.54mm, 5.50mm 465621073 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 27 Signal Circuits, 10 Power Circuits 2.54mm, 5.50mm, 465621077

7.50mm Pitch EXTreme Ten60Power

Vertical Receptacle Assembly with Guide Receivers, 12 Signal Circuits, 4 Power

2.54mm, 5.50mm, <u>465621079</u>

7.50mm Pitch EXTreme Ten60Power Vertical Receptacle

Assembly with Guide

Receivers, 12 Signal

Circuits, 5 Power

Circuits

Circuits

2.54mm, 5.50mm, 465621084

7.50mm Pitch EXTreme

Ten60Power

Vertical Receptacle

Assembly with Guide

Receivers, 3 AC

Power Circuits, 4 DC

Power Circuits, 24

Signal Circuits

2.54mm, 5.50mm <u>465621085</u>

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 9 Signal Circuits, 4 Power

Circuits

2.54mm, 5.50mm 465621086

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 32 Signal

Circuits, 16 Power

Circuits

2.54mm, 5.50mm 465621093

Pitch EXTreme
Ten60Power Vertical
Receptacle with
Guides, 6 Signal
Circuits, 2 Power

Circuits

2.54mm, 5.50mm 465621094

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 14 Power

Circuits

2.54mm, 5.50mm <u>465621100</u>

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 6 Signal Circuits, 3 Power

Circuits

2.54mm, 5.50mm <u>465621103</u>

Pitch EXTreme

Ten60Power Vertical Receptacle Assembly with Guide Receivers, 48 Signal Circuits, 12 Power

Circuits

2.54mm, 5.50mm 465621106

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 45 Signal Circuits, 18 Power

Circuits

2.54mm, 5.50mm 465621117

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power

Circuits

2.54mm, 5.50mm 465621119

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 2 Power

Circuits

2.50mm, 3.00mm 465621127

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 6 Signal Circuits, 1 Power

Circuits

2.50mm, 3.00mm 465621129

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 2 Power

Circuits

2.54mm, 5.50mm 465621150

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 6 Power

Circuits

2.00mm, 5.50mm 465621171

Pitch EXTreme Ten60Power Right-Angle Receptacle Assembly with Top Guide Receiver, 20 Signal Circuits, 4 **Power Circuits**

2.00mm, 5.50mm 465621172

Pitch EXTreme Ten60Power Right-Angle Receptacle Assembly with Top

Guide Receiver, 60 Signal Circuits, 6 Power Circuits

2.00mm, 7.50mm 465621190

Pitch EXTreme Ten60Power Right-Angle Receptacle Assembly with Top Guide Receiver, 15 Signal Circuits, 12 Power Circuits

2.00mm, 5.50mm 465621191

Pitch EXTreme
Ten60Power
Vertical Receptacle
Assembly with Guide
Receivers, 25 Signal
Circuits, 8 Power

Circuits

2.00mm, 5.50mm 465621197

Pitch EXTreme
Ten60Power
Vertical Receptacle
Assembly with Guide
Receivers, 15 Signal
Circuits, 10 Power
Circuits

2.54mm, 5.50mm 465621208

Pitch EXTreme
Ten60Power
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 8 Power

Circuits

2.00mm, 5.50mm 465621223

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 30 Signal Circuits, 4 Power

Circuits

2.54mm, 7.50mm 465621227

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 4 DC Power Circuits, 12 Signal Circuits, 6 AC

Power Circuits

2.00mm, 2.50mm, 465621232

5.50mm Pitch EXTreme

Ten60Power Vertical

Receptacle with Guides, 4 DC Power

Circuits, 15 HD

Circuits, 15 HD

Signal Circuits, 4 DC

Power Circuits

2.00mm, 5.50mm 465621234

Pitch EXTreme Ten60Power Vertical Receptacle

Assembly with Top Guide Receivers, 20 Signal Circuits, 4 Power Circuits,

Press-Fit

2.00mm, 5.50mm 465621235

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 60 Signal Circuits, 6 Power

Circuits, Press-Fit

2.00mm, 5.50mm 465621240

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 30 Signal Circuits, 2 Power

Circuits

5.50mm Pitch <u>465621260</u>

EXTreme

Ten60Power Vertical Receptacle with Guide Receivers, 20

Power Circuits

2.00mm, 5.50mm 465621264

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 10 Signal Circuits, 3 Power

Circuits

2.00mm, 5.50mm 465621271

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 2 DC Power Circuits, 20 Signal Circuits, 2 DC

Power Circuits

2.00mm, 7.50mm <u>465621280</u>

Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 15 Signal Circuits, 10 Power

Circuits

7.50mm Pitch <u>465621285</u>

EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 3 Power Circuits (3 AC)

2.00mm, 7.50mm 465621286

Pitch EXTreme
Ten60Power
Vertical Receptacle
Assembly with Guide
Receivers, 25 Signal

Circuits, 4 AC Power Circuits 2.54mm, 5.50mm, 465621295 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly, 24 Signal Circuits, 4 DC Power Circuits, 3 AC Power Circuits 7.50mm Pitch 465621302 **EXTreme** Ten60Power Vertical Receptacle Assembly, 6 AC **Power Circuits** 2.54mm, 5.50mm 465621305 Pitch EXTreme Ten60Power Vertical Receptacle Assembly, 24 Signal Circuits, 10 DC **Power Circuits** 5.50mm Pitch 465621331 **EXTreme** Ten60Power Vertical Receptacle, 6 DC **Power Circuits** 2.00mm, 5.50mm 465621349 Pitch EXTreme Ten60Power Vertical Receptacle with Guides, 8 DC Power Circuits, 25 Signal Circuits 2.00mm, 3.00mm 465621367 and 5.50mm Pitch EXTreme Ten60Power Vertical Receptacle with Guide Receivers, 9 Power Circuits 25 Signal Circuits, 9 **Power Circuits** 2.00mm, 7.50mm 465621379 Pitch EXTreme Ten60Power Vertical Receptacle with Guides, 4 AC Power Circuits, 15 Signal Circuits 2.00mm, 5.50mm 465621394 Pitch EXTreme Ten60Power Vertical Receptacle with Guides, 10 DC Power Circuits, 25 **HD Signal Circuits** 2.54mm, 5.50mm 465623001 Pitch EXTreme

Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal

Circuits, 4 Power Circuits 2.54mm, 5.50mm 465623002 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 4 Power Circuits 2.54mm, 5.50mm 465623003 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 4 Power Circuits 2.54mm, 5.50mm 465623004 Pitch EXTreme Ten60Power Vertical Receptacle with Top Guide Receivers, 24 Signal Circuits, 4 **Power Circuits** 2.54mm, 5.50mm 465623005 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power Circuits 2.54mm, 5.50mm 465623006 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power Circuits 2.54mm, 5.50mm 465623007 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power Circuits 2.54mm, 5.50mm 465623008 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Top Guide Receivers, 24 Signal Circuits, 6 **Power Circuits** 2.54mm, 5.50mm 465623009 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide

Receivers, 24 Signal Circuits, 6 Power

Circuits

2.54mm, 5.50mm, 465623010 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 7 Power Circuits 2.54mm, 5.50mm, 465623011 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 7 Power Circuits 2.54mm, 5.50mm, 465623012 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle with Top Guide Receivers, 24 Signal Circuits, 7 **Power Circuits** 2.54mm, 5.50mm, 465623013 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle with Top Guide Receivers, 24 Signal Circuits, 7 **Power Circuits** 2.00mm, 5.50mm 465623101 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 4 DC Power Circuits 2.00mm, 5.50mm 465623102 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 4 DC Power Circuits 2.00mm, 5.50mm 465623103 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 4 DC Power Circuits 2.00mm, 5.50mm 465623104 Pitch EXTreme Ten60Power

Vertical Receptacle Assembly with Guide Receivers, 25 Signal

Circuits, 4 DC Power Circuits 2.00mm, 5.50mm 465623105 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 6 DC Power Circuits 2.00mm, 5.50mm 465623106 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 6 DC Power Circuits 2.00mm, 5.50mm 465623107 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 6 DC Power Circuits 2.00mm, 5.50mm 465623108 Pitch EXTreme Ten60Power Vertical Receptacle Assembly with Guide Receivers, 25 Signal Circuits, 6 DC Power Circuits 2.00mm, 5.50mm, 465623110 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Guide Receivers, 3 AC Power Circuits, 25 Signal Circuits, 4 DC **Power Circuits** 2.00mm, 5.50mm, 465623111 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Guide Receivers, 4 DC Power Circuits, 25 Signal Circuits, 3 AC **Power Circuits** 2.00mm, 5.50mm, 465623112 7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Top Guide Receivers, 3 AC Power Circuits,

25 Signal Circuits, 4 DC Power Circuits

7.50mm Pitch **EXTreme** Ten60Power Vertical Receptacle Assembly with Top Guide Receivers, 4 DC Power Circuits, 25 Signal Circuits, 3 **AC Power Circuits EXTreme** 465629001 Ten60Power

2.00mm, 5.50mm, 465623113

Vertical Receptacle Assembly, 1 Power

Circuit

5.50mm Pitch 465629002 **EXTreme**

Ten60Power Vertical Receptacle Assembly, 2 Power

Circuits

7.50mm Pitch

EXTreme Ten60Power Vertical Receptacle

465629005

Assembly, 5 Signal Circuits

7.500mm Pitch 465629102

EXTreme Ten60Power Vertical Receptacle Assembly, 2 Power

Circuits

This document was generated on 11/02/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Extraction, Removal & Insertion Tools category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

M8196914-08 768211-2 809-131 844751-2 8-59558-2 91018-1 12014013 12093647 1-21048-0 R282867020 12093078 12180559 121048-6 12121897 DCF.91.405.5LT 1322 15314260 15350698 15350707 15430130 1643916-1 1-679532-0 1976593-3 OUTEXT-0321 21579008-3 2-1579008-4 229694-7 231106-1 241469 91040-3 91040-7 965004-000 965069-000 1738219-1 ET-JL05-16 FG 0300 146 3000
FIT-6 210S048 2-1579007-9 231879-1 CF-008025-000 312138-3 RJ11FODE 356-162 M8196914-10 4-1579018-0 483249-1 5-1579007-2
5-1579007-9 BPR10