

This document was generated on 07/28/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0622018661

Status: Active

Overview: Application Tooling

Description: Daughter Card Signal Module Assembly Press-In Tool for 6-Pair by 10-Column

Assemblies

## **Documents:**

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series <u>207123</u>

Comments See Tooling Specification (PDF) Above

Function Insertion
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>

OverviewApplication ToolingProduct NamePremiumGradeTool TypePress-Fit Insertion ToolUPC883906116187

Warranty Disclaimer CAUTION: Molex too


CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is

modified.

**Material Info** 

**Reference - Drawing Numbers** 

Application Tooling Documents ATS-622018661-001, TM-622018799-001



**EU ELV Not Relevant** 

EU RoHS China RoHS
Not Relevant

REACH SVHC
Not Relevant
Halogen-Free
Status

**Not Relevant** 

For more information, please visit Contact US

China ROHS Not Relevant
ELV Not Relevant
ROHS Phthalates Not Relevant

Search Parts in this Series

207123 Series

Application Tooling | FAQ | Product #

Impact 85 Ohm <u>1705401020</u> Plus 6 Pair Right-

Flus o Fall Right

Angle Daughtercard,

Unguided, 10

Columns, 180

Circuits, Plated

Through Hole

Dimension 0.39mm,

Lead Free

Impact 85 Ohm Plus <u>1705403020</u>

6 Pair Right-Angle

Daughtercard, Left Guided, 10 Columns,

180 Circuits, Plated

Through Hole

Dimension 0.39mm,

Lead Free

Impact 85 Ohm Plus <u>1705405020</u>

6 Pair Right-Angle Daughtercard, Right Guided, 10 Columns, 180 Circuits, Plated

Through Hole Dimension 0.39mm, Lead Free Impulse 90 Ohm 4- 2111309004 Pair 270° Orthogonal Header, 2.00mm Pitch, Right Guided, 8 Columns, 32 Differential Pair Impact 100 Ohm 761501010 6 Pair Right-Angle Daughtercard Receptacle, Unguided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 761501020 6 Pair Right-Angle Daughtercard Receptacle, Unguided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 761503010 6 Pair Right-Angle Daughtercard Receptacle, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact 100 Ohm 761503020 6 Pair Right-Angle Daughtercard Receptacle, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 761503120 6 Pair Right-Angle Daughtercard Receptacle, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead-Free Impact 100 Ohm 761505010 6 Pair Right-Angle Daughtercard Receptacle, Right Guided, 10 Columns, 180 Circuits, Plated

Through Hole

Dimension 0.46mm, Lead-Free Impact 100 Ohm 761505020 6 Pair Right-Angle Daughtercard Receptacle, Right Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 762901020 6 Pair Right-Angle Orthogonal Daughtercard, Unguided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 762903020 6 Pair Right-Angle Orthogonal Daughtercard, Left Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 762905020 6 Pair Right-Angle Orthogonal Daughtercard, Right Guided, 10 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765601104 6 Pair RAM Right-Angle Header, Unguided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead Free Impact 100 Ohm 765601107 6 Pair RAM Right-Angle Header, Unguided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765601108 6 Pair RAM Right-Angle Header,

Unguided, Open

Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765601118 6 Pair RAM Right-Angle Header, Unguided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact 100 Ohm 765601127 6 Pair RAM Right-Angle Header, Unguided, Dual Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765601138 6 Pair RAM Right-Angle Header, Unguided, Right Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free Impact 100 Ohm 765603107 6 Pair RAM Right-Angle Header, Left Guided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free 765603108 Impact 100 Ohm 6 Pair RAM Right-Angle Header, Left Guided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765603118

6 Pair RAM Right-Angle Header,

Left Guided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead-Free Impact 100 Ohm 765605108 6 Pair RAM Right-Angle Header, Right Guided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765605118 6 Pair RAM Right-Angle Header, Right Guided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead-Free Impact 100 Ohm 765607107 6 Pair RAM Right-Angle Header, Left Guided, Right Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765607108 6 Pair RAM Right-Angle Header, Left Guided, Right Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765609105 6 Pair RAM Right-Angle Header, Right Guided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated

Through Hole

Dimension 0.46mm, Lead-Free Impact 100 Ohm 765609107 6 Pair RAM Right-Angle Header, Right Guided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free Impact 100 Ohm 765609108 6 Pair RAM Right-Angle Header, Right Guided, Left Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free

This document was generated on 07/28/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Bench Top Tools category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

0027 6-1372442-6 63801-4462 63801-4561 63801-7269 679527-1 691667-1 7-21000-9 768539-1 854130-1 854946-2 856203-1 904449-1 9-22280-9 986096-2 992438-3 1-21000-3 1-21000-1 1-25022-4 1302263353 1302263355 1302261057 1302261101 1302261206 1302261560 1302263123 1302264036 1424264-1 1424267-1 1428211-1 1428287-1 1-455755-6 1752744-1 18023-9 189763-1 1901726-1 2079747-1 21001-2 2119083-1 2119085-1 2119371-1 2161930-1 2217088-2 2217339-1 2217347-1 22281-9 22374-7 284565-000 F1 Handle Spring 19228-0213