

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018675](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Daughter Card Module Installation Press-In Tool for 3-Pair by 8-Column Assemblies

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General


Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	883906297183
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Engineering Number 62201-8674

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018675-001](#), [TM-622018799-001](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123](#) Series

Use With

Impact Daughtercard Signal Module Assembly, [76170](#) Series

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm Plus 3 Pair, RAM Signal Module, Right Guided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	1705109807
Impact 85 Ohm Plus 3 Pair Right-Angle Daughtercard, Unguided, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	1705301038

Impact 85 Ohm Plus 1705303038

3 Pair Right-Angle
Daughtercard, Left
Guide, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705305038

Plus 3 Pair Right-
Angle Daughtercard,
Right Guide, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 761701008

3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761701038

3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703008

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703038

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703078

3 Pair Right-Angle
Daughtercard
Receptacle with ESD
Clip, Left Guided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703138

3 Pair Right-Angle
Daughtercard
Receptacle, Left

Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761703538

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position E, Lead
Free

Impact 100 Ohm 761705008

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761705038

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761705138

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position B, Lead-
Free

Impact 100 Ohm 764101804

3 Pair Right-Angle
Male Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764101807

3 Pair Right-Angle
Male Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764101808

3 Pair Right-Angle
Male Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764101827

3 Pair Right-Angle
Male Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764103804

3 Pair Right-Angle
Male Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764103807

3 Pair Right-Angle
Male Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764103808

3 Pair Right-Angle
Male Header, Left
Guided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 764103818

3 Pair Right-Angle
Male Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 764105804

3 Pair Right-Angle

Male Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 764105807
3 Pair Right-Angle
Male Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 764105818
3 Pair Right-Angle
Male Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Keying Orientation A,
Lead-Free
Impact 100 Ohm 764107807
3 Pair Right-Angle
Male Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 764109807
3 Pair Right-Angle
Male Header,
Right Guided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm 764109808
3 Pair Right-Angle
Male Header,
Right Guided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 07/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Bench Top Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[0027](#) [6-1372442-6](#) [63801-4462](#) [63801-4561](#) [63801-7269](#) [679527-1](#) [691667-1](#) [7-21000-9](#) [768539-1](#) [854130-1](#) [854946-2](#) [856203-1](#) [904449-1](#)
[9-22280-9](#) [986096-2](#) [992438-3](#) [1-21000-3](#) [1-21000-1](#) [1-25022-4](#) [1302263353](#) [1302263355](#) [1302261057](#) [1302261101](#) [1302261206](#)
[1302261560](#) [1302263123](#) [1302264036](#) [1424264-1](#) [1424267-1](#) [1428211-1](#) [1428287-1](#) [1-455755-6](#) [1752744-1](#) [18023-9](#) [189763-1](#) [1901726-1](#)
[2079747-1](#) [21001-2](#) [2119083-1](#) [2119085-1](#) [2119371-1](#) [2161930-1](#) [2217088-2](#) [2217339-1](#) [2217347-1](#) [22281-9](#) [22374-7](#) [284565-000](#) [F1](#)
[Handle Spring](#) [19228-0213](#)