

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018692](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Backplane Module Installation Press-In Tool for 2-Pair by 10-Column Assemblies

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	883906498795
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.


Physical

Net Weight 57.020/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018692-001](#), [TM-622018799-001](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
ED/21/2016 (20 June
2016)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

Impact 2 Pair Vertical Backplane Header
[76455](#)

Application Tooling | **FAQ**

Description	Product #
--------------------	------------------

Impact 100 Ohm 2 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 60 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	764551104
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------

Impact 100 Ohm 2 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 60 Circuits,	764551105
------------------------------------------------------------------------------------------------------------------	---------------------------

Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [764551106](#)

2 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [764551107](#)

2 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [764551108](#)

2 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [764551117](#)

2 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm [764551118](#)

2 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [764551124](#)

2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764551125
2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764551127
2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551128
2 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764551137
2 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 764551138
2 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764553104
2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764553106
2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764553107

2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764553108

2 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10

Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764555104

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764555106

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764555107

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764555108

2 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10

Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764557106
2 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764557107
2 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764557108
2 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764559104
2 Pair Vertical
Backplane Header,
Right Guide,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764559107
2 Pair Vertical
Backplane Header,
Right Guide,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764559108
2 Pair Vertical
Backplane Header,
Right Guide,
Left Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Bench Top Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[0027](#) [6-1372442-6](#) [63801-4462](#) [63801-4561](#) [63801-7269](#) [679527-1](#) [691667-1](#) [7-21000-9](#) [768539-1](#) [854130-1](#) [854946-2](#) [856203-1](#) [904449-1](#)
[9-22280-9](#) [986096-2](#) [992438-3](#) [1-21000-3](#) [1-21000-1](#) [1-25022-4](#) [1302263353](#) [1302263355](#) [1302261057](#) [1302261101](#) [1302261206](#)
[1302261560](#) [1302263123](#) [1302264036](#) [1424264-1](#) [1424267-1](#) [1428211-1](#) [1428287-1](#) [1-455755-6](#) [1752744-1](#) [18023-9](#) [189763-1](#) [1901726-1](#)
[2079747-1](#) [21001-2](#) [2119083-1](#) [2119085-1](#) [2119371-1](#) [2161930-1](#) [2217088-2](#) [2217339-1](#) [2217347-1](#) [22281-9](#) [22374-7](#) [284565-000](#) [F1](#)
[Handle Spring](#) [19228-0213](#)