

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622024300](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Impact Daughter Card Extraction Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above. Type: EXTRACTOR
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	884982113855
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents

ATS-622024300, TM-622018799



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Contained Per - ED/108/2014 (17 Dec 2014)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

Impact Daughtercard Signal Module, Standard and Orthogonal Configurations for: . 2 Pair [76460](#) . 3 Pair [76170](#) , [76860](#) . 4 Pair [76160](#) , [76850](#) . 5 Pair [76060](#) , [76990](#) . 6 pair [76150](#) , [76290](#)

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm Plus 4 Pair, Right-Angle Daughtercard, Unguided, 16 Columns, 192 Circuits, Plated Through Hole Dimension 0.46mm, Lead Free	1703401016
Impact 85 Ohm Plus 4 Pair, Right-Angle Daughtercard, Unguided, 10	1703401020

Columns, 120
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1703401022
Plus 4 Pair, Right-
Angle Daughtercard,
Unguided, 12
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1703401024
Plus 4 Pair, Right-
Angle Daughtercard,
Unguided, 14
Columns, 168
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1703401026
Plus 4 Pair, Right-
Angle Daughtercard,
Unguided, 16
Columns, 192
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1703401038
Plus 4 Pair, Right-
Angle Daughtercard,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1703403038
Plus 4 Pair, Right-
Angle Daughtercard,
Left Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1703405010
4 Pair, Right-Angle
Daughtercard, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm Plus 1703405020
4 Pair, Right-Angle
Daughtercard, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus [1703405022](#)
4 Pair, Right-Angle
Daughtercard, Right
Guided, 12 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus [1703405024](#)
4 Pair, Right-Angle
Daughtercard, Right
Guided, 14 Columns,
168 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus [1703405026](#)
4 Pair, Right-Angle
Daughtercard, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm [1703405038](#)
Plus 4 Pair, Right-
Angle Daughtercard,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm [1704801020](#)
Plus 5 Pair Right-
Angle Daughtercard,
Unguided, 10
Columns, 150
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm [1704801022](#)
Plus 5 Pair Right-
Angle Daughtercard,
Unguided, 12
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm [1704801026](#)
Plus 5 Pair Right-
Angle Daughtercard,
Unguided, 16
Columns, 240
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus [1704803020](#)
5 Pair Right-Angle
Daughtercard, Left
Guided, 10 Columns,
150 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1704803022](#)
5 Pair Right-Angle
Daughtercard, Left
Guided, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1704803026](#)
5 Pair Right-Angle
Daughtercard, Left
Guided, 16 Columns,
240 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1704805020](#)
5 Pair Right-Angle
Daughtercard, Right
Guided, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1704805022](#)
5 Pair Right-Angle
Daughtercard, Right
Guided, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1704805026](#)
5 Pair Right-Angle
Daughtercard, Right
Guided, 16 Columns,
240 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705301020](#)
Plus 3 Pair Right-
Angle Daughtercard,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705301026](#)
Plus 3 Pair Right-
Angle Daughtercard,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705301038](#)
Plus 3 Pair Right-
Angle Daughtercard,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705303020
Plus 3 Pair Right-
Angle Daughtercard,
Left Guide, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705303026
3 Pair Right-Angle
Daughtercard, Left
Guide, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705303038
3 Pair Right-Angle
Daughtercard, Left
Guide, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705305020
Plus 3 Pair Right-
Angle Daughtercard,
Right Guide, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705305026
3 Pair Right-Angle
Daughtercard, Right
Guide, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705305038
Plus 3 Pair Right-
Angle Daughtercard,
Right Guide, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705401020
Plus 6 Pair Right-
Angle Daughtercard,
Unguided, 10
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705401026
Plus 6 Pair Right-
Angle Daughtercard,
Unguided, 16
Columns, 288
Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1705403020](#)
6 Pair Right-Angle
Daughtercard, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1705403026](#)
6 Pair Right-Angle
Daughtercard, left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1705405020](#)
6 Pair Right-Angle
Daughtercard, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus [1705405026](#)
6 Pair Right-Angle
Daughtercard, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm [1715731614](#)
3 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715731615](#)
3 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715731617](#)
3 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 4.90mm,

Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715731618
3 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715737604
3 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 1715737605
3 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 1715737607
3 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715737608
3 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 6 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715739604
3 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 6
Column, 90#Mate

Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715739605](#)
3 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 6
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715739607](#)
3 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 6
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715739608](#)
3 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 6
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715741814](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715741815](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715741817](#)
4 Pair Right-Angle

Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715741818](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715747804](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715747805](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715747807](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 4.90mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715747808](#)
4 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall, with
Outrigger, 8 Column,
90#Mate Position,
Pin Length 5.50mm,
Plated Through-Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 1715749804

4 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 8
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 1715749805

4 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 8
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 1715749807

4 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 8
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 1715749808

4 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 8
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 1715751114

5 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 1715751115

5 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,

with Outrigger, 10
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715751117](#)
5 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715751118](#)
5 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715757104](#)
5 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715757105](#)
5 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715757107](#)
5 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole

Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715757108
5 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715759104
5 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 1715759105
5 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 1715759107
5 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715759108
5 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 10
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 1715761214
6 Pair Right-Angle
Orthogonal Direct

Header, Unguided,
Dual Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715761215](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715761217](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715761218](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Unguided,
Dual Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715767204](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715767205](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length

5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715767207](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715767208](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Top Guide,
Bottom Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [1715769204](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715769205](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
5.50mm, Plated
Through-Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [1715769207](#)
6 Pair Right-Angle
Orthogonal Direct
Header, Bottom
Guide, Top Endwall,
with Outrigger, 12
Column, 90#Mate
Position, Pin Length
4.90mm, Plated
Through-Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 6 Pair Right-Angle Orthogonal Direct Header, Bottom Guide, Top Endwall, with Outrigger, 12 Column, 90#Mate Position, Pin Length 5.50mm, Plated Through-Hole Dimension 0.39mm, Lead-Free	<u>1715769208</u>
Impact 100 Ohm 5 Pair Right-Angle Daughtercard Receptacle, Unguided, 10 Columns, 150 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760601010</u>
Impact 100 Ohm 5 Pair Right-Angle Daughtercard Receptacle, Unguided, 12 Columns, 180 Circuits, Plated Through Hole Dimension 0.46mm, Lead Free	<u>760601012</u>
Impact 100 Ohm 5 Pair Right-Angle Daughtercard Receptacle, Unguided, 16 Columns, 240 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>760601016</u>
Impact 100 Ohm 5 Pair Right-Angle Daughtercard Receptacle, Unguided, 10 Columns, 150 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>760601020</u>
Impact 100 Ohm 5 Pair Right-Angle Daughtercard Receptacle, Unguided, 12 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>760601022</u>
Impact 100 Ohm 5 Pair Right-Angle Daughtercard	<u>760601026</u>

Receptacle,
Unguided, 16
Columns, 240
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760603010
5 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760603012
5 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 760603016
5 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
240 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760603020
5 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760603022
5 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760603520
5 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead-Free
Impact 100 Ohm 760605010
5 Pair Right-Angle
Daughtercard

Receptacle, Right
Guided, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760605012

5 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 760605016

5 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
240 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760605020

5 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760605022

5 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761501010

6 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761501014

6 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 14
Columns, 252
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761501016

6 Pair Right-Angle
Daughtercard

Receptacle,
Unguided, 16
Columns, 288
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761501020
6 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 180
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761501024
6 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 14
Columns, 252
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761501026
6 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 288
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761503010
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761503014
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761503016
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761503020
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761503024
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761503026
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761503120
6 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761505010
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761505014
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761505016
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761505020
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761505024
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 14 Columns,
252 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761505026
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761505126
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761505326
6 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
288 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead-
Free

Impact 100 Ohm 761601008
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761601010
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 120
Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761601016
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 192
Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761601020
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 120
Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761601026
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 192
Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761601038
4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761603008
4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
96 Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761603010
4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
120 Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761603016
4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,

192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761603020

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603026

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603038

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603120

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761605008

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761605010

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761605016

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,

192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761605020

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761605026

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761605038

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761605120

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761605220

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position B, Lead
Free

Impact 100 Ohm 761605310

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Polarizing Key
Position C, Lead
Free

Impact 100 Ohm 761605320
4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free

Impact 100 Ohm 761701008
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761701010
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761701016
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761701020
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761701026
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761701038
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761702020

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole

Dimension 0.39mm,
Tin (Sn), Lead (Pb)

Impact 100 Ohm 761703008

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703010

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703016

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703020

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703026

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703038

3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703120
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761703138
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761703420
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position D, Lead-
Free

Impact 100 Ohm 761703538
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position E, Lead
Free

Impact 100 Ohm 761704010
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.46mm,
Tin (Sn), Lead (Pb)

Impact 100 Ohm 761704016
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.46mm,
Tin (Sn), Lead (Pb)

Impact 100 Ohm 761704020
3 Pair Right-Angle
Daughtercard

Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Tin (Sn), Lead (Pb)
Impact 100 Ohm 761704026
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Tin (Sn), Lead (Pb)
Impact 100 Ohm 761705008
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705010
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705016
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705020
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761705026
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761705038
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,

72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761705110

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.46mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761705120

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761705126

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761705138

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position B, Lead-
Free

Impact 100 Ohm 761705226

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position B, Lead-
Free

Impact 100 Ohm 761705326

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated

Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead-
Free

Impact 100 Ohm 762901012

6 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 12
Columns, 216
Circuits, Plated

Through Hole
Dimension
0.46mm,Lead-Free

Impact 100 Ohm 762901020

6 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 10
Columns, 180
Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 762901022

6 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 12
Columns, 216
Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 762903020

6 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guided, 10 Columns,
180 Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 762903022

6 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guided, 12 Columns,
216 Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 762905020

6 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guided, 10 Columns,
180 Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 762905022

6 Pair Right-
Angle Orthogonal

Daughtercard, Right
Guided, 12 Columns,
216 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764601010

2 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 60 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764601016

2 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764601020

2 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 60 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764601026

2 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 764603010

2 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
60 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764603016

2 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 764603020

2 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,

60 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 764603026
2 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 764605010
2 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
60 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 764605016
2 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 764605020
2 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
60 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 764605026
2 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768501008
4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 768501010
4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 10
Columns, 120
Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 768501020
4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 10
Columns, 120
Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768501038
4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768503008
4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 8 Columns,
96 Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 768503010
4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 10 Columns,
120 Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 768503020
4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 10 Columns,
120 Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768503038
4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 8 Columns,
96 Circuits, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768505008
4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 8 Columns,
96 Circuits, Plated

Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 768505010

4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 10 Columns,
120 Circuits, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 768505020

4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 10 Columns,
120 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768505038

4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 8 Columns,
96 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768601006

3 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole

Dimension 0.46mm,
Lead Free

Impact 100 Ohm 768601036

3 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768601038

3 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768603036

3 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 3 Pair Right- Angle Orthogonal Daughtercard, Left Guided, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>768603038</u>
Impact 100 Ohm 3 Pair Right- Angle Orthogonal Daughtercard, Right Guide, 6 Columns, 54 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>768605036</u>
Impact 100 Ohm 3 Pair Right- Angle Orthogonal Daughtercard, Right Guide, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>768605038</u>
Impact 100 Ohm 5 Pair Right- Angle Orthogonal Daughtercard, Unguided, 10 Columns, 150 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>769901010</u>
Impact 100 Ohm 5 Pair Right- Angle Orthogonal Daughtercard, Unguided, 10 Columns, 150 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>769901020</u>
Impact 100 Ohm 5 Pair Right- Angle Orthogonal Daughtercard, Unguided, 12 Columns, 180 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>769901022</u>
Impact 100 Ohm 5 Pair Right- Angle Orthogonal Daughtercard, Left Guide, 10 Columns, 150 Circuits, Plated Through Hole	<u>769903020</u>

Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 769903022
5 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 769903038
5 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 8 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 769905020
5 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 10 Columns,
150 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 769905022
5 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 12 Columns,
180 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15350698](#) [15350707](#) [15430130](#) [1579018-4](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#)
[OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#)
[FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [430395-001](#) [483249-1](#) [5-1579007-2](#) [5-1579007-9](#)