

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622024600](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Impact Daughter Card Module Removal Tool


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Extraction Tool
UPC	887191152288
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-622024600-001](#), [TM-622018799](#)



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

Impact 100 Ohm, Ortho, 85 Ohm, and XTR Right Angle Daughtercard Receptacle Signal Module, 3 Pair [76170](#) , [76860](#) , [170530](#) , [171180](#)

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm [1705301020](#)

Plus 3 Pair Right-Angle Daughtercard, Unguided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free

Impact 85 Ohm [1705301022](#)

Plus 3 Pair Right-Angle Daughtercard, Unguided, 12 Columns, 108 Circuits, Plated Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705301026
Plus 3 Pair Right-
Angle Daughtercard,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705301038
Plus 3 Pair Right-
Angle Daughtercard,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705303020
Plus 3 Pair Right-
Angle Daughtercard,
Left Guide, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705303022
3 Pair Right-Angle
Daughtercard, Left
Guide, 12 Columns,
108 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705303026
3 Pair Right-Angle
Daughtercard, Left
Guide, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705303038
3 Pair Right-Angle
Daughtercard, Left
Guide, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705305020
Plus 3 Pair Right-
Angle Daughtercard,
Right Guide, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705305022
3 Pair Right-Angle
Daughtercard, Right
Guide, 12 Columns,
108 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm Plus 1705305026
3 Pair Right-Angle
Daughtercard, Right
Guide, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705305038
Plus 3 Pair Right-
Angle Daughtercard,
Right Guide, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm 761701006
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761701008
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761701010
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761701016
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761701020
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761701026
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761701036
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761701038
3 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761702020
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Tin (Sn), Lead (Pb)

Impact 100 Ohm 761703006
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 761703008
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703010
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703016
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761703020
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703026
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703036
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703038
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703078
3 Pair Right-Angle
Daughtercard
Receptacle with ESD
Clip, Left Guided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761703120
3 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Left Guided, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position A, Lead- Free	<u>761703138</u>
Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Left Guided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position D, Lead- Free	<u>761703420</u>
Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Left Guided, 8 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Polarizing Key Position E, Lead Free	<u>761703538</u>
Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Right Guided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.46mm, Tin (Sn), Lead (Pb)	<u>761704010</u>
Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Right Guided, 16 Columns, 144 Circuits, Plated Through Hole Dimension 0.46mm, Tin (Sn), Lead (Pb)	<u>761704016</u>
Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Right Guided, 10 Columns, 90 Circuits, Plated Through Hole Dimension 0.39mm, Tin (Sn), Lead (Pb)	<u>761704020</u>
Impact 100 Ohm 3 Pair Right-Angle Daughtercard Receptacle, Right Guided, 16 Columns,	<u>761704026</u>

144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Tin (Sn), Lead (Pb)
Impact 100 Ohm 761705006
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705008
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705010
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705016
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761705020
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761705026
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761705036
3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761705038

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761705110

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole

Dimension 0.46mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761705120

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 10 Columns,
90 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761705126

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 100 Ohm 761705138

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
72 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position B, Lead-
Free

Impact 100 Ohm 761705226

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key

Position B, Lead-Free

Impact 100 Ohm 761705236

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-Free

Impact 100 Ohm 761705326

3 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead-Free

Impact 100 Ohm 768601006

3 Pair Right-Angle
Orthogonal
Daughtercard,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 768601036

3 Pair Right-Angle
Orthogonal
Daughtercard,
Unguided, 6
Columns, 54 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768601038

3 Pair Right-Angle
Orthogonal
Daughtercard,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768603036

3 Pair Right-Angle
Orthogonal
Daughtercard, Left
Guided, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768603038

3 Pair Right-Angle
Orthogonal
Daughtercard, Left
Guided, 8 Columns,

72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768605036
3 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 6 Columns,
54 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 768605038
3 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 8 Columns,
72 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15350698](#) [15350707](#) [15430130](#) [1579018-4](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#)
[OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#)
[FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [430395-001](#) [483249-1](#) [5-1579007-2](#) [5-1579007-9](#)