

This document was generated on 10/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0638117200

Status: Active

Overview: Application Tooling

Description: PremiumGrade Hand Crimp Tool for Sabre Terminals, 14-18 AWG

Documents:

RoHS Certificate of Compliance (PDF)

General

Function

Product Family Application Tooling

Series <u>207129</u>

Comments Field Repair, See Tooling Specification (PDF) Above.

Type: 4C Crimp

Geographic Area Global Level of Automation Manual

More Detailed Tech Information applicationtooling@molex.com

OverviewApplication ToolingProduct NamePremiumGradeTool TypeHand Crimp ToolUPC800756681108

Warranty Disclaimer CAUTION: Molex tooling crimp specifications are

valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is

modified.

Physical

Net Weight 742.798/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-6381172HM-001, TM-638000029-001,

TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001,

TM-638000029TW-001, TM-638000029VN-001

Series image - Reference only

EU ELV

Not Relevant

EU RoHS China RoHS

CompliantREACH SVHC

Not Contained Per - ED/30/2017 (7 July

2017)

Halogen-Free

Status

Not Relevant

For more information, please visit Contact US

China ROHS Not Relevant
ELV Not Relevant
ROHS Phthalates Not Contained

Search Parts in this Series

207129 Series

Use With

Loose Piece Terminals

Application Tooling | FAQ | Product #

Sabre Crimp 431781001 Terminal, Male, 18

AWG, 3.30mm Max. Insulation Diameter, Reel Packaged,

Unplated, Brass

Contact

Sabre Crimp 431781002

Terminal, Male, 18 AWG, 3.30mm Max. Insulation Diameter, Reel Packaged, Tin (Sn) Plated Brass

Contact

Sabre Crimp 431785002

Terminal, Male, 18 AWG, 3.30mm Max.

Insulation Diameter, Reel Packaged, Tin (Sn) Plated Brass Contact, Last-Make Wipe Length, complies with the UL1977 finger proof access requirement Sabre Crimp 433740001 Terminal, Female, 14-16 AWG, 0.79mm max. Insulation Diameter, Reel Packaged, Tin (Sn) Plated Brass Contact Sabre Single Crimp 433750001 Terminal, Female, 14-16 AWG, 3.30mm Max. Insulation Diameter, Reel Packaged, Tin (Sn) Plated Brass Contact with TPA

This document was generated on 10/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers / Crimping Tools category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

010-0096 M225202-37 6-1579015-5 CT150-2-D02 622-6441LF M322 6-304052-1 63456-0054 63484-3701 63800-8355 63819-1875
63819-2875 63819-4475 63823-3475 63827-5375 64001-0975 64001-4175 64005-0175 662903-2 690602-6 7-1579001-9 7-23471-1
762637-1 808714-1 811242-5 999-50-020083 1-21002-3 1-21002-7 12085270 1-21002-6 1-21113-6 1-22548-4 125442-1
DCE.91.073.BVC DCE.91.090.3MVM DCE.91.130.5MVU DCE.91.202.BVCM 1338300-1 1-354003-0 1338301-1 DF62/RE-MD 142321
1456088-1 1490794-1 1-45804-6 1490357-2 1490357-3 AX100749 1-59619-7 1596970-1