

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0638120800](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Insertion Tool for Micro-Fit 3.0 and CRC Male and Female Crimp Terminals, 20-30 AWG

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207121
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Insertion Hand Tool
UPC	884982223400
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
[Application Tooling Documents](#)

ATS-638120800-001



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207121](#) Series

Use With

[43030](#) , [43031](#) , [44372](#) Micro-Fit 3.0 Male and Female Crimp Terminal, 20-30 AWG

Application Tooling | FAQ

Description	Product #
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 26-30 AWG	2064600011
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 26-30 AWG	2064600012
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 26-30 AWG	2064600013
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 20-24 AWG	2064600021
Micro-Fit+ Crimp Terminal, Female,	2064600022

0.38µm Gold (Au)
Plating, 20-24 AWG
Micro-Fit+ Crimp 2064600023
Terminal, Female,
0.75µm Gold (Au)
Plating, 20-24 AWG
Micro-Fit+ Crimp 2064600031
Terminal, Female,
Tin (Sn) Plating, 18
AWG
Micro-Fit+ Crimp 2064600032
Terminal, Female,
0.38µm Gold (Au)
Plating, 18 AWG
Micro-Fit+ Crimp 2064600033
Terminal, Female,
0.75µm Gold (Au)
Plating, 18 AWG
Micro-Fit+ Crimp 2064600041
Terminal, Female,
Tin (Sn) Plating, 16
AWG
Micro-Fit+ Crimp 2064600042
Terminal, Female,
0.38µm Gold (Au)
Plating, 16 AWG
Micro-Fit+ Crimp 2064600043
Terminal, Female,
0.75µm Gold (Au)
Plating, 16 AWG
Micro-Fit 3.0 Crimp 430300001
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0 Crimp 430300002
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel
Micro-Fit 3.0 Crimp 430300003
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel
Micro-Fit 3.0 Crimp 430300004
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel
Micro-Fit 3.0 Crimp 430300005
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel
Micro-Fit 3.0 Crimp 430300006
Terminal, Female,
with Select Gold (Au)
Plated Phosphor

Bronze Contact,
26-30 AWG, Reel
Micro-Fit 3.0 Crimp 430300007
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag
Micro-Fit 3.0 Crimp 430300008
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Bag
Micro-Fit 3.0 Crimp 430300009
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Bag
Micro-Fit 3.0 Crimp 430300010
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag
Micro-Fit 3.0 Crimp 430300011
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0 Crimp 430300012
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0 Crimp 430300038
Terminal, Female,
with Tin (Sn)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel
Micro-Fit 3.0 430300039
Crimp Terminal,
Female, with 0.38 μ m
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel
Micro-Fit 3.0 430300040
Crimp Terminal,
Female, with 0.76 μ m
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max

Insulation Outside
Diameter, Reel
Micro-Fit 3.0 Crimp [430310001](#)
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0 Crimp [430310002](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0 Crimp [430310003](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0 Crimp [430310004](#)
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel
Micro-Fit 3.0 Crimp [430310005](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel
Micro-Fit 3.0 Crimp [430310006](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel
Micro-Fit 3.0 Crimp [430310007](#)
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag
Micro-Fit 3.0 Crimp [430310008](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag
Micro-Fit 3.0 Crimp [430310009](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag
Micro-Fit 3.0 Crimp [430310010](#)
Terminal, Male,
with Tin (Sn) Plated

Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0 Crimp 430310011
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0 Crimp 430310012
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0 Crimp 430310021
Terminal, Male,
with Tin (Sn)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel

Micro-Fit 3.0 430310022
Crimp Terminal,
Male, with 0.38µm
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel

Micro-Fit 3.0 430310023
Crimp Terminal,
Male, with 0.76µm
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel

Micro-Fit TPA Crimp 430315003
Terminal, Male, with
Tin (Sn) Pre-plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit TPA Crimp 430315004
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit TPA Crimp 430315005
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze

Contact, 20-24 AWG,
Reel

Micro-Fit TPA Crimp [430315006](#)
Terminal, Male, with
2.54µm Matte Tin
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel

Micro-Fit TPA Crimp [430315007](#)
Terminal, Male, with
Tin (Sn) Pre-plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit TPA Crimp [430315008](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit TPA Crimp [430315009](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit TPA Crimp [430315010](#)
Terminal, Male, with
2.54µm Matte Tin
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel

Micro-Fit 3.0 Crimp [457730001](#)
Terminal, Female,
with Lubricant, with
Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0 Crimp [457730003](#)
Terminal, Female,
with Lubricant, with
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0 Crimp [457730006](#)
Terminal, Female,
with Lubricant, with
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit 3.0 Crimp [457730053](#)
Terminal, Female,
with Lubricant, with
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

CRC Signal Male [561168228](#)
Terminal, Lead-Free,

Chain, Gold (Au)
Plating
CRC Signal Male [561168328](#)
Terminal, Lead-Free,
Loose, Gold (Au)
Plating
CRC Signal Male [561178228](#)
Terminal, Lead-Free,
Chain, Gold (Au)
Plating
CRC Signal Male [561178328](#)
Terminal, Lead-Free,
Loose, Gold (Au)
Plating
CRC Signal Male [561188228](#)
Terminal, Lead-Free,
Chain, Gold (Au)
Plating
CRC Signal Male [561188328](#)
Terminal, Lead-Free,
Loose, Gold (Au)
Plating
CRC Signal Male [561198228](#)
Terminal, Lead-Free,
Chain, Gold (Au)
Plating
CRC Signal Female [561208428](#)
Terminal, Lead-Free,
Gold (Au) Plating,
24-28 AWG, Reel
CRC Signal Female [561208528](#)
Terminal, Lead-Free,
Gold (Au) Plating,
24-28 AWG, Bag
CRC Signal Female [561208628](#)
Terminal, Lead-Free,
Chain, Gold (Au)
Plating
CRC Signal Female [561208728](#)
Terminal, Lead-Free,
Loose, Gold (Au)
Plating
CRC Signal Female [561218428](#)
Terminal, Lead-Free,
Chain, Gold (Au)
Plating
CRC Signal Female [561218528](#)
Terminal, Lead-Free,
Loose, Gold (Au)
Plating
CRC Signal Female [561218628](#)
Terminal, Lead-Free,
Chain, Gold (Au)
Plating
CRC Signal Female [561218728](#)
Terminal, Lead-Free,
Loose, Gold (Au)
Plating

This document was generated on 10/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15313892](#) [15350698](#) [15350707](#) [15430130](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#)
[OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#)
[FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [CF-008025-000](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#)
[483249-1](#) [5-1579007-2](#) [5-1579007-9](#)