

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0638131700](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Extraction Tool for Pico-Clasp Wire-to-Board Terminals, 28-32 AWG


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207121
Comments	<p style=""margin-top: 0; marginbottom: 0">See Tooling Specification (PDF) Above<p style=""margin-top: 0; marginbottom: 0">Extraction Tool for removal of 501193 , and 501189 Series
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	822350359030
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-638131700-001](#)



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207121 Series](#)

Application Tooling Description

FAQ Product #

1.00mm Pitch, Pico-Clasp Low-Halogen Receptacle Crimp Housing, Dual Row, Inner Positive Lock, 20 Circuits, White	5011892010
1.00mm Pitch, Pico-Clasp Low-Halogen Receptacle Crimp Housing, Dual Row, Inner Positive Lock, 30 Circuits, White	5011893010
1.00mm Pitch, Pico-Clasp Low-Halogen Receptacle Crimp Housing, Dual Row, Inner Positive Lock, 40 Circuits, White	5011894010
1.00mm Pitch, Pico-Clasp Female Crimp Terminal, Gold	5011937000

Plating 0.10µm,
28-32 AWG, Reel
1.00mm Pitch, Pico- [5011938000](#)
Clasp Female Crimp
Terminal, Gold
Plating 0.38µm,
28-32 AWG, Reel
1.00mm Pitch, Pico- [5011939000](#)
Clasp Female Crimp
Terminal, Gold
Plating 0.76µm,
28-32 AWG, Reel
1.00mm Pitch, Pico- [5013300200](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Friction Lock, 2
Circuits, White
1.00mm Pitch, Pico- [5013300300](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Friction Lock, 3
Circuits, White
1.00mm Pitch, Pico- [5013300400](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Friction Lock, 4
Circuits, White
1.00mm Pitch, Pico- [5013300500](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Friction Lock, 5
Circuits, White
1.00mm Pitch, Pico- [5013300600](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 6 Circuits,
White
1.00mm Pitch, Pico- [5013300700](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 7 Circuits,
White
1.00mm Pitch, Pico- [5013300800](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 8 Circuits,
White
1.00mm Pitch, Pico- [5013300900](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 9 Circuits,
White

1.00mm Pitch, Pico- [5013301000](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 10 Circuits,
White

1.00mm Pitch, Pico- [5013301100](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 11 Circuits,
White

1.00mm Pitch, Pico- [5013301200](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 12 Circuits,
White

1.00mm Pitch, Pico- [5013301300](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 13 Circuits,
White

1.00mm Pitch, Pico- [5013301400](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 14 Circuits,
White

1.00mm Pitch, Pico- [5013301500](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Inner Positive
Lock, 15 Circuits,
White

1.00mm Pitch, Pico- [5013340000](#)
Clasp Female Crimp
Terminal, Tin Plating,
28-32 AWG, Reel

1.00mm Pitch, Pico- [5013340100](#)
Clasp Female Crimp
Terminal, Tin Plating,
28-32 AWG, Bag

1.00mm Pitch, Pico- [5019390300](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Outer Positive
Lock, 3 Circuits,
White

1.00mm Pitch, Pico- [5019390331](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Outer Positive
Lock, 3 Circuits,
Black

1.00mm Pitch, Pico- [5019390400](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Outer Positive
Lock, 4 Circuits,
White

1.00mm Pitch, Pico- [5019390431](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Outer Positive
Lock, 4 Circuits,
Black

1.00mm Pitch, Pico- [5019390500](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Outer Positive
Lock, 5 Circuits,
White

1.00mm Pitch, Pico- [5019390531](#)
Clasp Low-Halogen
Receptacle Crimp
Housing, Single
Row, Outer Positive
Lock, 5 Circuits,
Black

This document was generated on 10/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15350698](#) [15350707](#) [15430130](#) [1579018-4](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#)
[OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#)
[FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [430395-001](#) [483249-1](#) [5-1579007-2](#) [5-1579007-9](#)