

This document was generated on 07/29/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: Status: Overview: Description: Replacement Part Number :	0638233270 Active Application Tooling Modular Crimp Head for the Battery 638160200 and Air 638160100 Tools http://www.molex.com/molex/search/partSearch? pQuery=&sType=p&query=0638233200638233200			
Documents: RoHS Certificate of C	ompliance (PDF)		9	•
General			Series image	e - Reference only
Product Family Series Comments		Application Tooling <u>207129</u> See Tooling Specification (PDF) Above. Modular Crimp Heads are not sold separately; the complete hand tool	EU ELV Not Relevant	
		needs to be ordered to obtain a Modular Crimp Head <u>638233200.</u> Type: TOOL KIT	EU RoHS Not Reviewed REACH SVHC	<u>China RoHS</u>
Function Geographic Area Level of Automation		Crimp Global Manual	Not Contained Per - ED/61/2018 (27 Jun 2018)	
More Detailed Tech In Overview Product Name	nformation	applicationtooling@molex.com Application Tooling PremiumGrade	Halogen-Free Status Not Relevant	
Replacement Part Number Tool Type		<u>638233200</u> Hand Crimp Tool	For more information, please visit <u>Contact US</u>	
UPC Warranty Disclaimer		884982366480 CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling	China ROHS ELV RoHS Phthalates	Not Relevant Not Relevant Not Contained
		other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for	Search Parts in this Series 207129 Series	
		full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other	Application Tool Description	ing <u>FAQ</u> Product #
		than Molex Tooling is used or where Molex Tooling is modified.	Sabre Crimp Terminal, Male, Double 20 AWG,	<u>431782001</u>
Material Info			4.57mm Max.	
Reference - Drawing Application Tooling D		ATS-6382332HM-001	Insulation Diamete Reel Packaged, Unplated, Brass Contact	ər,
			Sabre Crimp Terminal, Male, 14-16 AWG or double 18-20 AWG 4.57mm Max. Insulation Diamete Reel Packaged, T	er, in

(Sn) Plated Brass

431786002

Contact

Sabre Crimp Terminal, Male, 14-18 AWG, 4.57mm

Insulation Diameter, Reel Packaged, Tin (Sn) Plated Brass Contact, Last-Make Wipe Length, complies with the UL1977 finger proof access requirement

This document was generated on 07/29/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers / Crimping Tools category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

010-0096 M225202-37 6-1579015-5 CT150-2-D02 622-6441LF M322 6-304052-1 63456-0054 63484-3701 63800-8355 63819-1875 63819-2875 63819-4475 63823-3475 63827-5375 64001-0975 64001-4175 64005-0175 662903-2 690602-6 7-1579001-9 7-23471-1 762637-1 808714-1 811242-5 999-50-020083 1-21002-3 1-21002-7 12085270 1-21002-6 1-21113-6 1-22548-4 125442-1 DCE.91.073.BVC DCE.91.090.3MVM DCE.91.130.5MVU DCE.91.202.BVCM 1338300-1 1-354003-0 1338301-1 DF62/RE-MD 142321 1456088-1 1490794-1 1-45804-6 1490357-2 1490357-3 AX100749 1-59619-7 1596970-1