

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0640010200](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** PremiumGrade Hand Crimp Tool for Insulkrimp Quick Disconnect Terminals, 10-22 AWG

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)

**General**


Product Family	Application Tooling
Series	<a href="#">207129</a>
Comments	ServiceGrade Hand Tool <a href="#">640160037</a> Type RHT
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	N/A
Tool Type	Hand Crimp Tool
UPC	756054219881
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

Engineering Number RHT-1991

**Reference - Drawing Numbers**

Application Tooling Documents  
 ATS-640010200-001, TM-640160065-001, TM-640160065CN-001, TM-640160065DE-001, TM-640160065FR-001, TM-640160065IT-001, TM-640160065JP-001, TM-640160065KR-001, TM-640160065MY-001, TM-640160065PL-001, TM-640160065RU-001, TM-640160065SK-001, TM-640160065SP-001, TM-640160065TH-001, TM-640160065TW-001, TM-640160065VN-001



**EU ELV**

**Not Relevant**

**EU RoHS**

**Not Reviewed**

**REACH SVHC**

Not Contained Per - ED/30/2017 (7 July 2017)

**Halogen-Free Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

**Search Parts in this Series**

[207129](#) Series

**Use With**

Loose Piece Terminals

**Application Tooling Description**

**FAQ Product #**

Avikrimp Quick Disconnect, Female, for 10-12 (5.00-3.30mm <sup>2</sup> ) Wire, Box, Tab 6.35 x 0.81mm	<a href="#">190020044</a>
InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire, Box, Tab 2.79 x 0.51mm	<a href="#">190170001</a>
InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm <sup>2</sup> ) Wire,	<a href="#">190170005</a>

Box, Tab 2.79 x  
0.81mm  
InsulKrimp Quick [190170007](#)  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.51mm  
InsulKrimp Quick [190170008](#)  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.81mm  
InsulKrimp Quick [190170014](#)  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 6.35 x  
0.81mm  
InsulKrimp Quick [190170018](#)  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 5.21 x  
0.51mm  
InsulKrimp Quick [190170023](#)  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.51mm  
InsulKrimp Quick [190170028](#)  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.81mm  
InsulKrimp Quick [190170031](#)  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.51mm  
InsulKrimp Quick [190170032](#)  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.81mm  
InsulKrimp Quick [190170037](#)  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 6.35 x  
0.81mm  
InsulKrimp Quick [190170043](#)  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 5.21 x  
0.51mm  
InsulKrimp Quick [190170044](#)  
Disconnect,  
Female, for 14-16

(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 5.21 x  
0.81mm  
InsulKrimp Quick 190170047  
Disconnect,  
Female, for 10-12  
(5.00-3.30mm<sup>2</sup>) Wire,  
Box, Tab 6.35 x  
0.81mm  
Avikrimp Quick 190190001  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.51mm  
Avikrimp Quick 190190004  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.81mm  
Avikrimp Quick 190190006  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.51mm  
Avikrimp Quick 190190008  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 4.75 x  
0.81mm  
Avikrimp Quick 190190012  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 6.35 x  
0.81mm  
Avikrimp Quick 190190014  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 5.21 x  
0.51mm  
Avikrimp Quick 190190015  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Box, Tab 5.21 x  
0.81mm  
Avikrimp Quick 190190022  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.51mm  
Avikrimp Quick 190190025  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>) Wire,  
Box, Tab 2.79 x  
0.81mm  
Avikrimp Quick 190190027  
Disconnect,

Female, for 14-16  
 (2.00-1.30mm<sup>2</sup>) Wire,  
 Box, Tab 4.75 x  
 0.51mm  
 Avikrimp Quick 190190028  
 Disconnect,  
 Female, for 14-16  
 (2.00-1.30mm<sup>2</sup>) Wire,  
 Box, Tab 4.75 x  
 0.81mm  
 Avikrimp Quick 190190031  
 Disconnect,  
 Female, for 14-16  
 (2.00-1.30mm<sup>2</sup>) Wire,  
 Box, Tab 6.35 x  
 0.81mm  
 Avikrimp Quick 190190034  
 Disconnect,  
 Female, for 14-16  
 (2.00-1.30mm<sup>2</sup>) Wire,  
 Box, Tab 5.21 x  
 0.51mm  
 Avikrimp Quick 190190035  
 Disconnect,  
 Female, for 14-16  
 (2.00-1.30mm<sup>2</sup>) Wire,  
 Box, Tab 5.21 x  
 0.81mm  
 Avikrimp Quick 190190037  
 Disconnect,  
 Female, for 10-12  
 (5.00-3.30mm<sup>2</sup>) Wire,  
 Box, Tab 6.35 x  
 0.81mm  
 Quixon Quick 192740002  
 Disconnect,  
 InsulKrimp Style,  
 Female, Partially  
 Insulated Red, 18-22  
 AWG, Loose  
 Quixon Quick 192740005  
 Disconnect,  
 InsulKrimp Style,  
 Female, Partially  
 Insulated Blue, 14-16  
 AWG, Loose  
 Quixon Quick 192750002  
 Disconnect, Avikrimp  
 Style, Female,  
 Partially Insulated  
 Red, 18-22 AWG,  
 Loose  
 Quixon Quick 192750005  
 Disconnect, Avikrimp  
 Style, Female,  
 Partially Insulated  
 Blue, 14-16 AWG,  
 Loose  
 Quixon Quick 192770008  
 Disconnect, Avikrimp  
 Style, Female, Fully  
 Insulated Yellow,  
 10-12 AWG, Loose  
 Avikrimp Fully 196060005  
 Insulated Quick

Disconnect, Female,  
for 10-12 AWG Wire,  
Box

This document was generated on 09/15/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Crimpers / Crimping Tools](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[010-0096](#) [M225202-37](#) [6-1579015-5](#) [CT150-2-D02](#) [622-6441LF](#) [M322](#) [6-304052-1](#) [63456-0054](#) [63484-3701](#) [63800-8355](#) [63819-1875](#)  
[63819-2875](#) [63819-4475](#) [63823-3475](#) [63827-5375](#) [64001-0975](#) [64001-4175](#) [64005-0175](#) [662903-2](#) [690602-6](#) [7-1579001-9](#) [7-23471-1](#)  
[762637-1](#) [808714-1](#) [811242-5](#) [999-50-020083](#) [1-21002-3](#) [1-21002-7](#) [12085270](#) [1-21002-6](#) [1-21113-6](#) [1-22548-4](#) [125442-1](#)  
[DCE.91.073.BVC](#) [DCE.91.090.3MVM](#) [DCE.91.130.5MVU](#) [DCE.91.202.BVCM](#) [1338300-1](#) [1-354003-0](#) [1338301-1](#) [DF62/RE-MD](#) [142321](#)  
[1456088-1](#) [1490794-1](#) [1-45804-6](#) [1490357-2](#) [1490357-3](#) [AX100749](#) [1-59619-7](#) [1596970-1](#)