

This document was generated on 09/13/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0640160037			
tatus: Active			EU ELV	
Overview:	ACIIVE		Not Relevant	
Description:	ServiceGrade Hand Crir	nn Tool - Patchat		Ohima DallO
	Service Grade Traild Chi		EU RoHS	China RoHS
0				
General		A self self se Testins	REACH SVHC	
Product Family		Application Tooling	Not Contained Per -	
Series		207129	ED/30/2017 (7 July	
Comments		ServiceGrade crimp hand tools are low cost ratcheting	2017)	
		hand tools used in field repair for a limited number	Halogen-Free	
		of terminations. If a high quality tool is required or a	<u>Status</u>	
		higher volume of terminations required, please purchase	Not Relevant	
		the corresponding PremiumGrade crimp hand tool. A	For more informatio	n, please visit <u>Contact U</u>
		ServiceGrade crimp tool may or may not have a terminal		
		locator and in some case may need the locator removed	China ROHS	Not Relevant
		to operate properly. Type: SERV GRADE	ELV	Not Relevant
Function		Crimp	RoHS Phthalates	Not Contained
Geographic Area		Global		
Level of Automation		Manual		
More Detailed Tech Information		applicationtooling@molex.com	Search Parts in t	his Sarias
Overview		application_tooling	Search Parts in this Series	
Product Name		ServiceGrade	<u>207129</u> Selles	
Tool Type		Hand Crimp Tool		
UPC		822348487783	Use With	
Warranty Disclaimer		CAUTION: Molex tooling crimp specifications are	Insulkrimp Quick Disconnect Terminals 10	
Warranty Discialitier			- 22 AWG. PremiumGrade Hand Tool for	
		valid only when used with Molex terminals and tooling	OEM Customers v	vould be Part Number
		manufactured by Molex and sold by Molex or authorized	<u>640010200</u>	
		distributors ("Molex Tooling"). When using tooling		
		other than Molex Tooling with Molex specific connector	Application Tool	ing <u>FAQ</u>
		systems listed in our ATS documents, the Molex tooling	Description	Product #
		qualification does not apply and the responsibility for	Avikrimp Quick	190020044
		full qualification of the connector system is that of the	Disconnect,	190020044
		customer. Molex accepts no liability for connector	Female, for 10-12	
		performance or tooling support where tooling other		
		than Molex Tooling is used or where Molex Tooling is	(5.00-3.30mm ²) W	lie,
		modified.	Box, Tab 6.35 x	
Matarial Infa			0.81mm	400470004
Material Info Engineering Number		1001	InsulKrimp Quick	<u>190170001</u>
		1991	Disconnect,	
Reference - Drawing	a Numbers		Female, for 18-22	
Application Tooling D		ATS-640160037-001	(0.80-0.35mm²) W	íre,
Application rooling Do	ocuments	A13-040100037-001	Box, Tab 2.79 x	
			0.51mm	
			InsulKrimp Quick	<u>190170005</u>
			Disconnect,	
			Female, for 18-22	
			(0.80-0.35mm²) W	′ire,
			Box, Tab 2.79 x	
			0.81mm	
			InsulKrimp Quick	190170007
			Disconnect,	
			Female, for 18-22	
			(0.80-0.35mm ²) W	
			Box, Tab 4.75 x	-)
			0.51mm	
			InsulKrimp Quick	<u>190170008</u>

Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 4.75 x 0.81mm InsulKrimp Quick 190170014 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 6.35 x 0.81mm InsulKrimp Quick <u>190170018</u> Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp Quick 190170023 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.51mm InsulKrimp Quick 190170028 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm InsulKrimp Quick <u>190170031</u> Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 4.75 x 0.51mm InsulKrimp Quick <u>190170032</u> Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 4.75 x 0.81mm InsulKrimp Quick <u>190170037</u> Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 6.35 x 0.81mm InsulKrimp Quick 190170043 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp Quick 190170044 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 5.21 x 0.81mm InsulKrimp Quick 190170047 Disconnect, Female, for 10-12 (5.00-3.30mm²) Wire, Box, Tab 6.35 x 0.81mm

Avikrimp Quick 190190001 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 2.79 x 0.51mm Avikrimp Quick 190190004 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp Quick 190190006 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 4.75 x 0.51mm Avikrimp Quick 190190008 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 4.75 x 0.81mm Avikrimp Quick <u>190190012</u> Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp Quick 190190014 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 5.21 x 0.51mm Avikrimp Quick 190190015 Disconnect, Female, for 18-22 (0.80-0.35mm²) Wire, Box, Tab 5.21 x 0.81mm <u>190190022</u> Avikrimp Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.51mm Avikrimp Quick 190190025 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp Quick 190190027 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 4.75 x 0.51mm Avikrimp Quick 190190028 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire,

Box, Tab 4.75 x 0.81mm Avikrimp Quick 190190031 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp Quick 190190034 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 5.21 x 0.51mm Avikrimp Quick 190190035 Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 5.21 x 0.81mm Avikrimp Quick <u>190190037</u> Disconnect, Female, for 10-12 (5.00-3.30mm²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp Quick 190250005 Disconnect for 10-12 AWG Wire, Male, 6.35 x 0.81mm Tab Quixon Quick <u>192740002</u> Disconnect, InsulKrimp Style, Female, Partially Insulated Red, 18-22 AWG, Loose Quixon Quick 192740005 Disconnect, InsulKrimp Style, Female, Partially Insulated Blue, 14-16 AWG, Loose Quixon Quick <u>192750002</u> Disconnect, Avikrimp Style, Female, Partially Insulated Red, 18-22 AWG, Loose Quixon Quick 192750005 Disconnect, Avikrimp Style, Female, Partially Insulated Blue, 14-16 AWG, Loose Quixon Quick 192770008 Disconnect, Avikrimp Style, Female, Fully Insulated Yellow, 10-12 AWG, Loose Avikrimp Fully 196060005 **Insulated Quick** Disconnect, Female, for 10-12 AWG Wire, Box

This document was generated on 09/13/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers / Crimping Tools category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

010-0096 M225202-37 6-1579015-5 CT150-2-D02 622-6441LF M322 6-304052-1 63456-0054 63484-3701 63800-8355 63819-1875 63819-2875 63819-4475 63823-3475 63827-5375 64001-0975 64001-4175 64005-0175 662903-2 690602-6 7-1579001-9 7-23471-1 762637-1 808714-1 811242-5 999-50-020083 1-21002-3 1-21002-7 12085270 1-21002-6 1-21113-6 1-22548-4 125442-1 DCE.91.073.BVC DCE.91.090.3MVM DCE.91.130.5MVU DCE.91.202.BVCM 1338300-1 1-354003-0 1338301-1 DF62/RE-MD 142321 1456088-1 1490794-1 1-45804-6 1490357-2 1490357-3 AX100749 1-59619-7 1596970-1