


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0643221219**
Status: **Active**
Overview: CMC and CMX Sealed, Hybrid, Modular Connectors
Description: 0.635mm CMC CP Female Terminal, Tin Plated, Selective 1.27µm Gold in Contact Area, for Square 0.6mm x 0.6mm Pins, Wire Size 0.75mm²

Documents:

| | |
|---|---|
| 3D Model | Application Specification AS-64322-001-CH-001 (PDF) |
| Drawing (PDF) | Application Specification AS-64322-001-FR-001 (PDF) |
| 3D Model (PDF) | Application Specification AS-98420-001-001 (PDF) |
| Product Specification PS-64319-002-001 (PDF) | Application Specification AS-98420-001-CH-001 (PDF) |
| Product Specification PS-64326-001-001 (PDF) | Application Specification AS-98420-001-FR-001 (PDF) |
| Application Specification AS-64318-002-001 (PDF) | Application Specification AS-98420-001-SP-001 (PDF) |
| Application Specification AS-64318-002-CH-001 (PDF) | Application Specification AS-98420-002-001 (PDF) |
| Application Specification AS-64318-002-FR-001 (PDF) | Application Specification AS-98420-002-CH-001 (PDF) |
| Application Specification AS-64318-002-SP-001 (PDF) | Application Specification AS-98420-002-FR-001 (PDF) |
| Application Specification AS-64319-002-001 (PDF) | Application Specification AS-98420-002-SP-001 (PDF) |
| Application Specification AS-64319-002-CH-001 (PDF) | Packaging Specification 313025040-000 (PDF) |
| Application Specification AS-64319-002-FR-001 (PDF) | Packaging Specification PK-98913-001-001 (PDF) |
| Application Specification AS-64319-002-SP-001 (PDF) | RoHS Certificate of Compliance (PDF) |
| Application Specification AS-64322-001-001 (PDF) | |



Series image - Reference only

EU ELV
Compliant

EU RoHS
Compliant
REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free
Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Compliant

Not Contained

General

Product Family Crimp Terminals
 Series [64322](#)
 Application Automotive, Signal, Wire-to-Board
 Comments * Current tested on a 5 terminals loaded connector, current for temperature increase of 40°C. Current max = 6A for 0.635mm Terminal(0.75mm² wire)
 Crimp Quality Equipment Yes
 Overview [CMC and CMX Sealed, Hybrid, Modular Connectors](#)
 Product Name CMC, CP Terminal
 UPC 883906129507

Physical

Gender Female
 Material - Metal Phosphor Bronze
 Material - Plating Mating Tin
 Material - Plating Termination Gold
 Net Weight 0.120/g
 Packaging Type Reel
 Plating min - Mating 1.016µm, 3.048µm
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 1.65-1.80mm
 Wire Size AWG 18

Search Parts in this Series

[64322](#) Series

Use With

CMC Connector [64318](#) , [64319](#) , [64320](#) , [64321](#) , [64326](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

| Description | Product # |
|---|---------------------------|
| PremiumGrade Hand Crimp Tool for CP 0.635mm Female Terminals for CMC connector, 0.50-0.75mm ² Wire Extraction Tool for 0.60mm CP Crimp Terminals for CMC Connector | 638119200 |
| | 638132400 |

Wire Size mm² 0.75

Electrical

Current - Maximum per Contact 6.0A
Voltage - Maximum 14V DC

Solder Process Data

Lead-free Process Capability N/A

Material Info

Reference - Drawing Numbers

Application Specification AS-64318-002-001, AS-64318-002-CH-001,
AS-64318-002-FR-001, AS-64318-002-SP-001,
AS-64319-002-001, AS-64319-002-CH-001,
AS-64319-002-FR-001, AS-64319-002-SP-001,
AS-64322-001-001, AS-64322-001-CH-001,
AS-64322-001-FR-001, AS-98420-001-001,
AS-98420-001-CH-001, AS-98420-001-FR-001,
AS-98420-001-SP-001, AS-98420-002-001,
AS-98420-002-CH-001, AS-98420-002-FR-001,
AS-98420-002-SP-001
Crimp Specification CS-64322-001-001
Packaging Specification 313025040-000, PK-98913-001-001
Product Specification PS-64319-002-001, PS-64326-001-001
Sales Drawing SD-64322-001-000

FineAdjust Applicator 639022000
for CP Crimp 0.6mm
Terminal for CMC
connector

This document was generated on 12/28/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Automotive Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052466](#)
[12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#) [12047957](#)
[12047957-L](#) [12059473](#) [12066261](#) [12110546](#)