

This document was generated on 09/13/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>0676433911</u>

Status: Active

Overview:

**Description:** Universal Serial Bus (USB) Shielded I/O Receptacle, Right-Angle, Type A, High-

Temperature White Nylon, 0.76µm Gold (Au) Plating, PCB Thickness 1.60mm, without

Upper Flange, for IR Reflow Process, Lead-Free

**Agency Certification** 

UL E29179

General

Product Family I/O Connectors

Series <u>67643</u>

Application Wire-to-Board

Comments Without Upper Flange|For IR Reflow Process

Component Type Receptacle

Overview usb Product Name USB Standard USB 2.0

Type

UPC 822350071666

**Physical** 

Circuits (Loaded) 4 Circuits (maximum) 4 Color - Resin White Gender Female Keying to Mating Part Yes Lock to Mating Part Yes Material - Plating Mating Gold Material - Plating Termination Tin

Mounting Style Top-Mount
Net Weight 1.860/g
Number of Rows 1

Orientation Right Angle
PC Tail Length 2.60mm
PCB Locator Yes
PCB Retention Yes
PCB Thickness - Recommended 1.60mm
Packaging Type Tray
Panel Mount Yes

Pitch - Mating Interface 2.00mm, 2.50mm Pitch - Termination Interface 2.00mm, 2.50mm

Plating min - Mating 0.762µm
Polarized to Mating Part Yes
Polarized to PCB Yes
Ports 1
Surface Mount Compatible (SMC) Yes

Temperature Range - Operating -40° to +85°C Termination Interface: Style Through Hole

Waterproof / Dustproof No

**Electrical** 

Current - Maximum per Contact

Shield Type

Shielded

Yes

Voltage - Maximum

1.5A

Full Shield

Yes

30V DC

**EU ELV Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8 July 2021)

Halogen-Free

<u>Status</u>

Not Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
ROHS Phthalates Not Contained

Search Parts in this Series

67643 Series

Mates With USB Type A Plug **Solder Process Data** 

Lead-freeProcess Capability SMC&WAVE

Process Temperature max. C 260

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-67643-002-001
Product Specification PS-67643-002-001
Sales Drawing SD-67643-003-001
Test Summary TS-67643-002-001

This document was generated on 09/13/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for USB Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

65-647-8-BK-BU 950 952 E8144-B01021-L A-USB A-LP-SMT-C A-USB B-TOP-C MUSBA511N5 MUSBD11135 217450-1 CA 6 W LD KMBVX-TH-5S-B30 896-30-004-00-000000 KUSBVX-BS1N-W30 KUSBX-AP-KIT-SCBLK KUSBX-AS2N-W KUSBX-SMT2AP1S-W KUSBX-SMT2AP1S-W30 935 957 30-498-6 17-210051 1734082-1 30-1574 30-470 30-489 30-541 30-572-3 MAB 8 SN V A-USB A-2P-C MIKROE-1451 USBFTV2PEM2G USBFTVC6ZN KUSBX-AS2N-W30 KUSBX-SLAS1N-W KUSBX-SMT-AS1N-W30 4689-1 1-1734084-2 E8110-001-01 MUSBA81130 33UBARS1-04SW11 33UBAR-04SW11 USBF21ZNSCC USBBFTV6ZC 10135326-001LF M9177/3-1 USB-A-S-F-B-VT 925 4198 690-024-633-031 KUSBEX-BSFS1N-W