

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0687840001](#)  
**Status:** **Active**  
**Overview:** Micro USB  
**Description:** USB Shielded I/O Cable Assembly, USB A-to-Micro-USB B, 1.0m Length, Black, Lead-Free

**Documents:**

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Packaging Specification PK-68784-002 \(PDF\)](#)

**General**

|                        |                                |
|------------------------|--------------------------------|
| Product Family         | Cable Assemblies               |
| Series                 | <a href="#">68784</a>          |
| Assembly Configuration | Dual Ended Connectors          |
| Connector to Connector | USB Type A-to-Micro-USB Type B |
| Overview               | <a href="#">Micro USB</a>      |
| Product Name           | Micro-USB, USB                 |
| UPC                    | 883906173739                   |

**Physical**

|                                |              |
|--------------------------------|--------------|
| Cable Length                   | 1.0m         |
| Circuits (Loaded)              | 4, 5         |
| Color - Resin                  | Black        |
| Gender                         | Male-Male    |
| Lock to Mating Part            | Yes          |
| Material - Metal               | Copper Alloy |
| Material - Plating Mating      | Nickel       |
| Material - Plating Termination | Gold         |
| Material - Resin               | PVC          |
| Net Weight                     | 30.800/g     |
| Number of Rows                 | 1            |
| Packaging Type                 | Bag          |
| Single Ended                   | No           |
| Waterproof / Dustproof         | No           |
| Wire Size AWG                  | 28           |
| Wire/Cable Type                | Round        |


**Electrical**

|                               |             |
|-------------------------------|-------------|
| Current - Maximum per Contact | 1.8A, 1.0A  |
| Impedance                     | 90Ω         |
| Shield Type                   | Full Shield |
| Shielded                      | Yes         |
| Voltage - Maximum             | 30V AC      |

**Material Info**

**Reference - Drawing Numbers**

|                         |              |
|-------------------------|--------------|
| Packaging Specification | PK-68784-002 |
| Sales Drawing           | SD-68784-001 |



*Series image - Reference only*

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
ED/71/2019 (16 July  
2019)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

[68784 Series](#)

**Mates With**

Micro-USB B-type Receptacles

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [USB Cables / IEEE 1394 Cables](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[68768-0173](#) [FNY-W6003-01](#) [88764-0800](#) [148700-1](#) [17-200621](#) [17-250051P](#) [954](#) [17-200261](#) [AC102012-1](#) [AC102012-2](#) [FTP-629Y601](#) [45-1345-15](#) [45-1358-15](#) [45-1363-15](#) [IP-USB1\(C10\)S-RW](#) [CABLE/RTP/USB/DT](#) [45-1351-15](#) [45-1357-15](#) [45-1433-1](#) [687680278](#)  
[USBFTVX2SA2N03A](#) [USBFTV2SA2N03A](#) [USBFTV2SA2N05A](#) [MDM9PH004B](#) [MDM9PH004P](#) [FTP-629Y401](#) [FTP-628Y302](#) [FTP-628Y402](#) [CSMNB9MF-5](#) [FNY-W6022](#) [UA-30AMF-SD7B03](#) [UA-30AMFM-SL7B03](#) [USBAPSCC7202A](#) [UES-1001A160](#) [UES-1003A160](#)  
[USBFTVX7SA2N20A](#) [USBFTV2PEMSA2N10A](#) [FTP-629Y602](#) [USBCAMCM100](#) [USB A/F\\*2 to 2.54 2\\*5P-SH L=400mm](#) [68784-0075](#)  
[MINI-SCREW-USB-DATACABLE](#) [USB-29](#) [19800-010500-200-RS](#) [103-1092-BL-F0050](#) [103-1020-BL-00100](#) [103-1092-BL-F0200](#) [103-1092-BL-F0100](#) [105-1092-BL-00300](#) [105-1092-BL-00200](#)