

This document was generated on 09/29/2016

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0716261006

Status: Active

Overview: <u>LFH™ Interconnect System</u>

**Description:** 1.27mm Pitch LFH™ Matrix 50 Receptacle, Shielded, 160 Circuits, Vertical

**Documents:** 

<u>3D Model</u> <u>Product Specification PS-71626 (PDF)</u>
Drawing (PDF) RoHS Certificate of Compliance (PDF)

**Agency Certification** 

CSA LR19980 UL E29179

General

Product Family I/O Connectors

Series 71626

Application Board-to-Board, Wire-to-Board

Component Type Receptacle

Overview <u>LFH™ Interconnect System</u>

Product Name LFH<sup>TM</sup> Type N/A

UPC 800754992985

**Physical** 

Circuits (Loaded) 160
Circuits (maximum) 160
Color - Resin Black
Flammability 94V-0
Keying to Mating Part None
Lock to Mating Part Yes

Material - Metal Beryllium Copper

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight 11.690/g Vertical Orientation PC Tail Length 4.49mm **PCB** Retention Yes PCB Thickness - Recommended 4.60mm Packaging Type Tube Panel Mount Yes Pitch - Mating Interface 1.27mm Pitch - Termination Interface 1.27mm Plating min - Mating 0.762µm Plating min - Termination 2.540µm Polarized to Mating Part Yes Surface Mount Compatible (SMC) Yes


Temperature Range - Operating -20°C to +80°C Termination Interface: Style Through Hole

Wire Size AWG N/A

**Electrical** 

Current - Maximum per Contact 1.0A
Grounding to Panel Yes
Shielded Yes
Voltage - Maximum 40V

**Material Info** 



## **EU ELV Not Relevant**

\_...

EU RoHS China RoHS

Compliant with
Exemption 6(c)
REACH SVHC
Not Contained Per ED/21/2016 (20 June

2016)

Halogen-Free Status Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS 50 Image ELV Not Relevant

Search Parts in this Series

71626 Series

Mates With 71624 LFH™ Plug

**Use With** 

<u>71628</u> Guide Pin. Guide Sleeve <u>71629</u>, 71771. 70982 Hex Screw Kit

This document was generated on 09/29/2016

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

571763P 58098-0628 72.250.1628.2 72.250.2428.2 74720-0505 76.350.0729.0 76871-1403 FCN-244F080-G/1 FCN-260A9920 PCR-E36PM PCS-XE26MA+ G38A71314B 1571250010 157-22500-3 MS3471L14-19P L/C 192991-0703 172501-4002 172501-6002 FCN-260C008-A/L0 FCN-260C024-AL0 FCN-261Z008 2000314-1 200331-1 PCR-E36FC+ PCS-E28FS+ PCS-XE26SLFD+ PCS-XE26SLFD+ PCS-XE26SLFDT+ G730VID08BDC24 UE86K842720321 38113800006 DP3AR020WQ1R200 Z4.102.0680.0 500-1040 500-1052 500-1054 ZP-4008-66L 0709821002 DX40-20P(55) 5554841-1 MS3474W18-8P-LC\* U90B3054061110 U65-E04-4020 ZPF0000000000097891 747360449 10099439-003C-TRLF 10137239-0021LF E9320-001-01 10137239-0011LF 70289-001LF 70.060.1028.0