


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0734035112](#)
Status: **Active**
Overview: FAKRA PCB, Cable and Sealed Connection Systems
Description: 50 Ohms, FAKRA SMB Jack, Right-Angle, Through Hole, Brass Body, Keying Option C, Blue

Documents:

[Drawing \(PDF\)](#) [Product Specification PS-89675-331-001 \(PDF\)](#)
[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)
[3D Model \(PDF\)](#)



Series image - Reference only

General

| | |
|-----------------|--|
| Product Family | RF/Coax Connectors |
| Series | 73403 |
| Application | Automotive |
| Overview | FAKRA PCB, Cable and Sealed Connection Systems |
| Product Name | FAKRA, SMB |
| Style | PCB |
| Type | Subminiature |
| UPC | 883906687632 |
| Wire/Cable Type | N/A |

Physical

| | |
|-----------------------|--------------|
| Gender | Jack |
| Keying to Mating Part | Yes |
| Net Weight | 4.452/g |
| Orientation | Right Angle |
| PCB Mounting | Through Hole |
| Packaging Type | Tray |
| Panel Mount | No |
| Panel Mount Method | N/A |
| Reverse Polar | No |

Electrical

| | |
|-----------------|-----------------------------|
| Frequency | 6 GHz |
| Impedance | 50Ω |
| Power / Voltage | VOLTAGE: 335 Vrms@Sea Level |

Solder Process Data

| | |
|--|----------|
| Duration at Max. Process Temperature (seconds) | 010 |
| Lead-free Process Capability | SMC&WAVE |
| Max. Cycles at Max. Process Temperature | 002 |
| Process Temperature max. C | 260 |

Material Info

Reference - Drawing Numbers

| | |
|-----------------------|--|
| Product Specification | PS-89675-331-001 |
| Sales Drawing | SD-73403-511-001, SD-73403-511-PKG-001, SD-73403-650-001 |

EU ELV

Not Relevant

EU RoHS

Compliant with Exemption 6(c)

REACH SVHC

Contained Per -
D(2020)4578-DC (25 June 2020)
Perfluorohexane-1-sulphonic acid and its salts
Perfluorononan-1-oic acid
(2,2,3,3,4,4,5,5,6,6,7 Nonadecafluorodecanoic acid (PFDA) and its sodium Zirconia
Aluminosilicate
Refractory Ceramic Fibre
Aluminosilicate
Refractory Ceramic Fibres
Boric acid
diisohexyl phthalate
Terphenyl, hydrogenated
1,3-propanesultone
1,2-diethoxyethane
dodecamethylcyclohexasiloxane
phenanthrene
Fatty acids, C16-18, lead salts
[phthalato(2-)]dioxotrilead
Silicic acid (H₂SiO₅), barium salt (1:1), lead-Sulfurous acid, lead salt, dibasic cadmium hydroxide tetralead trioxide sulphate

China RoHS

Trilead-dioxide-
phosphonate
Lead-titanium-trioxide
lead dinitrate
cadmium
lead
cadmium oxide (non-
pyrophoric)
Boric acid, disodium
salt, hydrate

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

| | |
|-----------------|---------------|
| China ROHS | 50 Image |
| ELV | Not Relevant |
| RoHS Phthalates | Not Contained |

Search Parts in this Series

[73403](#) Series

This document was generated on 02/08/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Connectors / Coaxial Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[8915-1511-000](#) [89674-0827](#) [6001-7071-019](#) [6002-7051-003](#) [6002-7551-202](#) [6059674-1](#) [619550-1](#) [630059-000](#) [M39030/3-01N](#) [6500-7071-046](#) [6769](#) [CX050L2AQ](#) [7002-1542-011](#) [7004-1512-000](#) [7009-1511-004](#) [7010-1511-000](#) [7029-1511-060](#) [7101-1541-010](#) [7101-1571-002](#) [7105-1521-002](#) [7145-1521-002](#) [7203-1571-003](#) [7209-1511-011](#) [7210-1511-015](#) [7210-1511-019](#) [73137-5015](#) [73216-2241](#) [73404-2300](#) [7405-1521-005](#) [7405-1521-802](#) [7406-1521-005](#) [8527](#) [8547](#) [FS11V](#) [877931](#) [8808-1511-001](#) [9049-9513-000](#) [9074-9513-000](#) [9101-9573-002](#) [910A205F](#) [9130-9573-002](#) [PL11SC-026](#) [PL375-33](#) [PL40-5](#) [PL71-9](#) [PL74C-221](#) [PL75MC-217](#) [PL803-7](#) [980-8666-005](#) [1200690078](#)