

This document was generated on 07/29/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0736440005

Status: Active

Overview: HDM Backplane Connector System

Description: HDM Board-to-Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location

A, Polarizing Key Position C, 72 Circuits, Mating Length 5.00mm

Documents:

<u>3D Model</u> <u>Packaging Specification PK-70873-0818-001 (PDF)</u>

3D Model (PDF) RoHS Certificate of Compliance (PDF)

Drawing (PDF)

Agency Certification

CSA LR19980 UL E29179

General

Product Family Backplane Connectors

Series 73644
Application Backplane

Comments Standard Press-Fit Component Type PCB Header

Overview HDM Backplane Connector System

Product Name HDM

UPC 800755022728

Physical

Circuits (Loaded) 72
Circuits (maximum) 72

Color - Resin Black, Natural

Durability (mating cycles max)

First Mate / Last Break

Flammability

Guide to Mating Part

Keying to Mating Part

Yes

Material - Metal Phosphor Bronze, Stainless Steel

Material - Plating Mating Gold Material - Plating Termination Gold

Material - Resin High Temperature Thermoplastic

Number of Columns 12


Number of Pairs Open Pin Field

Number of Rows 6
Orientation Vertical
PC Tail Length 3.50mm
PCB Locator No
PCB Retention Yes

PCB Thickness - Recommended 2.50mm Packaging Type Tube Pitch - Mating Interface 2.00mm Pitch - Termination Interface 2.00mm Plating min - Mating 0.762µm Plating min - Termination 0.051um Polarized to PCB No Stackable Yes Surface Mount Compatible (SMC) Yes

Temperature Range - Operating -55° to +105°C

Termination Interface: Style Through Hole - Compliant Pin



EU ELV

Not Reviewed

EU RoHS China RoHS

Not Reviewed REACH SVHC Not Reviewed Halogen-Free Status

Not Reviewed

For more information, please visit Contact US

China ROHS Not Reviewed
ELV Not Reviewed
RoHS Phthalates Not Reviewed

Search Parts in this Series

73644 Series

Mates With

73632 HDM+ Board-to-Board Daughtercard Receptacle. 73780 HDM Board-to-Board Daughtercard Receptacle

.

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product #
Extraction Tool 621001000

Electrical

Current - Maximum per Contact1.0AData Rate1.0 GbpsReal Signals (per 25mm)75ShieldedNoVoltage - Maximum250V AC

Material Info

Reference - Drawing Numbers

Packaging Specification PK-70873-0818-001 Sales Drawing SDA-73644-XXXX

This document was generated on 07/29/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

650827-1 74040-1346 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 22354-8 437-5040-000 5-1393565-0 039-0246-000 0761601016 0784461022 10123159-12ELF 030-2415-003/100 PK 030-7380-004 030-2494-001 532939-1 5532901-3 3-1469268-7 74748-102LF 73670-0247 10041743-101LF 10066670-100002LF 1-533915-1 249-4515-000 7-1469373-3 DL2-2J/S 2000713-8 2000713-7 10124313-101LF 3011-21 757105208 EBTF-4-10-2.0-S-RA-1 430305-001