

This document was generated on 09/12/2019

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0738101100

Status: Active

Overview: HDM Backplane Connector System

**Description:** HDM Board-to-Board Midplane Header, Vertical SMC, Press-Fit, Slide On Housing,

Closed End Version, Guide Post Location N/A, Polarizing Key Position N/A, 144

Circuits

**Documents:** 

3D Model RoHS Certificate of Compliance (PDF)

Drawing (PDF)

**Agency Certification** 

CSA LR19980 UL E29179

General

Product Family Backplane Connectors

Series <u>73810</u> Application Midplane

Comments Closed End Version, Closed End Version

Component Type PCB Header

Overview HDM Backplane Connector System

Product Name HDM

UPC 800755030556

**Physical** 

Circuits (Loaded) N/A Circuits (maximum) 144 Color - Resin Black Durability (mating cycles max) 250 First Mate / Last Break Nο Flammability 94V-0 Guide to Mating Part Yes Keying to Mating Part Yes Material - Plating Mating

Material - Resin High Temperature Thermoplastic

Yes

Net Weight 3.895/g Number of Columns 24

Number of Pairs Open Pin Field


Number of Rows Orientation Vertical PC Tail Length 5.55mm **PCB** Locator No **PCB** Retention None Packaging Type Tube Pitch - Mating Interface 2.00mm Pitch - Termination Interface 2.00mm Polarized to PCB N/A Stackable Yes

Temperature Range - Operating -55° to +105°C

**Electrical** 

Surface Mount Compatible (SMC)

Current - Maximum per Contact1.0AData Rate1.0 GbpsReal Signals (per 25mm)0Voltage - Maximum250V AC



EU ELV

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -ED/71/2019 (16 July 2019)

Halogen-Free Status

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

73810 Series

**Mates With** 

<u>73632</u> HDM+ Board-to-Board Daughtercard Receptacle. <u>73780</u> HDM Board-to-Board

Daughtercard Receptacle

**Solder Process Data** 

Lead-freeProcess Capability REFLOW Process Temperature max. C 260

**Material Info** 

**Reference - Drawing Numbers** 

Sales Drawing SD-73810-001

This document was generated on 09/12/2019

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

650827-1 74040-1346 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 22354-8 437-5040-000 5-1393565-0 039-0246-000 0761601016 0784461022 10123159-12ELF 030-2415-003/100 PK 030-7380-004 030-2494-001 532939-1 5532901-3 3-1469268-7 74748-102LF 73670-0247 10041743-101LF 10066670-100002LF 1-533915-1 249-4515-000 7-1469373-3 DL2-2J/S 2000713-8 2000713-7 10124313-101LF 3011-21 757105208 EBTF-4-10-2.0-S-RA-1 430305-001