

This document was generated on 07/30/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0739440000			
Status:	Active		and the second s	
Overview:		anastar System	Strate 444	
	HDM Backplane Connector System HDM Board-to-Board Backplane Header, Vertical, SMC, Solder Tail, Guide Pin Option, Guide Post Location B, Polarizing Key Position A, 72 Circuits		and a date a date	
Description:				
	Guide Post Location	B, Polanzing Key Position A, 72 Circuits		
Documents:				
<u>3D Model</u>		Product Specification PS-73670-9999-001 (PDF)		
<u>3D Model (PDF)</u>		Packaging Specification PK-70873-0818-001 (PDF)		
Drawing (PDF)		RoHS Certificate of Compliance (PDF)		
			Series image - Reference only	
Agency Certification	1	1.5.40000		
CSA		LR19980	<u>EU ELV</u>	
UL		E29179	Not Reviewed	
General			EU RoHS China RoHS	
Product Family		Backplane Connectors	Not Reviewed	
Series		73944	REACH SVHC	
Application		Backplane	Not Reviewed	
Component Type		PCB Header	Halogen-Free	
Overview		HDM Backplane Connector System	Status	
Product Name		HDM	Not Reviewed	
UPC		800755030952	For more information, please visit <u>Contact U</u>	
010		00010000002	For more information, please visit <u>contact o</u>	
Physical			China ROHS Not Reviewed	
Circuits (Loaded)		72	ELV Not Reviewed	
Circuits (maximum)		72	RoHS Phthalates Not Reviewed	
Color - Resin		Black, Natural		
Durability (mating cycles max)		250		
First Mate / Last Break		No	Search Parts in this Series	
Flammability		94V-0	73944 Series	
Guide to Mating Part		Yes	<u>73944</u> Selles	
Keying to Mating Part		Yes		
Material - Metal		Phosphor Bronze, Stainless Steel	Mates With	
Material - Plating Mating		Gold	73632 HDM+ Board-to-Board Daughtercar	
Material - Plating Termination		Tin	Receptacle. 73780 HDM Board-to-Board	
Material - Resin		High Temperature Thermoplastic	Daughtercard Receptacle	
Number of Columns		12		
Number of Pairs		Open Pin Field	Application Tooling FAQ	
Number of Rows		6	Tooling specifications and manuals are	
Orientation		Vertical	found by selecting the products below.	
PC Tail Length		2.00mm	Crimp Height Specifications are then contained in the Application Tooling Specification document.	
PCB Locator		Yes		
PCB Retention		None		
PCB Thickness - Rec	ommended	2.50mm	Global	
Packaging Type		Tube	Description Product #	
Pitch - Mating Interfac		2.00mm	Extraction Tool <u>621001000</u>	
Pitch - Termination In	terface	2.00mm	, L	
Plating min - Mating		0.762µm		
Plating min - Termina	tion	2.540µm		
Polarized to PCB		No		
Stackable		No		
Surface Mount Comp	atible (SMC)	No		
Temperature Range -		-55° to +105°C		
Termination Interface	: Style	Through Hole		

Current - Maximum per Contact Data Rate Shielded Voltage - Maximum 1.0A 1.0 Gbps No 250V AC

Material Info

Reference - Drawing Numbers Packaging Specification Product Specification Sales Drawing

PK-70873-0818-001 PS-73670-9999-001 SD-73944-001

This document was generated on 07/30/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

650827-1 74040-1346 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 22354-8 437-5040-000 5- 1393565-0 039-0246-000 0761601016 0784461022 10123159-12ELF 030-2415-003/100 PK 030-7380-004 030-2494-001 532939-1 5532901-3 3-1469268-7 74748-102LF 73670-0247 10041743-101LF 10066670-100002LF 1-533915-1 249-4515-000 7-1469373-3 DL2- 2J/S 2000713-8 2000713-7 10124313-101LF 3011-21 757105208 EBTF-4-10-2.0-S-RA-1 430305-001