

This document was generated on 09/30/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0745760007		
Status:	Active		
Overview:	PCI Express Industry Stand		CA CAR
Description:	TDP ® (Triad ® Differential	Pair) PCIe x1 Cable Assembly, 24 AWG, 7.00m Length	
Documents:			1.000
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	The states of the second se
Packaging Specification PK-74576-0007 (PDF)			
, .			
Agency Certificat	tion		
UL		E72548	Series image - Reference only
UL I		L12040	
General			EU ELV
Product Family		Cable Assemblies	Not Reviewed
Series		74576	NOT REVIEWED
Assembly Configu	ration	Dual Ended Connectors	EU RoHS China RoHS
Connector to Connector		PCI Express*-to-PCI Express*, TDP®-to-TDP®	Not Reviewed
Overview		PCI Express Industry Standard Products	REACH SVHC
Product Name		PCI, PCI Express*, TDP®	Not Reviewed
UPC		822350565752	Halogen-Free
010		022330303732	Status
Physical			
Cable Length		7.0m	Not Reviewed
Circuits (Loaded)		18	Need more information on product
Color - Resin		Natural	environmental compliance?
Gender		Male-Male	
Lock to Mating Part		Yes	Email productcompliance@molex.com
5			Please visit the <u>Contact Us</u> section for any
Material - Metal		Phosphor Bronze	non-product compliance questions.
Material - Plating Mating		Gold	China ROHS Not Reviewed
Material - Plating Termination		Tin	ELV Not Reviewed
Material - Resin		Low Density Polyethylene	
Net Weight		455.000/g	
Packaging Type		Tray	
Pitch - Mating Interface		0.64mm	Search Parts in this Series
Plating min - Mating		1.905µm	74576 Series
Plating min - Termination		2.540µm	
Single Ended		No	Mates With
Termination Interface: Style		Through Hole	
Wire Insulation Diameter		N/A	76641 TDP® (Triad® Differential Pair) PCIe
Wire Size AWG		24	x1 Vertical Through Hole Receptacle. 74960
Wire/Cable Type		Round	TDP® (Triad® Differential Pair) PCIe x1
			Right-Angle SMT Receptacle
Electrical			
Current - Maximum per Contact		1.5A	Use With
Impedance		100#	74155 PCI Express Plug
Shielded		Yes	,
Voltage - Maximur	n	40V	
Material Info			
Reference - Draw	ing Numbers		
Reference - Drawing Numbers Packaging Specification		PK-74576-0007	
Sales Drawing		SD-74576-000	
*PCI Express is a registered trademark of PCI-SIG		30-74370-000	
rui Express is a re	gistered trademark of PCI-SIG		

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Computer Cables category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

68809-0004 8F36-AAA105-1.00 IB63 CB-716EB-RS CB-716P8P9-RS CBK-11-290K-00 ACL-10550 ACL-10568-2 ACL-10568-5 427522400-3 32102-021500-200-RS 426091300-3 48000023 10114976-P015002LF 88761-6101 NT631C-CN321-EU ACL-10568NF-1 MIKROE-2092 PCL-101100R-2E 1700009405 PS/2 Cable NT31C-CN323-EU FWAX-PK1-51 PCL-10168H-1E 68801-1905 111068-1015 100436-1107 68801-0630 68801-3612 68801-3618 205058-1002 PS2NK SATA cable 96021-0000-00-0 FAK-SMZSMZ 5M FAK-SMZSMZ-3M ACC-500-200-R iW-C40-PCIe08-C1 1700001531 96048-0000-00-0 SATA III cable 30cm, down/straight cab-Pico-ITX-LVDS PCL-101100SB-2E AXXSTCBLQAT NT31C-KBA05 PCL-101100M-2E A2U4PSWCXCXK1 2 port SATA to 5 pin,L=200mm ACL-10568NF-2 C-PS2WG/5