

This document was generated on 09/30/2016

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0746511001

Status: Active

Overview: VHDM-HSD™ Backplane Connectors

**Description:** VHDM-HSD™ Backplane Header, 2.00mm Pitch, 8-Row, Guide Pin Signal Module,

Shield End Version, 60 Circuits, Pin Length 4.75mm. Series:74659 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and

6.25mm

**Documents:** 

<u>Drawing (PDF)</u>
Product Specification PS-74031-999 (PDF)

RoHS Certificate of Compliance (PDF)

**Agency Certification** 

CSA LR19980 UL E29179

General

Product Family Backplane Connectors

Series 74651
Application Backplane
Application Tooling Documents TM-622010999
Comments No Keying Orientation

Component Type PCB Header

Overview VHDM-HSD™ Backplane Connectors

Product Name VHDM-HSD $^{\text{TM}}$  UPC 800756484372

**Physical** 

Circuits (Loaded) 60 Circuits (maximum) 60 Color - Resin Black Durability (mating cycles max) 200 First Mate / Last Break No Flammability 94V-0 Guide to Mating Part Yes Keying to Mating Part None

Material - Metal Copper-Nickel-Silicon, High Performance Alloy (HPA),

Stainless Steel


Material - Plating Mating Gold
Material - Plating Termination Matte Tin

Material - Resin High Temperature Thermoplastic

Net Weight 7.873/g Number of Columns 10

Number of Pairs Open Pin Field

Number of Rows Orientation Vertical PC Tail Length 2.50mm **PCB** Locator No **PCB** Retention None PCB Thickness - Recommended 1.80mm Packaging Type Tube Pitch - Mating Interface 2.00mm Pitch - Termination Interface 2.00mm Plating min - Mating 0.762µm Plating min - Termination 0.762µm Polarized to PCB Yes Surface Mount Compatible (SMC) Yes



**EU ELV** 

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -ED/21/2016 (20 June 2016)

Halogen-Free
Status
Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Green Image ELV Not Relevant

Search Parts in this Series

74651 Series

**Mates With** 

VHDM-HSD<sup>™</sup> Daughtercards  $\underline{74680}$  ,  $\underline{74686}$ 

**Use With** 

**Daughtercard Modules** 

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product #
Signal Pin Inserter 0622015700
Repair Tool

Temperature Range - Operating -55°C to +105°C

Termination Interface: Style Through Hole - Compliant Pin

**Electrical** 

Current - Maximum per Contact 2.0A
Data Rate 5.0 Gbps

Shield Type Ground Plane Shield

Shielded Yes

Voltage - Maximum 120V AC (RMS)/DC

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-74061-003
Product Specification PS-74031-999
Sales Drawing SD-74651-002

Note: HDM, HDM+, VHDM, VHDM-HSD and GbX are trademarks or registered trademarks of Amphenol TCS.

This document was generated on 09/30/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Insertion Module 0622020205

for Advanced Mate Signal Header, 8-Row by 10-Wide, 20.00mm

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

650827-1 74040-1346 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 22354-8 437-5040-000 5-1393565-0 039-0246-000 0761601016 0784461022 10123159-12ELF 030-2415-003/100 PK 030-7380-004 030-2494-001 532939-1 5532901-3 3-1469268-7 74748-102LF 73670-0247 10041743-101LF 10066670-100002LF 1-533915-1 249-4515-000 7-1469373-3 DL2-2J/S 2000713-8 2000713-7 10124313-101LF 3011-21 757105208 EBTF-4-10-2.0-S-RA-1 430305-001