






747370111 SHOWN




SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.




- NOTES:
- THIS CAGE IS FOR SINGLE SIDED USE ONLY.
 - CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
 - MATERIAL: COPPER ALLOY
 - PLATING: MATTE TIN
 - NO ROHS EXEMPTIONS.
 - IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013-13
EXAMPLE: 11 2 A 03 12

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex	
= 0		mm		3:1		EC NO: 626031					
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: ASYAMIKAR 2019/10/18				SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS	
= 0		ANGULAR TOL ± 1.0°				CHK'D: TKUMARKC 2019/11/05					
= 0		4 PLACES ±				APPR: JCHIANG 2019/11/05				PRODUCT CUSTOMER DRAWING	
= 0		3 PLACES ±				INITIAL REVISION:					
= 0		2 PLACES ± 0.13				DRWN: ASYAMIKAR 2019/10/18				DOCUMENT NUMBER	
= 0		1 PLACE ± 0.25				APPR: JCHIANG 2019/11/05				747370111	
= 0		0 PLACES ±				THIRD ANGLE PROJECTION		DRAWING		DOC TYPE DOC PART REVISION	
= 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				C-SIZE		SERIES		MATERIAL NUMBER CUSTOMER SHEET NUMBER	
= 0						74737		SEE P/N TABLE		PSD ASY E	
										1 OF 6	

747370111 SHOWN



747370063 SHOWN





F/G PART NUMBER	VENT HOLES	LEG HEIGHT
747370111	YES	1.8
747370063	NO	1.8

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
$\nabla = 0$	mm	5:1	molex SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS PRODUCT CUSTOMER DRAWING
$\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
$\nabla = 0$	ANGULAR TOL $\pm 1.0^\circ$		
$\nabla = 0$	4 PLACES	\pm	EC NO: 626031 DRWN: ASYAMIKAR 2019/10/18 CHK'D: TKUMARKC 2019/11/05 APPR: JCHIANG 2019/11/05
$\nabla = 0$	3 PLACES	\pm	INITIAL REVISION: DRWN: ASYAMIKAR 2019/10/18 APPR: JCHIANG 2019/11/05
$\nabla = 0$	2 PLACES	± 0.13	
$\nabla = 0$	1 PLACE	± 0.25	DOCUMENT NUMBER 747370111
$\nabla = 0$	0 PLACES	\pm	DOC TYPE DOC PART REVISION PSD ASY E
$\nabla = 0$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NUMBER CUSTOMER SHEET NUMBER SEE P/N TABLE 2 OF 6
$\nabla = 0$	THIRD ANGLE PROJECTION		DRAWING SERIES C-SIZE 74737

NOTES:
 1. REFER TO SHEET 1 FOR COMMON FEATURES AND REQUIREMENTS.
 2. 747370063 IS SIMILAR TO 747370111 EXCEPT WITHOUT VENT HOLES.

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
12	11	10	9	8



THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

9X Ø0.95 ±0.05
 Ø0.1 X A
 (SHOWN AS ●)

SEE KEEPOUT DETAIL

Ø0.85 ±0.05
 Ø0.1 X Y
 A

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.

SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:																	
= 0		mm		4:1		EC NO: 626031															
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: ASYAMIKAR 2019/10/18																	
= 0		ANGULAR TOL ± 1.0°		CHK'D: TKUMARKC 2019/11/05																	
= 0		4 PLACES ±		APPR: JCHIANG 2019/11/05																	
= 0		2 PLACES ± 0.13		INITIAL REVISION:																	
= 0		1 PLACE ± 0.25		DRWN: ASYAMIKAR 2019/10/18																	
= 0		0 PLACES ±		APPR: JCHIANG 2019/11/05																	
= 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER							
= 0				C-SIZE		74737		SEE P/N TABLE						3 OF 6							

molex

SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS



PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: 747370111



DOC TYPE: PSD

DOC PART: ASY

REVISION: E



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
SYMBOLS		DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex					
▽ = 0	mm	4:1	EC NO: 626031 DRWN: ASYAMIKAR 2019/10/18 CHK'D: TKUMARKC 2019/11/05 APPR: JCHIANG 2019/11/05			SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS						
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)									INITIAL REVISION: DRWN: ASYAMIKAR 2019/10/18 APPR: JCHIANG 2019/11/05		
▽ = 0	ANGULAR TOL ± 1.0°					DOCUMENT NUMBER		DOC TYPE	DOC PART			
▽ = 0	4 PLACES ±		747370111		PSD	ASY	E					
▽ = 0	3 PLACES ±		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					
▽ = 0	2 PLACES ± 0.13		SEE P/N TABLE				4 OF 6					
▽ = 0	1 PLACE ± 0.25											
▽ = 0	0 PLACES ±											
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES							
▽ = 0				C-SIZE	74737							














SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
▽ = 0	mm	1:1	
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± 1.0°		
▽ = 0	4 PLACES	±	
▽ = 0	3 PLACES	±	
▽ = 0	2 PLACES	± 0.13	
▽ = 0	1 PLACE	± 0.25	
▽ = 0	0 PLACES	±	
■ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
▽ = 0	THIRD ANGLE PROJECTION	DRAWING	SERIES
		C-SIZE	74737
		EC NO: 626031	
		DRWN: ASYAMIKAR	2019/10/18
		CHK'D: TKUMARKC	2019/11/05
		APPR: JCHIANG	2019/11/05
		INITIAL REVISION:	
		DRWN: ASYAMIKAR	2019/10/18
		APPR: JCHIANG	2019/11/05
DOCUMENT STATUS		DOC TYPE	DOC PART
P1	RELEASE DATE	747370111	PSD ASY E
2019/11/05	10:34:06	MATERIAL NUMBER	CUSTOMER
			SHEET NUMBER
			5 OF 6

molex

SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS


PRODUCT CUSTOMER DRAWING

REV	DATE	DESCRIPTION
1	2011/07/25	PRE-RELEASE
A	2011/12/05	INITIAL RELEASE, PART IDENTIFICATION CHANGED (SHT 1); TAPE CHANGED TO TWO LAYER BOTTOM (SHT 4); CHANGED HOLE SPACING TO 68.4MM (SHT 4); ADDED DETAIL VIEW 1 (SHT 4).
A1	2012/01/05	REMOVED 8.5 AND REPLACED WITH 0.57 (SHT 1); ADDED 0.30±0.10 (SHT 3); CORRECTED ARROW APPERANCE (SHT 4)
C	2012/08/08	DIM 1.80 UPDATED TO 1.80 TYP (SHT 1). SECTION LINE MOVED (SHT 3). UPDATED ALL VIEWS (SHT 4). UPDATED 15.1 TYP TO 15.3 TYP (SHT 4). UPDATED 49.1 TYP TO 49.4 TYP (SHT 4). UPDATED 14 TYP TO 15.6 TYP (SHT 4).
D	2012/09/12	UPDATED TRAY REEL CONE HEIGHT (SHT 4)
E	2019/10/18	REMASTERED FROM "SD-74737-0111 REV_D" TO "747370111 REV_E". ADDED NEW PART NUMBER 747370063 TO THE DRAWING. ADDED SHEET 2 TO SHOW ISO VIEW OF P/N 747370063 AND 747370111.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS	SCALE	CURRENT REV DESC:							molex		
	 = 0	mm	1:1									
	 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 626031							SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS	
	 = 0	ANGULAR TOL ± 1.0°		DRWN: ASYAMIKAR 2019/10/18							PRODUCT CUSTOMER DRAWING	
	 = 0	4 PLACES ±		CHK'D: TKUMARKC 2019/11/05							DOCUMENT NUMBER	
	 = 0	3 PLACES ±		APPR: JCHIANG 2019/11/05							747370111	
	 = 0	2 PLACES ± 0.13		INITIAL REVISION:							DOC TYPE	
	 = 0	1 PLACE ± 0.25		DRWN: ASYAMIKAR 2019/10/18							PSD	
	 = 0	0 PLACES ±		APPR: JCHIANG 2019/11/05							ASY	
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER		
 = 0					C-SIZE	74737				6 OF 6		

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
-----------------	----	--------------	------------	----------

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) HSA BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT LIGHT PIPE COVER

CAGE IDENTIFICATION SEE NOTE 6

ONE PIECE DESIGN SECURELY FASTENED



NOTES:

- THIS CAGE IS FOR SINGLE SIDED USE ONLY.
- CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
- MATERIAL: COPPER ALLOY
- PLATING: MATTE TIN
- LEAD FREE. NO ROHS EXEMPTIONS
- IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 - 13
EXAMPLE: 11 2 A 03 12




REVISED EC NO. 050303-0591 DATE 2012/01/05 APPROVAL DATE 2012/01/05	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DRAGON STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	2 PLACES ± 0.10 3 PLACES ± 0.15 1 PLAKE ± 0.25 0 PLAKE ± 1	mm INCH ± 0.10 ± 0.004 ± 0.15 ± 0.006 ± 0.25 ± 0.010 ± 1 ± 0.040	MM ONLY	51	METRIC		
	DRAWN BY: MM/KERVEY CHECKED BY: DATE APPROVED BY: DATE MATERIAL NO.: 747370111 KLOYD: 2012/01/05	DATE: 2011/07/25 DATE: DATE: DATE:	TITLE: 1X1 SFP TAPE AND REEL DOCUMENT NO.: SD-74737-0111				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					SHEET NO. 1 OF 5

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 2 PADS AND VIAS ARE CHASSIS GROUND.
- 3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
- 4 CONNECTOR PAD LAYOUT PER SFP HSA, WILL ACCOMMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.



REVISED EC NO. 02003-0591 EC DATE 2012/01/05 EC BY MM/KERVEY APPROVAL DATE 2012/01/05 DESIGNED BY DATE	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	1 PLACES ± 0.13 2 PLACES ± 0.25 3 PLACES ± 0.50 4 PLACES ± 1.00	mm INCH ± 0.13 ± 0.005 ± 0.25 ± 0.010 ± 0.50 ± 0.020 ± 1.00 ± 0.050	MM ONLY	5:1	METRIC	<input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> FIRST ANGLE
	DRAWN BY MM/KERVEY CHECKED BY APPROVED BY DATE 2012/01/05	DATE 2011/07/25 DATE DATE	TITLE			1X1 SFP TAPE AND REEL
	MATERIAL NO. 747370111 DOCUMENT NO. SD-74737-0111 SHEET NO. 2 OF 5	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



REVISED EC NO. 05003-0591 EC DATE 2012/01/05 APPROVAL DATE 2012/01/05 DESIGNED BY CHECKED BY APPROVAL DATE	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	1 PLACES ± 0.13 2 PLACES ± 0.25 3 PLACES ± 0.30 4 PLACES ± 0.40	mm INCH ± 0.13 ± 0.005 ± 0.25 ± 0.010 ± 0.30 ± 0.012 ± 0.40 ± 0.015	MM ONLY	5:1	METRIC	THIRD ANGLE PROJECTION
	DRAWN BY CHECKED BY APPROVED BY DATE	DATE DATE DATE DATE	DATE DATE DATE DATE	DATE DATE DATE DATE	DATE DATE DATE DATE	DATE DATE DATE DATE
	MATERIAL NO. 747370111 ANGLE ± 1° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DOCUMENT NO. SD-74737-0111 SHEET NO. 3 OF 5	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	MOLEX	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




REVISED EC NO. 05003-0591 EC DATE 2012/01/05 APPROVAL DATE 2012/01/05 APPROVAL SIGNATURE	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	4 PLACES ± 0.10 3 PLACES ± 0.15 2 PLACES ± 0.20 1 PLACE ± 0.25 0 PLACE ± 0.30	mm INCH ± 0.10 ± 0.004 ± 0.15 ± 0.006 ± 0.20 ± 0.008 ± 0.25 ± 0.010 ± 0.30 ± 0.012	MM ONLY	3:1	METRIC	<input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> FIRST ANGLE
	DRAWN BY: MCKERVEY CHECKED BY: DATE: 2011/07/25 APPROVED BY: DATE: 2012/01/05 MATERIAL NO. 747370111 DOCUMENT NO. SD-74737-0111	TITLE: 1X1 SFP TAPE AND REEL SHEET NO. 4 OF 5	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SHEET NO. 4 OF 5	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE; PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED EC NO. C0203-0591 DATE 2012/09/12 BY: MCKERVEY APPROVAL DATE: 2012/09/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	SESSION UNITS	THIRD ANGLE PROJECTION
	4 PLACES ±.--- ±.--- 3 PLACES ±.--- ±.--- 2 PLACES ±.0.13 ±.--- 1 PLACE ±.0.25 ±.--- 0 PLACE ±.--- ±.---	mm INCH	MM ONLY	5:1	METRIC	<input checked="" type="checkbox"/> THIRD ANGLE PROJECTION <input type="checkbox"/> FIRST ANGLE PROJECTION
			DRAWN BY: MCKERVEY DATE: 2011/07/25	TITLE: 1X1 SFP TAPE AND REEL		
			CHECKED BY: DATE:	APPROVED BY: DATE: 2012/01/05		
			ANGULAR ± 1 °	MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	SHEET NO. 5 OF 5
		DRAFT WHERE APPLICABLE MUST BE MAINTAINED WITH DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1





- NOTES:
1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
 2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP
(REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP
(REFER TO DOCUMENT SD-74726-002)
 3. MATERIAL: COPPER ALLOY
 4. PLATING: MATTE TIN
 5. LEAD FREE. NO ROHS EXEMPTIONS
 6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 = 13
EXAMPLE: 11 2 A 03 12




REVISED	EC NO. 050003-0591	DATE 2012/01/05	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	ORIGIN STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	EC NO. 050003-0591	DATE 2012/01/05	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	ORIGIN STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				1 PLACES ± 0.13 2 PLACES ± 0.25 3 PLACES ± 0.38 4 PLACES ± 0.51	mm INCH ± 0.13 ± 0.005 ± 0.25 ± 0.010 ± 0.38 ± 0.015 ± 0.51 ± 0.020	MM ONLY	5:1	METRIC	DRAWN BY: MMK/ERVEY DATE: 2011/07/25 CHECKED BY: DATE: APPROVED BY: DATE: 2012/01/05 MATERIAL NO.: 747370111 KLOYD	TITLE: 1X1 SFP TAPE AND REEL DOCUMENT NO.: SD-74737-0111 SHEET NO.: 1 OF 5
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 2 PADS AND VIAS ARE CHASSIS GROUND.
- 3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
- 4 CONNECTOR PAD LAYOUT PER SFP HSA, WILL ACCOMMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.




REVISED EC NO. 02003-0591 DATE 2012/01/05 BY MM/KERVEY APPROVAL DATE 2012/01/05 DESIGNED BY DATE	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	<input type="checkbox"/> 1 PLACES ± 0.13 <input type="checkbox"/> 2 PLACES ± 0.25 <input type="checkbox"/> 3 PLACES ± 0.50 <input type="checkbox"/> 4 PLACES ± 1.00	mm INCH ± 0.13 ± 0.005 ± 0.25 ± 0.010 ± 0.50 ± 0.020 ± 1.00 ± 0.050	MM ONLY	51	METRIC	<input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> PROJECTION
	DRAWN BY MM/KERVEY CHECKED BY DATE 2011/07/25 DATE	APPROVED BY DATE 2012/01/05	TITLE	1X1 SFP TAPE AND REEL		
	MATERIAL NO. 747370111 DOCUMENT NO. SD-74737-0111 SHEET NO. 2 OF 5	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




REVISED EC NO. 05003-0591 EC DATE 2012/01/05 APPROVAL DATE 2012/01/05	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	1 PLACES ± 0.13 2 PLACES ± 0.25 3 PLACES ± 0.50 4 PLACES ± 1.00	mm INCH ± 0.13 ± 0.005 ± 0.25 ± 0.010 ± 0.50 ± 0.020 ± 1.00 ± 0.040	MM ONLY	5:1	METRIC	THIRD ANGLE PROJECTION
	DRAWN BY: MCKERVEY CHECKED BY: DATE: 2011/07/29 APPROVED BY: DATE: 2012/01/05 MATERIAL NO.: 747370111 ANGLE ± 1°	TITLE: 1X1 SFP TAPE AND REEL DOCUMENT NO.: SD-74737-0111				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

SHEET NO. 3 OF 5



REVISED EC NO. 05003-0591 EC DATE 2012/01/05 APPROVAL DATE 2012/01/05 APPROVAL SIGNATURE	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	4 PLACES ± 0.10 3 PLACES ± 0.15 2 PLACES ± 0.20 1 PLACE ± 0.25 0 PLACE ± 0.30	mm INCH ± 0.10 ± 0.004 ± 0.15 ± 0.005 ± 0.20 ± 0.008 ± 0.25 ± 0.010 ± 0.30 ± 0.012	MM ONLY	3:1	METRIC	
	DRAWN BY MM/KERVEY DATE 2011/07/25	CHECKED BY DATE APPROVED BY DATE 2012/01/05	MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	SHEET NO. 4 OF 5	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE; PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED EC NO. C0203-0591 DATE 2012/09/12 BY MICHAEL KERRY APPROVAL DATE 2012/09/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	SESSION UNITS	THIRD ANGLE PROJECTION	
	4 PLACES ±.--- ±.--- 3 PLACES ±.--- ±.--- 2 PLACES ±.0.13 ±.--- 1 PLACE ±.0.25 ±.--- 0 PLACE ±.--- ±.---	mm INCH	MM ONLY	5:1	METRIC	<input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> PROJECTION	
			DRAWN BY DATE	TITLE			
			MICKERVEY 2011/07/25	1X1 SFP TAPE AND REEL			
			CHECKED BY DATE				
			APPROVED BY DATE				
			KLLOYD 2012/01/05	molex			
			MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	SHEET NO. 5 OF 5		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [I/O Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[571763P](#) [58098-0628](#) [72.250.1628.2](#) [72.250.2428.2](#) [74720-0505](#) [76.350.0729.0](#) [76871-1403](#) [FCN-244F080-G/1](#) [FCN-260A9920](#) [PCR-E36PM](#) [PCS-XE26MA+](#) [G38A71314B](#) [1571250010](#) [157-22500-3](#) [MS3471L14-19P L/C](#) [192991-0703](#) [172501-4002](#) [172501-6002](#) [FCN-260C008-A/L0](#) [FCN-260C024-AL0](#) [FCN-261Z008](#) [2000314-1](#) [200331-1](#) [PCR-E36FC+](#) [PCS-E28FS+](#) [PCS-XE26SLFD+](#) [PCS-XE26SLFDT+](#) [G730VID08BDC24](#) [U90B2054081210](#) [38113800006](#) [DP3AR020WQ1R200](#) [Z4.102.0680.0](#) [500-1040](#) [500-1052](#) [500-1054](#) [ZP-4008-66L](#) [0709821002](#) [DX40-20P\(55\)](#) [5554841-1](#) [MS3474W18-8P-LC*](#) [U90B3054061110](#) [U65-E04-4020](#) [ZPF000000000097891](#) [747360449](#) [10099439-003C-TRLF](#) [10137239-0021LF](#) [E9320-001-01](#) [10137239-0011LF](#) [70289-001LF](#) [70.060.1028.0](#)