

This document was generated on 10/31/2017

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 0755174746

Status: **Active** 

GbX® Backplane Connector System Overview:

**Description:** 5-Pair GbX Backplane Connector System, Power Module, 10 Circuits, 1.27µm Gold

(Au)

**Documents:** 

3D Model Packaging Specification PK-70873-566 (PDF)

Drawing (PDF) RoHS Certificate of Compliance (PDF)

General

**Product Family Backplane Connectors** 

Series 75517 Backplane Application **Application Tooling Documents** TM-622022099

Comments Blade Length A 7.50mm, B 4.50mm, C 7.50mm, D

> 4.50mm, E 6.00mm Power Header

GbX® Backplane Connector System Overview

**Product Name** GbX

**UPC** 822350334761

**Physical** 

Component Type

Circuits (Loaded) 10 Circuits (maximum) 10

Circuits Detail Rows A, B, C, D, & E

Color - Resin Gray (Dark) 200 Durability (mating cycles max)

First Mate / Last Break Yes Guide to Mating Part No Keying to Mating Part None

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin-Lead

Material - Resin High Temperature Thermoplastic


Net Weight 2.870/g **Number of Columns** N/A Number of Pairs 5 Number of Rows 5 Orientation Vertical PC Tail Length 2.40mm **PCB** Locator Yes **PCB** Retention Yes

PCB Thickness - Recommended 1.60mm Packaging Type Tube Pitch - Mating Interface 2.60mm Pitch - Termination Interface 2.60mm Plating min - Mating 1.270µm Plating min - Termination 0.762µm Polarized to PCB Yes Stackable Yes Surface Mount Compatible (SMC) Yes Temperature Range - Operating 105°C

Termination Interface: Style Through Hole - Compliant Pin

Electrical

Current - Maximum per Contact 6.0A



**EU ELV** 

**Not Relevant** 

**EU RoHS China RoHS** 

Compliant **REACH SVHC** Not Contained Per -

ED/30/2017 (7 July

2017)

**Halogen-Free** 

**Status** 

Low-Halogen

**Need more information on product** environmental compliance?

Email productcompliance@molex.com Please visit the Contact Us section for any non-product compliance questions.

China ROHS Green Image **ELV** Not Relevant **RoHS Phthalates** Not Contained

Search Parts in this Series

75517 Series

**Mates With** 

75292 GbX Daughtercard

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling

Specification document. **Global** 

**Description** Product # Insertion Module, 0622022007

5-pair 1-Up Power

Module

Data Rate 8.0 Gbps
Real Signals (per 25mm) 48
Shielded No

Voltage - Maximum 120V AC (RMS)/DC

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-70873-566
Sales Drawing SD-75510-001

This document was generated on 10/31/2017

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

650827-1 74040-1346 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 22354-8 437-5040-000 5-1393565-0 039-0246-000 0761601016 0784461022 10123159-12ELF 030-2415-003/100 PK 030-7380-004 030-2494-001 532939-1 5532901-3 3-1469268-7 74748-102LF 73670-0247 10041743-101LF 10066670-100002LF 1-533915-1 249-4515-000 7-1469373-3 DL2-2J/S 2000713-8 2000713-7 10124313-101LF 3011-21 757105208 EBTF-4-10-2.0-S-RA-1 430305-001