

Datasheet for 76650-0037

| General Information | | | | |
|---------------------|--|--|--|--|
| Part Number: | 76650-0037 | | | |
| Manufacturer: | Molex / Waldom | | | |
| Title: | Solderless Terminal Kit | | | |
| Description: | .250" Tab Size Non-Insulated Quick Disconnect Solderless Terminals | | | |
| Product Family: | Quick Disconnect | | | |
| Certificates: | (Molex Parts within this kit) - EU RoHS Compliant and UL | | | |
| Country of Origin: | Kit assembled in U.S.A. | | | |
| Specifications | | | | |
| Design | | | | |
| Configuration: | Wire-to-Wire / Solderless Terminals | | | |
| Tab Size: | .250" | | | |
| Current Rating: | Per (Proper) Wire Specification | | | |
| Voltage: | Per (Proper) Wire Specification | | | |
| | | | | |
| Wire size: | (22-18), (16-14) and (12-10) | | | |

Quick disconnects allow for quickly connecting or disconnecting a terminal. The front end of the terminal has a female-type receptacle which allows the terminal to slide onto and off of a male blade.

| Features and Benefits | Applications |
|---|--|
| Terminals employ the full barrel length that eliminates costly and time consuming location when crimping Finest quality electrolytic copper One-piece design, butted seam | MRO (Maintenance Repair and Operations) Consumer applications Power applications Motor applications Powertrains Transportation Construction / Mining Energy / Power Production Equipment Instrumentation Environmental Equipment and Controls Blower Motors |



Datasheet for 76650-0037

Bill of Materials for Part No. 76650-0037

| Molex Part No. | Country of Origin | Description | Quantity in Kit |
|----------------|----------------------|---|--------------------|
| 19016-0009 | USA | Non-insulated .250" Female Quick Disconnects, 22-18 AWG | 50 |
| 19016-0069 | USA | Non-insulated .250" Female Quick Disconnects, 12-10 AWG | 50 |
| 19016-0111 | USA | Non-insulated .250" Female Quick Disconnects, 16-14 AWG | 50 |
| 19022-0004 | USA | Non-insulated .250" Male Quick Disconnects, 22-18 AWG | 50 |
| 19022-0015 | USA | Non-insulated .250" Male Quick Disconnects, 12-10 AWG | 50 |
| 19022-0018 | USA | Non-insulated .250" Male Quick Disconnects, 16-14 AWG | 50 |

Recommended Molex Tool(s) for Part No. 76650-0037*

| | Country | |
|----------------|-----------|----------------------------|
| Molex Part No. | of Origin | Description |
| 64003-0100 * | USA | Hand Crimp Tool (RHT-1992) |
| 64003-1100 * | USA | Hand Crimp Tool (RHT-1751) |
| 64003-1200 * | USA | Hand Crimp Tool (RHT-1752) |
| 64003-1300 * | USA | Hand Crimp Tool (RHT-1754) |

*Tool(s) not included in kit. Tool(s) ordered separately.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 0-0320562-0 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 61-SN 626-0194 62-NBM-A 62-SN 62-SP 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02 M55155/29-5S