1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0042

General Information

Part Number: 76650-0042

Manufacturer: Molex / Waldon

Manufacturer: Molex / Waldom

Description: .187" Tab Size PVC and Nylon Insulated Quick Disconnect Solderless Terminals

Product Family: Quick Disconnects

Certificates: (Molex Parts within this kit) - EU RoHS Compliant, UL and CSA

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Title:

Configuration: Wire-to-Wire / Solderless Terminals

Solderless Terminal Kit

Size: .187"

Connector Type: Male and Female

Insulation: Nylon

Current Rating: (3-15) Amps - Dependant on Wire Gauge

Voltage: 600 Volts

Wire size: (22-18) and (16-14) AWG

Product Highlights

Quick disconnects allow for quickly connecting or disconnecting a terminal. The front end of the terminal has a female-type receptacle which allows the terminal to slide onto and off of a male blade.

Features and Benefits

- Translucent "see-through" insulator provides fast, on-line quality control inspection by allowing a quick visual check of the wire/terminal assembly.
- Color-coded insulator allows easy indentification of terminal size and wire gauge.
- A wire stop stamped into the crimp barrel prevents insertion of over-stripped wires.
- Terminal's funnel entrance is designed for increased crimping rates by speeding wire delivery into the crimp section and eliminating wire strand fold back.

Applications

- MRO (Maintenance Repair and Operations)
- Consumer applications
- Power applications
- Motor applications



Datasheet for 76650-0042

Bill of Materials for Part No. 76650-0042 Quantity in Country Molex Part No. of Origin Description Kit 19003-0011 USA Fully Insulated .187" Female Quick Disconnects, 22-18 AWG 15 USA Fully Insulated .187" Female Quick Disconnects, 16-14 AWG 15 19003-0050 19017-0007 USA Insulated .187" Female Quick Disconnects, 22-18 AWG 15 19017-0031 USA Insulated .187" Female Quick Disconnects, 16-14 AWG 15 19023-0003 USA Insulated .187" Male Quick Disconnects, 22-18 AWG 20 19023-0010 USA Insulated .187" Male Quick Disconnects, 16-14 AWG 30

Recommended Molex Tool(s) for Part No. 76650-0042*

Country

	Country	
Molex Part No.	of Origin	Description
64001-0400 *	USA	Hand Crimp Tool (RHT-1994)
64001-0700 *	USA	Hand Crimp Tool (RHT-5757-CC)
64001-0200 *	USA	Hand Crimp Tool (RHT-1991)
64001-1700 *	USA	Hand Crimp Tool (RHT-5757)
64001-2400 *	USA	Hand Crimp Tool (RHT-5768)

^{*}Tool(s) not included in kit. Tool(s) ordered separately.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 0-0320562-0 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 626-0194 62-NBM-A 62-SN 62-SP 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02 M55155/29-5S M55155/29XJ08