

## General Information

<b>Part Number:</b>	76650-0136
<b>Manufacturer:</b>	Molex / Waldom
<b>Title:</b>	Mini Mi II Connector Kit
<b>Description:</b>	IDT Panel Mount Adaptor and Receptacle
<b>Product Family:</b>	Mini Mi II™
<b>Certificates:</b>	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
<b>Country of Origin:</b>	Kit assembled in U.S.A.

## Specifications

### Design

<b>Configuration:</b>	Wire-to-Wire
<b>Pitch:</b>	1.25mm (.049")
<b>Connector Type:</b>	IDT Receptacles and Adaptors
<b>Circuit Sizes:</b>	2, 4, 8, 14, 18 and 20
<b>Current Rating:</b>	1.5 Amps
<b>Voltage:</b>	100 Volts
<b>Wire size:</b>	28-26 AWG

## Product Highlights

Mini Mi II™ wire harness system is designed for high-density harness applications. Mini Mi II provides the same 1.5 amperes of current as similar 2.00mm (.079") pitch systems, but in a more compact design. Molex's Integrated Product Division provides the new Mini Mill system in both wire-to-board and wire-to-wire options with different custom lengths and wire configurations enabling multi-branch harnessing configurations, similar to Molex's existing 2.00mm (.079") pitch Mill system. The system saves about 45% of PCB space compared to 2.00mm Mill. Mini Mill is available in 2 to 40 circuits in single/dual row and SMT/through-hole styles.

### Features and Benefits

- 1.5 amps meets office automation standards
- Internal positive lock for secure retention
- IDT housing for cost effective termination

### Applications

- Security devices
- Car audio, car multimedia, car HVAC
- Office equipment
- Set-up boxes

**[For additional Molex / Waldom Design and Solution kits please go to www.molexkits.com](http://www.molexkits.com)**

**Bill of Materials for Part No. 76650-0136**

Molex Part No.	Country of Origin	Description	Quantity in Kit
54596-0210	Japan	1.25mm (.049") Pitch Mini Mi II IDT receptacle, 2 Circuits	10
54596-0410	Japan	1.25mm (.049") Pitch Mini Mi II IDT receptacle, 4 Circuits	10
54596-0810	Japan	1.25mm (.049") Pitch Mini Mi II IDT receptacle, 8 Circuits	10
54596-1410	Japan	1.25mm (.049") Pitch Mini Mi II IDT receptacle, 14 Circuits	10
54596-1810	Japan	1.25mm (.049") Pitch Mini Mi II IDT receptacle, 18 Circuits	10
54596-2010	Japan	1.25mm (.049") Pitch Mini Mi II IDT receptacle, 20 Circuits	10
55482-0219	Japan	1.25mm (.049") Pitch Mini Mi II™ Wire-to-Wire Adapter, 2 Circuits	5
55482-0419	Japan	1.25mm (.049") Pitch Mini Mi II™ Wire-to-Wire Adapter, 4 Circuits	5
55482-0819	Japan	1.25mm (.049") Pitch Mini Mi II™ Wire-to-Wire Adapter, 8 Circuits	5
55482-1419	Japan	1.25mm (.049") Pitch Mini Mi II™ Wire-to-Wire Adapter, 14 Circuits	5
55482-1819	Japan	1.25mm (.049") Pitch Mini Mi II™ Wire-to-Wire Adapter, 18 Circuits	5
55482-2019	Japan	1.25mm (.049") Pitch Mini Mi II™ Wire-to-Wire Adapter, 20 Circuits	5

**No Recommended Molex Tool for Part No. 76650-0136**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)  
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)  
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)