

Datasheet for 76650-0162

General Information

Part Number:	76650-0162
Manufacturer:	Molex / Waldom
Title:	EXTreme Power Edge Connector Kit
Description:	End to End Stackable PCB, Through Hole and Press-Fit Connector, 40A 250V
Product Family:	EXTreme PowerEdge™
Certificates:	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
Country of Origin:	Kit assembled in U.S.A.

Specifications

Design

Configuration:	Wire-to-Wire and Board-to-Board
Pitch:	12.90mm (.508")
Type:	Through Hole and Press-Fit
Sizes:	4 and 6 Contact Versions
Current Rating:	40 Amps
Voltage:	250V

Product Highlights

EXTreme PowerEdge connectors are designed for direct mating to a customer's 1.58mm (.062") thick, double-sided card edge PCB or bus bar tab. These PCB connectors are High Current, up to 40.0A per contact.

Features and Benefits

- High current, up to 40.0A per contact
- Rated for current interruption
- Press-fit or solder tail terminations, compatible with standard PCB's or backplanes
- Available in 2 or 3 segments (2 contacts per segment)
- End-to-end stackable to mate with double-sided card edge lengths of up to 203.20mm (8.000")
- Compatible with competitive connector, drop-in replacement
- Isolated contacts on opposite side of connector assembly segments

Applications

- Telecommunications Equipment: Networking Hubs, Switches, Routers
- High and Mid-Range Computing Equipment
- Un-interruptible Power Supplies (UPS)
- Cellular Communications Equipment: Base Stations
- DC-DC Converters

For additional Molex / Waldom Design and Solution Kits please go to www.molexkits.com

Datasheet for 76650-0162

Bill of Materials for Part No. 76650-0162

Molex Part No.	Country of Origin	Description	Quantity in Kit
45719-0004	USA	12.90mm (.508") Pitch EXTreme PowerEdge™, 2 Segments, 4 Contacts, 2.36mm (.093") PCB	1
45719-0005	USA	12.90mm (.508") Pitch EXTreme PowerEdge™, 3 Segments, 6 Contacts, 2.36mm (.093") PCB	1
45719-0007	USA	12.90mm (.508") Pitch EXTreme PowerEdge™, 2 Segments, 4 Contacts, 1.57mm (.062") PCB	2
45719-0008	USA	12.90mm (.508") Pitch EXTreme PowerEdge™, 3 Segments, 6 Contacts, 1.57mm (.062") PCB	2
45714-0001	USA	12.90mm (.508") Pitch EXTreme PowerEdge™ Press-fit, 2 Segments, 4 Contacts	1
45714-0002	USA	12.90mm (.508") Pitch EXTreme PowerEdge™ Press-fit, 3 Segments, 6 Contacts	1

No Recommended Molex Tool for Part No. 76650-0162

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Card Edge Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[CR7E-30DB-3.96E\(72\)](#) [6364499-1](#) [6565204-6](#) [PKC-156](#) [1437274-4](#) [147889-1](#) [1489165-4](#) [EBT15622B2X](#) [1-582587-1](#) [284-0102-12100](#)
[286-0052-12101A](#) [306022901000000](#) [307-012-502-202](#) [307-056-520-300](#) [2129318-1](#) [245-062-520-350](#) [287-0032-12101](#) [306-028-525-102](#)
[307-072-526-202](#) [345-060-559-303](#) [392-008-559-201](#) [534671-1](#) [341-240-317](#) [345-044-500-300](#) [346-240-318](#) [395-100-524-300](#) [09-07-2032](#)
[10035388-802LF](#) [10122859-009LF](#) [10127905-B04B24BLF](#) [530555-1](#) [5-678046-1](#) [73726-0005](#) [66308-1](#) [1-1437275-6](#) [PEC-07-02-T-S-A](#)
[346-014-520-801](#) [307-048-502-202](#) [CE100F22-9-C](#) [CE100F26-7-C](#) [CE100F28-3-D](#) [CE156F18-9-C](#) [CE156F22-5-D](#) [CE156F22-9-C](#)
[CT100F22-2-D](#) [CT100F22-3-D](#) [CT100F24-2-D](#) [CT100F24-3-D](#) [CT100F24-6-C](#) [CT156F22-4-D](#)