

Datasheet for 76650-0168

General Information

Part Number:	76650-0168
Manufacturer:	Molex / Waldom
Title:	SlimStack Connector Kit
Description:	SMT Header Plug and Receptacle
Product Family:	SlimStack™
Certificates:	(Molex Parts within this kit) - EU RoHS Compliant and UL
Country of Origin:	Kit assembled in U.S.A.

Specifications

Design

Configuration:	Board-to-Board
Pitch:	.635mm (.025")
Connector Type:	Receptacles and Headers

Mounting

Orientation:	Vertical
Circuit Sizes:	20, 40, 60 and 80
Current Rating:	0.5 Amps
Voltage:	100 Volts
Mated Heights:	(6, 8, 10, 12, 14 and 16) mm

Product Highlights

Molex's SlimStack connectors are tested to accommodate frequency rates up to 3 GHz for various high-speed applications. With a broad range of circuit sizes and stack heights, SlimStack offers an economical way to achieve high-speed performance in both 50 and 100 Ohm systems.

Features and Benefits

- 3 GHz performance
- Cross Talk < 7%
- 6.00 to 16.00mm stack heights
- Economical design
- For 50 and 100 Ohm applications
- Anti-flux design
- Metal solder tabs provide PCB hold down and strain relief for SMT tails
- Polarizing pegs assist placement
- Housing lock on 20 to 60 circuits
- Superior terminal design/wipe length
- Easy board processing

Applications

- Mobile Phone
- PDA
- Digital Video Camera
- Digital Still Camera
- Digital Video Player
- Digital Audio Player
- Voice Recorder
- Notebook PC
- Any Compact Applications

For additional Molex / Waldom Design and Solution Kits please go to www.molexkits.com

Datasheet for 76650-0168

Bill of Materials for Part No. 76650-0168

Molex Part No.	Country of Origin	Description	Quantity in Kit
52885-0274	Japan	.635mm (.025") 20 Circuit Receptacle, H = 5 mm	2
52885-0474	Japan	.635mm (.025") 40 Circuit Receptacle, H = 5 mm	2
52885-0874	Japan	.635mm (.025") 80 Circuit Receptacle, H = 5 mm	1
52901-0274	Japan	.635mm (.025") 20 Circuit Receptacle, H = 11 mm	2
52901-0474	Japan	.635mm (.025") 40 Circuit Receptacle, H = 11 mm	2
52901-0674	Japan	.635mm (.025") 60 Circuit Receptacle, H = 11 mm	1
52901-0874	Japan	.635mm (.025") 80 Circuit Receptacle, H = 11 mm	1
55091-0274	Japan	.635mm (.025") 20 Circuit Header, H = 6 mm	2
55091-0474	Japan	.635mm (.025") 40 Circuit Header, H = 6 mm	2
55091-0674	Japan	.635mm (.025") 60 Circuit Header, H = 6 mm	1
55091-0874	Japan	.635mm (.025") 80 Circuit Header, H = 6 mm	1
53647-0274	Japan	.635mm (.025") 20 Circuit Header, H = 8 mm	2
53647-0474	Japan	.635mm (.025") 40 Circuit Header, H = 8 mm	2
53647-0674	Japan	.635mm (.025") 60 Circuit Header, H = 8 mm	1
53627-0474	Japan	.635mm (.025") 40 Circuit Header, H = 10 mm	2
53627-0674	Japan	.635mm (.025") 60 Circuit Header, H = 10 mm	1
53627-0874	Japan	.635mm (.025") 80 Circuit Header, H = 10 mm	1

No Recommended Molex Tool for Part No. 76650-0168

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Board to Board & Mezzanine Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[589158040000018](#) [MDF7C-18P-2.54DSA\(55\)](#) [FCN-230C068-11](#) [FCN-268F012-G/BD](#) [FCN-268F036-G/BD](#) [FCN-268M012-G/0D](#) [FCN-268M024-G/1D](#) [FCN-723J004/1](#) [MIS-048-01-F-D-DP-K](#) [832-10-034-10-001000](#) [FX4C-80S-1.27DSA](#) [FCN-214Q030-G/0](#) [FCN-234P048-G/0](#) [FCN-235D050-G/C](#) [2-22603-0](#) [AXG720047](#) [5031084030](#) [MIT-114-03-F-D-K](#) [55323-1519](#) [YFT-20-05-H-03-SB-K](#) [503308-3040](#) [026-6203-PDB](#) [027-6203-PDB](#) [069159702701000](#) [10123981-102LF](#) [101A10019X](#) [55650-0588-C](#) [68682-310LF](#) [68684-306](#) [75140-7012](#) [87471-650](#) [194261-1](#) [FCN-268F024-G0D](#) [10124054-515LF](#) [68685-603](#) [8-1616154-3](#) [MIS-019-01-F-D](#) [FCN-268M024-G/3D](#) [FCN-268M036-G/BD](#) [20021832-06016C1LF](#) [KX15-20KLDL-E1000E](#) [AXE810124](#) [FCN-214J100-G/0](#) [FCN-230C068-E/S](#) [AXE812124](#) [AXE816124](#) [AXE720127](#) [354184](#) [MIT-019-04-F-D-K](#) [P50-028-DDS-TG](#)