

Datasheet for 76650-0172

General Information

Part Number:	76650-0172
Manufacturer:	Molex / Waldom
Title:	EXTreme Z Power Connector Kit
Description:	Mezzanine PCB Connectors
Product Family:	EXTreme ZPower™
Certificates:	(Molex Parts within this kit) - EU RoHS Compliant and UL
Country of Origin:	Kit assembled in U.S.A.

Specifications

Design

Configuration: (Wire-to-Board) and/or (Board-to-Board)

PCB Layout Pitch: 3.18 mm (0.125")

Connector Type: Interconnect System

PCB thickness 1.57mm (.062") min. - (Wire-to-Board)

Parallel Board

Spacing: 10.30mm (.405") - (Board-to-Board)

Current Rating: 30 (6 Tail) and 50 (10 Tail) Amps - Current rating is application dependent.

Voltage: 600 volts

Wire size: 8 and (12-10) AWG

Product Highlights

The Z-Power connectors are power mezzanine connectors with 50 Amp (10 Tail) and 30 Amp (6 Tail) versions. These connectors are single-piece devices which connect two printed circuit boards. The connectors are press-fit to a lower board and subsequently bolted to a second, upper board.

Datasheet for 76650-0172

Features and Benefits	Applications
<ul style="list-style-type: none"> • Patented internal terminal design allows a rigid, secure interface while helping to isolate pressfit pins from the load of shock and vibration • Captured internal nut for ease of assembly • High-normal force, high-reliability interface • One piece ridged Board-To-Board high current interconnect • Hertzian contact areas create a reliable (gas-tight) mating surface • Screw contact interface can accept standard wire-crimp, ring-lug terminals for wire-to-board applications 	<ul style="list-style-type: none"> • Industrial Applications • 30 Amp applications • 50 Amp applications

Bill of Materials for Part No. 76650-0172

Molex Part No.	Country of Origin	Description	Quantity in Kit
19073-0216	USA	# 5-6 Ring Tongue Terminal Nylon (12-10) AWG	10
19193-0128	USA	# 5-6 Ring Tongue Terminal Non-insulated (12-10) AWG	10
76001-0106	USA	6 Tail, 30Amp, Tin plated, EXTreme ZPower™ PCB Connector	2
76001-0110	USA	10 Tail, 50Amp, Tin plated, EXTreme ZPower™ PCB Connector	2
19193-0198	USA	# 6 Ring Tongue Terminal Non-insulated 8 AWG	10

Recommended Molex Tool(s) for Part No. 76650-0172*

Molex Part No.	Country of Origin	Description
62100-5300 *	USA	ZPower™ Extraction Tool
64001-0100 *	USA	Hand Crimp Tool (RHT-1990)
64001-1500 *	USA	Hand Crimp Tool (RHT-2200)
64003-0100 *	USA	Hand Crimp Tool (RHT-1992)
64001-3900 *	USA	Hand Crimp Tool (MCT-8200) - 8 AWG

*Tool(s) not included in kit. Tool(s) ordered separately.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heavy Duty Power Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[647757-1](#) [6643411-1](#) [6646058-2](#) [6646137-1](#) [6646138-1](#) [6646479-1](#) [6646608-1](#) [6646786-1](#) [6646940-1](#) [6651091-1](#) [6651525-1](#) [6651529-1](#)
[6651788-1](#) [696475-1](#) [702-32-01109](#) [703-25-02205](#) [73000005059](#) [73000005642](#) [765-15-0080A](#) [765-16-0080B](#) [765-18-0080D](#) [829992-1](#)
[902-77-02113](#) [PS00/A0620/6300](#) [129-1J](#) [1409400](#) [AN0024023](#) [E6374G1](#) [e6389g2](#) [157-43GW8](#) [MS3117-14AC](#) [1643543-1](#) [1650540-1](#)
[1651811-2](#) [1766260-1](#) [1766282-1](#) [1766966-1](#) [1791340000](#) [NLDFT-3-BL-L-S120-M40A](#) [NLDFT-N-W-L-C240-M40B](#) [NLS-2-R-C240-](#)
[M40B](#) [NLS-N-W-C240-M40B](#) [NPS-3-BL-T6](#) [1986615-1](#) [2-1589900-8](#) [2199314-1](#) [KA8102](#) [9300480317](#) [SBS50BRN#6](#) [29131](#)