

This document was generated on 06/13/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0767629001		<u> </u>
Status:	Active		MAR
)verview:	VHDM® H-Series Backplane Connectors		
escription:	VHDM® H-Series Backplane Connectors VHDM® H-Series Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical, 6-Row, Guide Pin, Shield End Module, Open End Version, 60 Circuits, Pin		
	Length 4.75mm . Series:7	76764 Enables designers to create custom loaded connectors ths 4.25, 4.75, 5.15 and 6.25mm	
Documents:			
Drawing (PDF)		Packaging Specification PK-74058-003 (PDF)	-444
Product Specification PS-74031-999 (PDF)		RoHS Certificate of Compliance (PDF)	Series image - Reference only
General			EU ELV
Product Family		Backplane Connectors	Not Relevant
Series		76762	
Application		Backplane	EU RoHS China RoHS
Application Tooling D	ocuments	TM-622010999	Not Reviewed
Comments		No Keying Position	REACH SVHC
Component Type		PCB Header	Not Reviewed
Overview		VHDM® H-Series Backplane Connectors	Halogen-Free
Product Name		VHDM® H-Series	Status
UPC		884982231306	Not Reviewed
Physical		001002201000	Need more information on product environmental compliance?
Circuits (Loaded)		60	
Circuits (maximum)		60	Email productcompliance@molex.com
Color - Resin		Black	Please visit the <u>Contact Us</u> section for any
Durability (mating cycles max)		200	non-product compliance questions.
First Mate / Last Brea		No	
		Yes	China ROHS Not Reviewed
Guide to Mating Part Keying to Mating Part		None	ELV Not Relevant
Material - Metal	l		
	lin n	Copper Alloy	
Material - Plating Mating		Gold Matter Tim	
Material - Plating Termination		Matte Tin	Search Parts in this Series
Material - Resin		High Temperature Thermoplastic	76762 Series
Net Weight		7.200/g	
Number of Columns		10 Onen Din Field	Application Tooling FAQ
Number of Pairs		Open Pin Field	Tooling specifications and manuals are
Number of Rows		6 Martical	found by selecting the products below.
Orientation		Vertical	Crimp Height Specifications are then
PC Tail Length		1.83mm	contained in the Application Tooling
PCB Locator		No	Specification document.
PCB Retention		None	Global
PCB Thickness - Rec	commended	1.83mm	Description Product #
Packaging Type		Tube	6-Row Pin and 0622015800
Pitch - Mating Interface		2.00mm	Shield Repair Tool
Pitch - Termination Interface		1.00mm	Insertion Module 0622020207
Plating min - Mating		0.762µm	for Advanced Mate
Plating min - Termination		0.762µm	Signal Header, 6-
Polarized to PCB		Yes	Row by 10-Wide,
Surface Mount Compatible (SMC)		Yes	20.00mm
Temperature Range - Operating		-55°C to +85°C	Signal Pin Inserter 0622015700
Termination Interface	e: Style	Through Hole - Compliant Pin	Repair Tool
Electrical			6-Row Shield 0622016000
Current - Maximum p	er Contact	2.0A	Extraction Tool

Current - Maximum per Contact Data Rate

2.0A 6.25 Gbps

Shield Type Shielded Voltage - Maximum	Ground Plane Shield Yes 120V AC (RMS)/DC			
Solder Process Data Lead-freeProcess Capability	N/A			
Material Info				
Reference - Drawing Numbers				
Packaging Specification	PK-74058-003			
Product Specification	PS-74031-999			
Sales Drawing	SD-76762-001			
Note: HDM, HDM+, VHDM, VHDM-HSD and GbX are t	trademarks or registered trademarks of Amphenol TCS.			

This document was generated on 06/13/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Hard Metric Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

<u>6345127-1</u> <u>646916-9</u> <u>6469658-1</u> <u>973108</u> <u>1-2000713-0</u> <u>1-2000713-2</u> <u>1-2000713-3</u> <u>1645343-1</u> <u>1645456-1</u> <u>1645594-1</u> <u>1645595-1</u> <u>1645601-1</u> <u>1934822-1</u> <u>278071110010833</u> <u>1645179-1</u> <u>1645245-1</u> <u>1645457-1</u> <u>1645525-1</u> <u>1645570-1</u> <u>1645596-1</u> <u>17041102202</u> <u>17-8072-125-000-863+</u> <u>1857470-1</u> <u>1934275-1</u> <u>1934289-1</u> <u>1934759-1</u> <u>2000673-1</u> <u>2170292-2</u> <u>2-536642-6</u> <u>3-106015-1</u> <u>352188-1</u> <u>352629-1</u> <u>3-646529-0</u> <u>5120823-1</u> <u>5120899-1</u> <u>3-100145-0</u> <u>3-100147-0</u> <u>3-100669-1</u> <u>3-106081-0</u> <u>HM2DK2368PLF</u> <u>5646530-1</u> <u>3-352049-0</u> <u>3-352069-0</u> <u>3-352115-0</u> <u>3-352638-0</u> <u>352189-1</u> <u>3-646357-0</u> <u>3-646487-0</u> <u>3-646513-0</u> <u>106726-1</u>