

This document was generated on 09/03/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0768710005

Status: Active

Overview: QSFP+ Interconnect Solution

Description: Quad Small Form-factor Pluggable Plus (QSFP) Assembly, Stacked 2 by 1 with

Elastomer Gaskets, Tin

Documents:

<u>Application Specification AS-76870-001-001 (PDF)</u>
<u>Drawing (PDF)</u>
<u>Application Specification AS-76871-0002-001 (PDF)</u>

1.25mm

No

Product Specification PS-76870-001-001 (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

UL E29179

General

Product Family I/O Connectors

Series <u>76871</u>

Application Module-to-Board Component Type Receptacle Yes

Overview QSFP+ Interconnect Solution

Product Name QSFP Type N/A

UPC 884982637207

Physical

PC Tail Length

Boot Color N/A Circuits (Loaded) 76 Circuits (maximum) 76 Durability (mating cycles max) 100 Flammability 94V-0 Gender **Female** Keying to Mating Part None Lock to Mating Part Yes

Material - Metal Phosphor Bronze

Material - Plating Mating Gold
Material - Plating Termination Tin
Net Weight 39.492/g
Number of Rows 2
Orientation Right Angle

PCB Locator Yes **PCB** Retention Yes PCB Thickness - Recommended 1.57mm Packaging Type Trav Panel Mount No Pitch - Mating Interface 0.80mm Pitch - Termination Interface 0.80mm Polarized to Mating Part Yes

Polarized to PCB Yes
Ports 2
Surface Mount Compatible (SMC) No

Temperature Range - Operating -40° to +85°C

Termination Interface: Style Through Hole - Compliant Pin

Waterproof / Dustproof

Electrical



Series image - Reference only

EU ELV

Not Relevant

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -ED/71/2019 (16 July

2019)

Halogen-Free

Status

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

76871 Series

Use With

74757, 74758

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product # QSFP+ and zQSFP+ 622025300

Multi-Port Connector

Tooling

Multi-Port Connector 622030390

Extraction Tool

Current - Maximum per Contact 0.5A
Grounding to Panel None
Shield Type EMI Gasket

Shielded Yes

Voltage - Maximum 120V AC (RMS)/DC

Solder Process Data

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers

Application Specification AS-76870-001-001, AS-76871-0002-001

Electrical Model Document EE-76870-001
Product Specification PS-76870-001-001
S-Parameter Model SP-76870-001
Sales Drawing SD-76871-001

This document was generated on 09/03/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

571763P 58098-0628 72.250.1628.2 72.250.2428.2 74720-0505 76.350.0729.0 76871-1403 FCN-244F080-G/1 FCN-260A9920 PCR-E36PM PCS-XE26MA+ G38A71314B 1571250010 157-22500-3 MS3471L14-19P L/C 192991-0703 172501-4002 172501-6002 FCN-260C008-A/L0 FCN-260C024-AL0 FCN-261Z008 2000314-1 200331-1 PCR-E36FC+ PCS-E28FS+ PCS-XE26SLFD+ PCS-XE26SLFD+ PCS-XE26SLFDT+ G730VID08BDC24 UE86K842720321 38113800006 DP3AR020WQ1R200 Z4.102.0680.0 500-1040 500-1052 500-1054 ZP-4008-66L 0709821002 DX40-20P(55) 5554841-1 MS3474W18-8P-LC* U90B3054061110 U65-E04-4020 ZPF0000000000097891 747360449 10099439-003C-TRLF 10137239-0021LF E9320-001-01 10137239-0011LF 70289-001LF 70.060.1028.0