

This document was generated on 09/18/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

	60400050 tive	R
	<u>41612</u>	140
Description: 2.54	mm Pitch DIN 41612 Receptacle, Style B, 64 Ci	rcuits, Lead-Free
Documents:		rcuits, Lead-Free
3D Model	Product Specificati	on PS-85042-001 (PDF)
Drawing (PDF)	RoHS Certificate of	<u>III P3-03042-001 (PDF)</u>
Agency Certification		
CSA	LR19980	Series image - Reference only
UL	E29179	
General		EU ELV
Product Family	Backplane Connector	Not Relevant
Series	85040	
Application	Daughtercard	
Comments		lo Flux Proof, No Mounting Clips. Compliant REACH SVHC
Comments	No Flux Proof	
Component Type	PCB Receptacle	Not Contained Per -
Overview	DIN 41612	ED/71/2019 (16 July
Product Name	IEC 603-2/DIN 41612	2019)
Style	B	2 Halogen-Free Status
UPC	800753856752	Not Low-Halogen
UFC	0007 53 65 07 52	
Physical		For more information, please visit Contact US
Circuits (Loaded)	64	China ROHS Green Image
Circuits (maximum)	64	ELV Not Relevant
Circuits Detail	Standard Contacts at	
Durability (mating cycles ma		
First Mate / Last Break	No	
Flammability	94V-0	
Guide to Mating Part	No	Search Parts in this Series
Keying to Mating Part	Yes	<u>85040</u> Series
Material - Plating Mating	Gold	
Net Weight	9.619/g	Mates With
Number of Columns	32	DIN 41612 Headers <u>85001</u> , <u>85011</u>
Number of Pairs	Open Pin Field	· —
Number of Rows	2	
Orientation	Vertical	
PC Tail Length	4.50mm	
PCB Locator	No	
PCB Retention	Yes	
PCB Thickness - Recommen	· · · · · · · · · · · · · · · · · · ·	
Packaging Type	Bag	
Pitch - Mating Interface	2.54mm	
Pitch - Termination Interface		
Polarized to PCB	Yes	
Stackable	No	
Surface Mount Compatible (
Temperature Range - Opera	•	
Termination Interface: Style	Through Hole	
Electrical		
Current - Maximum per Con	tact 1.0A	

Current - Maximum per Contact Data Rate Real Signals (per 25mm)

622.0 Mbps

20

Shielded Voltage - Maximum

Solder Process Data Lead-freeProcess Capability

Material Info

Reference - Drawing Numbers Product Specification Sales Drawing No 250V AC (RMS)

N/A

PS-85042-001 SDA-85040-0001, SDA-85040-0050

This document was generated on 09/18/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN 41612 Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 004.767
 608489050008049
 691327-1
 74670-0732
 74680-0340
 75880-0015
 76453-0014
 86093159ALF
 9732967801
 QLC260R

 120X10019X
 120X10089X
 122A10249X
 122A10669X
 122A11089X
 122A10089X
 122A10129X
 122A10349X

 122A13359X
 1377391-4
 DIN-048CPC-SR1-MH
 1393583-2
 1393726-7
 140X10129X
 143-1913-000
 143-1908-000
 1484472-1
 2110070-1

 2110070-2
 CBC20T00-008FDS5-0-1-002VR
 172699-5036
 2-1393557-4
 2-1437084-2
 CTJ720E01B-6141
 394506
 419-2080-402

 V42254B2202C968
 419-2086-201
 419-2087-002
 448657-1
 448847-3
 5-1393755-9
 02990000004
 054302
 043556
 09062483201750

 0850033067
 09031646555
 09061486901840
 0
 043556
 09062483201750