

## This document was generated on 09/18/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Status: Ac Overview: DIN	<b>350424268</b> ctive N 41612			
Description: 2.5	4mm Pitch DIN 41612	Receptacle, Style C/2+ Clip Dimensions, 48 Circuits		
Documents:			, 18 <sup>1</sup>	TITITITIE CONTRACT
<u>3D Model</u>		Product Specification PS-85042-001 (PDF)		Company of the
Drawing (PDF)		RoHS Certificate of Compliance (PDF)		
Agency Certification				
CSA		LR19980	Series image	e - Reference only
UL		E29179		
			EU ELV	
General			Not Relevant	
Product Family		Backplane Connectors		
Series		<u>85042</u>	EU RoHS	<u>China RoHS</u>
Application		Backplane	Compliant	
Component Type		PCB Receptacle	REACH SVHC	
Overview		<u>DIN 41612</u>	Not Contained Per -	
Product Name		IEC 603-2/DIN 41612	ED/71/2019 (16 July	/
Style		C/2	2019)	
UPC		800753857278	Halogen-Free	
Physical			<u>Status</u>	
Circuits (Loaded)		48	Not Low-Halogen	
Circuits (maximum)		48	For more information	n, please visit <u>Contact L</u>
Circuits Detail		40 Rows A, B, & C		0
Durability (mating cycles m	nav)	400	China ROHS	Green Image
First Mate / Last Break		No	ELV	Not Relevant
Flammability		94V-0	RoHS Phthalates	Not Contained
Guide to Mating Part		No		
Keying to Mating Part		Yes		
Material - Plating Mating		Gold	Search Parts in t	his Series
Net Weight		7.031/g	85042 Series	
Number of Columns		16		
Number of Pairs		Open Pin Field	Mates With	
Number of Rows		3	DIN 41612 Heade	rs 85003 . 85013
Orientation		Vertical		<u>,</u>
PC Tail Length		2.90mm		
PCB Locator		No		
PCB Retention		Yes		
PCB Thickness - Recomm	ended	1.60mm, 4.00mm		
Packaging Type		Tray		
Pitch - Mating Interface		2.54mm		
Pitch - Termination Interfac	ce	2.54mm		
Polarized to PCB		Yes		
Stackable		No		
Surface Mount Compatible	e (SMC)	No		
Temperature Range - Ope		-55° to +125°C		
Electrical				
Current - Maximum per Co	ontact	1.0A		
·				

622.0 Mbps

250V AC (RMS)

30

No

Current - Maximum per Conta Data Rate Real Signals (per 25mm) Shielded Voltage - Maximum

**Solder Process Data** 

**Material Info** 

**Reference - Drawing Numbers** Product Specification Sales Drawing

PS-85042-001 SD-85042-0002, SD-85042-002

## This document was generated on 09/18/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN 41612 Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

004.767 608489050008049 691327-1 74670-0732 74680-0340 75880-0015 76453-0014 86093159ALF 9732967801 QLC260R 120X10019X 120X10089X 122A10249X 122A11089X 122A13089X 122A10089X 122A10129X 122A10349X 122A13359X 1377391-4 DIN-048CPC-SR1-MH 1393583-2 1393726-7 140X10129X 143-1913-000 143-1908-000 1484472-1 2110070-1 2110070-2 CBC20T00-008FDS5-0-1-002VR 172699-5036 2-1393557-4 2-1437084-2 394506 419-2080-402 V42254B2202C968 419-2086-201 419-2087-002 448657-1 448847-3 5-1393755-9 0299000004 054302 043556 09062483201750 0850033067 09031646555 09061486901840 09185107324800 102A10019X