

This document was generated on 09/29/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0857321008

Status: **Active**

Overview: Magnetic Jacks

Description: Gigabit Magnetic Jack, Enabled PSE PoE+ 2x6, with LEDs Left/Green-Yellow and

Right/Green-Yellow

Documents:

Product Specification PS-85732-001-001 (PDF) 3D Model 3D Model (PDF) Packaging Specification PK-85732-001-001 (PDF)

Drawing (PDF) RoHS Certificate of Compliance (PDF)

General

Modular Jacks/Plugs **Product Family**

Series 85732 Component Type PCB Jack Magnetic Yes

More Detailed Tech Information *For product specifications please contact your Molex

> sales representative Magnetic Jacks

Performance Category 5, 5e

Power over Ethernet (PoE) PoE+ **Product Name** Magnetic Jack, RJ45 **UPC** 887191096070

Physical

Overview

N/A **Boot Color** Color - Resin Black Durability (mating cycles max) 750 Inverted / Top Latch Yes Jack Height 25.46mm Lightpipes/LEDs **LEDs**

Material - Metal Brass, Copper Alloy

Material - Plating Mating Gold Material - Resin **PBT** Net Weight 76.000/g

Orientation Right Angle (Side Entry)

PCB Locator Yes **PCB** Retention Yes PCB Thickness - Recommended 3.20mm Packaging Type Tray

Pitch - Mating Interface 1.27mm, 2.54mm Pitch - Termination Interface 1.27mm, 2.54mm

Port Configuration 2x6 Positions / Loaded Contacts 8/8 Surface Mount Compatible (SMC) No

Temperature Range - Operating 0° to +70°C Termination Interface: Style Through Hole

Waterproof / Dustproof No Wire/Cable Type N/A

Electrical

Current - Maximum per Contact 1.0A Grounding to PCB Yes **Grounding to Panel** Yes Shielded Yes Voltage - Maximum 57V



China RoHS

EU ELV Not Relevant

EU RoHS

Compliant with Exemption 7(c)-I **REACH SVHC**

Contained Per -D(2021)4569-DC (8

July 2021) 2-Methyl-1-(4methylthiophenyl)-2morpholinoprop Methylhexahydrophthalic

anhydride **Halogen-Free Status**

Not Low-Halogen

For more information, please visit Contact US

China ROHS 50 Image **ELV** Not Relevant RoHS Phthalates Not Contained

Search Parts in this Series

85732 Series

Material Info

Reference - Drawing Numbers

Packaging Specification PK-85732-001-001
Product Specification PS-85732-001-001
Sales Drawing SD-85732-001-001

This document was generated on 09/29/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

8949-H88/06BLKA/SN 74441-0010/BKN MP1010RX-1000 MP44RX-1000 PHP-6P6C-5 GAX-3-66 GAX-8-62 GDCX-PA-66-50 GDCX-PN-64 GDCX-PN-66 GDCX-PN-66 GDLX-A-66 GDLX-N-66 GDLX-S-66 GDLX-S-88K GDTX-S-88-50 GDX-PA-1010 GLX-N-1010M-BLK GLX-S-88M-BLK GMX-N-1010 GMX-S-1010 GMX-S-66 GMX-SMT4-N-88 GPX-2-64 GSGX-N-2-88 GSGX-N-4-88 GSX-NS2-88-3.05 GSX-NS2-88-3.05-50 GSX-NS-88-3.05-50 GSX-NS-88-3.68 PT-108A-8C-UL PT-J951-8C PTS-J531-8CS-50UL 1-1775629-2 A-2014-0-4 GWLX-S-88-GR GWLX-S9-88-YG DC-1021-8-WH-6 1300530003 1324640-4 RJ11FTVC2G RJ11FTVC2N RJFTVX2SA1G 132764-001 1413235 MP88X-1000 MPS88RX-5000 MRJR-5481-0F2 E5288-S000K3-L E5908-15A242-L