

This document was generated on 08/30/2021

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0877131001

Status: Active

Overview: Serial ATA Connectors

**Description:** 1.27mm Pitch Serial ATA Host Receptacle, Surface Mount, Vertical, Standard Height,

with 3.70mm Plastic Locating Peg, 0.76µm Gold (Au) Selective Plating, 22 Circuits,

Lead-Free

**Documents:** 

3D Model Packaging Specification PK-87713-100-001 (PDF)

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Product Specification PS-87713-016-001 (PDF)

**Agency Certification** 

CSA LR19980 UL E29179

General

Product Family PCB Receptacles

Series <u>87713</u>

Application Board-to-Board, Signal Comments 3.70mm Plastic Locating Peg Overview Serial ATA Connectors

Product Name Serial ATA UPC 822348699360

**Physical** 

(p)ower-(s)ignal Configuration15p - 7sCircuits (Loaded)22Circuits (maximum)22Durability (mating cycles max)500Flammability94V-0Glow-Wire CapableNoLock to Mating PartYes

Material - Metal Copper Alloy

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight 1.467/a Number of Rows 1 Orientation Vertical **PCB** Locator Yes **PCB** Retention None Packaging Type Tray Pitch - Mating Interface 1.27mm Plating min - Mating 0.762µm Plating min - Termination 2.540µm Polarized to Mating Part Yes Polarized to PCB Yes Surface Mount Compatible (SMC) N/A


Temperature Range - Operating -40° to +105°C
Termination Interface: Style Surface Mount

**Electrical** 

Current - Maximum per Contact 1.5A Voltage - Maximum 30V

**Solder Process Data** 

Duration at Max. Process Temperature (seconds) 010



**EU ELV** 

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8 July 2021)

Halogen-Free Status

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

87713 Series

**Mates With** 

87679, 87799, 87703

Lead-freeProcess Capability REFLOW
Max. Cycles at Max. Process Temperature 001
Process Temperature max. C 260

#### **Material Info**

## **Reference - Drawing Numbers**

Electrical Model Document EE-78178-001-001, EE-78328-001-001,

EE-78328-002-001, EE-87703-003-001,

EE-87713-001-001 PK-87713-100-001

Packaging Specification PK-87713-100-001
Product Specification PS-87713-016-001
S-Parameter Model SP-87713-001-001
Sales Drawing SD-87713-001-001

This document was generated on 08/30/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

571763P 58098-0628 72.250.1628.2 72.250.2428.2 74720-0505 76.350.0729.0 76871-1403 FCN-244F080-G/1 FCN-260A9920 PCR-E36PM PCS-XE26MA+ G38A71314B 1571250010 157-22500-3 MS3471L14-19P L/C 192991-0703 172501-4002 172501-6002 FCN-260C008-A/L0 FCN-260C024-AL0 FCN-261Z008 2000314-1 200331-1 PCR-E36FC+ PCS-E28FS+ PCS-XE26SLFD+ PCS-XE26SLFD+ PCS-XE26SLFD+ G730VID08BDC24 U90B2054081210 38113800006 DP3AR020WQ1R200 Z4.102.0680.0 500-1040 500-1052 500-1054 ZP-4008-66L 0709821002 DX40-20P(55) 5554841-1 MS3474W18-8P-LC\* U90B3054061110 U65-E04-4020 ZPF0000000000097891 747360449 10099439-003C-TRLF 10137239-0021LF E9320-001-01 10137239-0011LF 70289-001LF 70.060.1028.0