

- NOTES:**
- MATERIAL:**
HSG: LCP, GLASS-FILLED, UL94V-0,
COLOR: BLACK
PIN: 0.64MM SQ PIN, COPPER ALLOY
 - PLATING TYPE:**
 - 0.0254 µm GOLD FLASH OVER
1.25 µm MIN. NICKEL OVERALL.
 - 0.025 µm MIN. GOLD PLATE ON CONTACT AND
1.88 µm MIN. TIN ON SOLDERTAIL OVER
1.25 µm MIN. NICKEL OVERALL.
 - 0.25 µm MIN. GOLD PLATE ON CONTACT AND
1.88 µm MIN. TIN ON SOLDERTAIL OVER
1.25 µm MIN. NICKEL OVERALL.
 - 0.38 µm MIN. GOLD PLATE ON CONTACT AND
1.88 µm MIN. TIN ON SOLDERTAIL OVER
1.25 µm MIN. NICKEL OVERALL.
 - 0.75 µm MIN. GOLD PLATE ON CONTACT AND
1.88 µm MIN. TIN ON SOLDERTAIL OVER
1.25 µm MIN. NICKEL OVERALL
 - 2.50 µm MIN. TIN IN SELECTED AREA OVER
1.25 m MIN. NICKEL OVERALL.
 - 0.38 µm MIN. GOLD PLATE ON CONTACT AND
2.50 µm MIN. TIN ON SOLDERTAIL OVER
1.25 µm MIN. NICKEL OVERALL.
 - 0.38 µm MIN. GOLD PLATE ON CONTACT AND
0.05 µm MIN. GOLD FLASH ON SOLDERTAIL OVER
1.25 µm MIN. NICKEL OVERALL.
 - 0.05 - 0.25 µm MIN. GOLD FLASH OVER
1.25 µm MIN. NICKEL OVERALL.
 - PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
 - THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.
 - FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.
 - RECOMMENDED PCB THICKNESS 1.60MM.
 - PRODUCT SPECIFICATION: PS-87920-019
 - WAFER TO BE FLAT WITHIN 0.003mm/mm
 - IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE.
 - PARTS ARE NOT STACKABLE ON 2.54 CENTER
 - CAP TO BE PLACED AS CENTRAL OF PART AS POSSIBLE WITH THE TOP SURFACE FLAT FOR PICK AND PLACE.
 - PACKAGING SPECIFICATION:**
TRAY: PK-89990-489
BULK: PK-89990-491
TUBE: PK-87914-300

REVISION OF DRAWING MAY BE CHANGED DURING FINAL RELEASED FOR PRODUCTION.

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex	
DIMENSION UNITS	SCALE				
mm	NTS			2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
GENERAL TOLERANCES (UNLESS SPECIFIED)				PRODUCT CUSTOMER DRAWING	
		MM	INCH		
4 PLACES	±			DOCUMENT NUMBER	
3 PLACES	±			DOC TYPE	
2 PLACES	±	0.2		DOC PART	
1 PLACE	±			REVISION	
0 PLACES	±			SD-87914-013	
ANGULAR TOL ± 3.0°				PSD	000
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
			A3-SIZE	87914	SEE TABLE
				CUSTOMER	SHEET NUMBER
				GENERAL MARKET	1 OF 45

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-0211	-----	-----	-----	-----	2	-----	1	2.54	----	10.92	5.84	2.79
87914-0221	-----	-----	-----	-----	2	-----	1	2.54	----	12.25	7.00	2.96
87914-0231	-----	-----	-----	-----	2	-----	1	2.54	----	13.38	6.09	5.00
87914-0212	-----	-----	-----	-----	2	-----	2	2.54	----	10.92	5.84	2.79
87914-0222	-----	-----	-----	-----	2	-----	2	2.54	----	12.25	7.00	2.96
87914-0232	-----	-----	-----	-----	2	-----	2	2.54	----	13.38	6.09	5.00
87914-0213	-----	-----	-----	-----	2	-----	3	2.54	----	10.92	5.84	2.79
87914-0223	-----	-----	-----	-----	2	-----	3	2.54	----	12.25	7.00	2.96
87914-0233	-----	-----	-----	-----	2	-----	3	2.54	----	13.38	6.09	5.00
87914-0214	-----	-----	-----	-----	2	-----	4	2.54	----	10.92	5.84	2.79
87914-0224	-----	-----	-----	-----	2	-----	4	2.54	----	12.25	7.00	2.96
87914-0234	-----	-----	-----	-----	2	-----	4	2.54	----	13.38	6.09	5.00
87914-0215	-----	-----	-----	-----	2	-----	5	2.54	----	10.92	5.84	2.79
87914-0225	-----	-----	-----	-----	2	-----	5	2.54	----	12.25	7.00	2.96
87914-0235	-----	-----	-----	-----	2	-----	5	2.54	----	13.38	6.09	5.00
87914-0216	-----	-----	-----	-----	2	-----	6	2.54	----	10.92	5.84	2.79
87914-0217	-----	-----	-----	-----	2	-----	6	2.54	----	10.92	5.84	2.79
87914-0226	-----	-----	-----	-----	2	-----	6	2.54	----	12.25	7.00	2.96
87914-0227	-----	-----	-----	-----	2	-----	6	2.54	----	12.25	7.00	2.96
87914-0236	-----	-----	-----	-----	2	-----	6	2.54	----	13.38	6.09	5.00
87914-0204	-----	-----	-----	-----	2	-----	4	2.54	----	11.11	6.10	2.72
87914-0205	-----	-----	-----	-----	2	-----	5	2.54	---	11.11	6.10	2.72
87914-0206	-----	-----	-----	-----	2	-----	6	2.54	---	11.11	6.10	2.72
87914-0207	-----	-----	-----	-----	2	-----	6	2.54	---	11.11	6.10	2.72

(D22)
(D22)
(D22)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
				CHK'D: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
				APPR: MRAMAKRISHNA		2021/10/11				DOCUMENT NUMBER	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		SD-87914-013	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		APPR: SLOW		DOC TYPE DOC PART REVISION	
2 PLACES ± 0.2				ANGULAR TOL ± 3.0°						PSD 000 D22	
1 PLACE ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
0 PLACES ±								A3-SIZE		87914	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:31		MATERIAL NUMBER	
								SEE TABLE		CUSTOMER	
								GENERAL MARKET		SHEET NUMBER	
										2 OF 45	

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-0411	-----	-----	-----	-----	4	-----	1	5.08	2.54	10.92	5.84	2.79
87914-0421	-----	-----	-----	-----	4	-----	1	5.08	2.54	12.25	7.00	2.96
87914-0431	-----	-----	-----	-----	4	-----	1	5.08	2.54	13.38	6.09	5.00
87914-0412	-----	-----	-----	-----	4	-----	2	5.08	2.54	10.92	5.84	2.79
87914-0422	-----	-----	-----	-----	4	-----	2	5.08	2.54	12.25	7.00	2.96
87914-0432	-----	-----	-----	-----	4	-----	2	5.08	2.54	13.38	6.09	5.00
87914-0413	-----	-----	-----	-----	4	-----	3	5.08	2.54	10.92	5.84	2.79
87914-0423	-----	-----	-----	-----	4	-----	3	5.08	2.54	12.25	7.00	2.96
87914-0433	-----	-----	-----	-----	4	-----	3	5.08	2.54	13.38	6.09	5.00
87914-0414	-----	-----	-----	-----	4	-----	4	5.08	2.54	10.92	5.84	2.79
87914-0424	-----	-----	-----	-----	4	-----	4	5.08	2.54	12.25	7.00	2.96
87914-0434	-----	-----	-----	-----	4	-----	4	5.08	2.54	13.38	6.09	5.00
87914-0415	-----	-----	-----	-----	4	-----	5	5.08	2.54	10.92	5.84	2.79
87914-0425	-----	-----	-----	-----	4	-----	5	5.08	2.54	12.25	7.00	2.96
87914-0435	-----	-----	-----	-----	4	-----	5	5.08	2.54	13.38	6.09	5.00
87914-0416	-----	-----	-----	-----	4	-----	6	5.08	2.54	10.92	5.84	2.79
87914-0417	-----	-----	-----	-----	4	-----	6	5.08	2.54	10.92	5.84	2.79
87914-0426	-----	-----	-----	-----	4	-----	6	5.08	2.54	12.25	7.00	2.96
87914-0427	-----	-----	-----	-----	4	-----	6	5.08	2.54	12.25	7.00	2.96
87914-0436	-----	-----	-----	-----	4	-----	6	5.08	2.54	13.38	6.09	5.00
87914-0401	-----	-----	-----	-----	4	-----	4	5.08	2.54	13.21	8.13	2.79
87914-0402	-----	-----	-----	-----	4	-----	5	5.08	2.54	13.21	8.13	2.79
87914-0403	-----	-----	-----	-----	4	-----	6	5.08	2.54	13.21	8.13	2.79
87914-0404	-----	-----	-----	-----	4	-----	4	5.08	2.54	11.11	6.10	2.72
87914-0405	-----	-----	-----	-----	4	-----	5	5.08	2.54	11.11	6.10	2.72
87914-0406	-----	-----	-----	-----	4	-----	6	5.08	2.54	11.11	6.10	2.72
87914-0408	-----	-----	-----	-----	4	-----	6	5.08	2.54	11.11	6.10	2.72
-----	-----	-----	87914-0407	-----	4	-----	6	5.08	2.54	17.49	12.60	2.60

(D22)
(D22)
(D22)

<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p> <p>CURRENT REV DESC: BRIGHT TIN PHASE OUT</p> <p>molex</p> <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11</p> <p>INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SLOW 2005/01/25</p> <p>DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22</p> <p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p> <p>THIRD ANGLE PROJECTION</p> <p>DRAWING: A3-SIZE SERIES: 87914 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 3 OF 45</p>												
DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31								

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P	G
87914-0611	-----	-----	-----	-----	6	-----	1	7.62	5.08	10.92	5.84	2.79	----
87914-0621	-----	-----	-----	-----	6	-----	1	7.62	5.08	12.25	7.00	2.96	----
87914-0631	-----	-----	-----	-----	6	-----	1	7.62	5.08	13.38	6.09	5.00	----
87914-0612	-----	-----	-----	-----	6	-----	2	7.62	5.08	10.92	5.84	2.79	----
87914-0622	-----	-----	-----	-----	6	-----	2	7.62	5.08	12.25	7.00	2.96	----
87914-0632	-----	-----	-----	-----	6	-----	2	7.62	5.08	13.38	6.09	5.00	----
87914-0613	-----	-----	-----	-----	6	-----	3	7.62	5.08	10.92	5.84	2.79	----
87914-0623	-----	-----	-----	-----	6	-----	3	7.62	5.08	12.25	7.00	2.96	----
87914-0633	-----	-----	-----	-----	6	-----	3	7.62	5.08	13.38	6.09	5.00	----
87914-0614	-----	-----	-----	-----	6	-----	4	7.62	5.08	10.92	5.84	2.79	----
87914-0624	-----	-----	-----	-----	6	-----	4	7.62	5.08	12.25	7.00	2.96	----
87914-0634	-----	-----	-----	-----	6	-----	4	7.62	5.08	13.38	6.09	5.00	----
87914-0615	-----	-----	-----	D20 87914-0652	6	-----	5	7.62	5.08	10.92	5.84	2.79	----
87914-0625	-----	-----	-----	-----	6	-----	5	7.62	5.08	12.25	7.00	2.96	----
87914-0635	-----	-----	-----	-----	6	-----	5	7.62	5.08	13.38	6.09	5.00	----
87914-0616	-----	-----	-----	-----	6	-----	6	7.62	5.08	10.92	5.84	2.79	----
87914-0617	-----	-----	-----	-----	6	-----	6	7.62	5.08	10.92	5.84	2.79	----
87914-0626	-----	-----	-----	-----	6	-----	6	7.62	5.08	12.25	7.00	2.96	----
87914-0628	-----	-----	-----	-----	6	-----	6	7.62	5.08	12.25	7.00	2.96	----
87914-0636	-----	-----	-----	-----	6	-----	6	7.62	5.08	13.38	6.09	5.00	----
87914-0601	-----	-----	-----	-----	6	-----	4	7.62	5.08	13.21	8.13	2.79	----
87914-0602	-----	-----	-----	-----	6	-----	5	7.62	5.08	13.21	8.13	2.79	----
87914-0603	-----	-----	-----	-----	6	-----	6	7.62	5.08	13.21	8.13	2.79	----
87914-0604	-----	-----	-----	-----	6	-----	4	7.62	5.08	11.11	6.10	2.72	----
87914-0605	-----	-----	-----	-----	6	-----	5	7.62	5.08	11.11	6.10	2.72	----
87914-0606	-----	-----	-----	-----	6	-----	6	7.62	5.08	11.11	6.10	2.72	----
87914-0608	-----	-----	-----	-----	6	-----	6	7.62	5.08	11.11	6.10	2.72	----



(D22)
(D22)
(D22)

<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p> <p>DIMENSION UNITS: mm SCALE: NTS</p> <p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p> <table border="1"> <thead> <tr> <th></th> <th>MM</th> <th>INCH</th> </tr> </thead> <tbody> <tr><td>4 PLACES</td><td>±</td><td>±</td></tr> <tr><td>3 PLACES</td><td>±</td><td>±</td></tr> <tr><td>2 PLACES</td><td>± 0.2</td><td>±</td></tr> <tr><td>1 PLACE</td><td>±</td><td>±</td></tr> <tr><td>0 PLACES</td><td>±</td><td>±</td></tr> </tbody> </table> <p>ANGULAR TOL ± 3.0°</p> <p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p>											MM	INCH	4 PLACES	±	±	3 PLACES	±	±	2 PLACES	± 0.2	±	1 PLACE	±	±	0 PLACES	±	±	<p>CURRENT REV DESC: BRIGHT TIN PHASE OUT</p> <p>molex</p> <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11</p> <p>INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25</p> <p>DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22</p> <p>DRAWING: A3-SIZE SERIES: 87914 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 4 OF 45</p>									
	MM	INCH																																			
4 PLACES	±	±																																			
3 PLACES	±	±																																			
2 PLACES	± 0.2	±																																			
1 PLACE	±	±																																			
0 PLACES	±	±																																			

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P	G
87914-0807	-----	-----	-----	-----	8	-----	6	10.16	7.62	21.75	16.51	2.95	----
87914-0818	-----	-----	-----	-----	8	-----	6	10.16	7.62	21.75	16.51	2.95	----
87914-0108	-----	-----	-----	-----	8	-----	6	10.16	7.62	16.50	11.11	3.10	----
87914-0811	-----	-----	-----	-----	8	-----	1	10.16	7.62	10.92	5.84	2.79	----
87914-0821	-----	-----	-----	-----	8	-----	1	10.16	7.62	12.25	7.00	2.96	----
87914-0831	-----	-----	-----	-----	8	-----	1	10.16	7.62	13.38	6.09	5.00	----
87914-0812	-----	-----	-----	-----	8	-----	2	10.16	7.62	10.92	5.84	2.79	----
87914-0822	-----	-----	-----	-----	8	-----	2	10.16	7.62	12.25	7.00	2.96	----
87914-0832	-----	-----	-----	-----	8	-----	2	10.16	7.62	13.38	6.09	5.00	----
87914-0813	-----	-----	-----	-----	8	-----	3	10.16	7.62	10.92	5.84	2.79	----
87914-0823	-----	-----	-----	-----	8	-----	3	10.16	7.62	12.25	7.00	2.96	----
87914-0833	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----
87914-0814	-----	-----	-----	-----	8	-----	4	10.16	7.62	10.92	5.84	2.79	----
87914-0824	-----	-----	-----	-----	8	-----	4	10.16	7.62	12.25	7.00	2.96	----
87914-0834	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----
87914-0815	-----	-----	-----	-----	8	-----	5	10.16	7.62	10.92	5.84	2.79	----
87914-0825	-----	-----	-----	-----	8	-----	5	10.16	7.62	12.25	7.00	2.96	----
87914-0835	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.38	6.09	5.00	----
87914-0816	-----	-----	-----	-----	8	-----	6	10.16	7.62	10.92	5.84	2.79	----
87914-0819	-----	-----	-----	-----	8	-----	6	10.16	7.62	10.92	5.84	2.79	----
87914-0826	-----	-----	-----	-----	8	-----	6	10.16	7.62	12.25	7.00	2.96	----
87914-0828	-----	-----	-----	-----	8	-----	6	10.16	7.62	12.25	7.00	2.96	----
87914-0836	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.38	6.09	5.00	----
87914-0801	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.21	8.13	2.79	----
87914-0802	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.21	8.13	2.79	---
87914-0803	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.21	8.13	2.79	---
87914-0809	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.21	8.13	2.79	---
87914-0804	-----	-----	-----	-----	8	-----	4	10.16	7.62	11.11	6.10	2.72	---
87914-0805	-----	-----	-----	-----	8	-----	5	10.16	7.62	11.11	6.10	2.72	---
87914-0806	-----	-----	-----	-----	8	-----	6	10.16	7.62	11.11	6.10	2.72	---
87914-0810	-----	-----	-----	-----	8	-----	6	10.16	7.62	11.11	6.10	2.72	---

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT	
mm	NTS		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
	MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25
4 PLACES	±	±	
3 PLACES	±	±	
2 PLACES	± 0.2	±	
1 PLACE	±	±	
0 PLACES	±	±	DOCUMENT NUMBER SD-87914-013
ANGULAR TOL	± 3.0°		DOC TYPE PSD
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING A3-SIZE
		SERIES 87914	DOC PART 000
		MATERIAL NUMBER SEE TABLE	REVISION D22
		CUSTOMER GENERAL MARKET	SHEET NUMBER 6 OF 45



PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	PART NO. FOR BULK PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
									A	B	F	M	P	G
87914-0001	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	12.07	5.97	3.81	----
87914-1011	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	10.92	5.84	2.79	----
87914-1021	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	12.25	7.00	2.96	----
87914-1031	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	13.38	6.09	5.00	----
87914-1012	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	10.92	5.84	2.79	----
87914-1022	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	12.25	7.00	2.96	----
87914-1032	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	13.38	6.09	5.00	----
87914-1013	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	10.92	5.84	2.79	----
87914-1023	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	12.25	7.00	2.96	----
87914-1033	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	13.38	6.09	5.00	----
87914-1014	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	10.92	5.84	2.79	----
87914-1024	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	12.25	7.00	2.96	----
87914-1034	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	13.38	6.09	5.00	----
87914-1015	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	10.92	5.84	2.79	----
87914-1025	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	12.25	7.00	2.96	----
87914-1035	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	13.38	6.09	5.00	----
87914-1016	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	10.92	5.84	2.79	----
87914-1018	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	10.92	5.84	2.79	----
87914-1026	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	12.25	7.00	2.96	----
87914-1027	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	12.25	7.00	2.96	----
87914-1036	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	13.38	6.09	5.00	----
-----	-----	-----	-----	-----	87914-1037	10	9	4	12.70	10.16	10.92	5.84	2.79	----
87914-1001	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	8.13	2.79	---
87914-1002	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	8.13	2.79	---
87914-1003	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	8.13	2.79	---
87914-1007	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	8.13	2.79	---
87914-1004	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	6.10	2.72	---
87914-1005	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	6.10	2.72	---
87914-1006	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	6.10	2.72	---
87914-1008	-----	-----	-----	-----	-----	10	-----	-----	12.70	10.16	13.21	6.10	2.72	---

D22

D22

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25					
4 PLACES	±	±	±						
3 PLACES	±	±	±						
2 PLACES	±	0.2	±						
1 PLACE	±	±	±						
0 PLACES	±	±	±	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
ANGULAR TOL		± 3.0°		SD-87914-013		PSD	000	D22	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
				A3-SIZE	87914	SEE TABLE	GENERAL MARKET	8 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-1211	-----	-----	-----	-----	12	-----	1	15.24	12.70	10.92	5.84	2.79
-----	87914-1291	-----	-----	-----	12	-----	9	15.24	12.70	10.92	5.84	2.79
87914-1221	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.25	7.00	2.96
87914-1231	-----	-----	-----	-----	12	-----	1	15.24	12.70	13.38	6.09	5.00
87914-1212	-----	-----	-----	-----	12	-----	2	15.24	12.70	10.92	5.84	2.79
87914-1222	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.25	7.00	2.96
87914-1232	-----	-----	-----	-----	12	-----	2	15.24	12.70	13.38	6.09	5.00
87914-1213	-----	-----	-----	-----	12	-----	3	15.24	12.70	10.92	5.84	2.79
87914-1223	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.25	7.00	2.96
87914-1233	-----	-----	-----	-----	12	-----	3	15.24	12.70	13.38	6.09	5.00
87914-1214	-----	-----	-----	-----	12	-----	4	15.24	12.70	10.92	5.84	2.79
87914-1224	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.25	7.00	2.96
87914-1234	-----	-----	-----	-----	12	-----	4	15.24	12.70	13.38	6.09	5.00
87914-1215	-----	-----	-----	-----	12	-----	5	15.24	12.70	10.92	5.84	2.79
87914-1225	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.25	7.00	2.96
87914-1235	-----	-----	-----	-----	12	-----	5	15.24	12.70	13.38	6.09	5.00
87914-1216	-----	-----	-----	-----	12	-----	6	15.24	12.70	10.92	5.84	2.79
87914-1218	-----	-----	-----	-----	12	-----	6	15.24	12.70	10.92	5.84	2.79
87914-1226	-----	-----	-----	-----	12	-----	6	15.24	12.70	12.25	7.00	2.96
87914-1228	-----	-----	-----	-----	12	-----	6	15.24	12.70	12.25	7.00	2.96
87914-1236	-----	-----	-----	-----	12	-----	6	15.24	12.70	13.38	6.09	5.00
87914-1246	-----	-----	-----	-----	12	-----	5	15.24	12.70	29.26	23.32	3.65
87914-1247	-----	-----	-----	-----	12	-----	5	15.24	12.70	29.26	23.32	3.65

(D22)
(D22)
(D22)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
				CHK'D: MRAMAKRISHNA		2021/10/11					
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		SD-87914-013		DOC TYPE DOC PART REVISION	
2 PLACES ± 0.2				APPR: SLOW		2005/01/25		PSD		000 D22	
1 PLACE ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
0 PLACES ±								A3-SIZE		87914	
ANGULAR TOL ± 3.0°								MATERIAL NUMBER		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										9 OF 45	



DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-1411	-----	-----	-----	-----	14	-----	1	17.78	15.24	10.92	5.84	2.79
87914-1421	-----	-----	-----	-----	14	-----	1	17.78	15.24	12.25	7.00	2.96
87914-1431	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.38	6.09	5.00
87914-1412	-----	-----	-----	-----	14	-----	2	17.78	15.24	10.92	5.84	2.79
87914-1422	-----	-----	-----	-----	14	-----	2	17.78	15.24	12.25	7.00	2.96
87914-1432	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.38	6.09	5.00
87914-1413	-----	-----	-----	-----	14	-----	3	17.78	15.24	10.92	5.84	2.79
87914-1423	-----	-----	-----	-----	14	-----	3	17.78	15.24	12.25	7.00	2.96
87914-1433	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.38	6.09	5.00
87914-1414	-----	-----	-----	-----	14	-----	4	17.78	15.24	10.92	5.84	2.79
87914-1424	-----	-----	-----	-----	14	-----	4	17.78	15.24	12.25	7.00	2.96
87914-1434	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.38	6.09	5.00
87914-1415	-----	-----	-----	-----	14	-----	5	17.78	15.24	10.92	5.84	2.79
87914-1425	-----	-----	-----	-----	14	-----	5	17.78	15.24	12.25	7.00	2.96
87914-1435	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.38	6.09	5.00
87914-1416	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79
87914-1417	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79
87914-1426	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96
87914-1427	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96
87914-1436	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.38	6.09	5.00
87914-1401	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.21	8.13	2.79
87914-1402	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.21	8.13	2.79
87914-1403	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.21	8.13	2.79
87914-1404	-----	-----	-----	-----	14	-----	4	17.78	15.24	11.11	6.10	2.72
87914-1405	-----	-----	-----	-----	14	-----	5	17.78	15.24	11.11	6.10	2.72
87914-1406	-----	-----	-----	-----	14	-----	6	17.78	15.24	11.11	6.10	2.72
87914-1407	-----	-----	-----	-----	14	-----	6	17.78	15.24	11.11	6.10	2.72
87914-0007	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.42	8.08	3.05

D22

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
				ANGULAR TOL ± 3.0°		APPR: SLOW		2005/01/25		SD-87914-013	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87914		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										11 OF 45	



PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	KINK POSITION	PLATING TYPE	DIMENSION					
									A	B	F	M	P	G
87914-1441	-----	-----	-----	-----	14	-----	-----	1	17.78	15.24	13.42	8.08	3.05	---
87914-1442	-----	-----	-----	-----	14	-----	-----	2	17.78	15.24	13.42	8.08	3.05	---
87914-1443	-----	-----	-----	-----	14	-----	-----	3	17.78	15.24	13.42	8.08	3.05	---
87914-1444	-----	-----	-----	-----	14	-----	-----	4	17.78	15.24	13.42	8.08	3.05	---
87914-1445	-----	-----	-----	-----	14	-----	-----	5	17.78	15.24	13.42	8.08	3.05	---
-----	87914-1446	-----	-----	-----	14	-----	CKT 1, 2, 13 & 14	6	17.78	15.24	14.58	9.11	3.18	---
-----	-----	-----	-----	87914-1447	14	-----	-----	6	17.78	15.24	13.79	8.20	3.30	14.79

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS			SCALE			CURRENT REV DESC: BRIGHT TIN PHASE OUT								
mm			NTS			<p align="center">molex</p> <p align="center">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p> <p align="center">PRODUCT CUSTOMER DRAWING</p>								
GENERAL TOLERANCES (UNLESS SPECIFIED)														
4 PLACES ±			±											
3 PLACES ±			±											
2 PLACES ±			0.2 ±											
1 PLACE ±			±											
0 PLACES ±			±											
ANGULAR TOL ±			3.0°			EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SLOW 2005/01/25								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		87914		SEE TABLE		GENERAL MARKET		12 OF 45		

DOCUMENT STATUS: P1 RELEASE DATE: 2021/10/11 11:53:31

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-1611	-----	-----	-----	-----	16	-----	1	20.32	17.78	10.92	5.84	2.79
87914-1621	-----	-----	-----	-----	16	-----	1	20.32	17.78	12.25	7.00	2.96
87914-1631	-----	-----	-----	-----	16	-----	1	20.32	17.78	13.38	6.09	5.00
87914-1612	-----	-----	-----	-----	16	-----	2	20.32	17.78	10.92	5.84	2.79
87914-1622	-----	-----	-----	-----	16	-----	2	20.32	17.78	12.25	7.00	2.96
87914-1632	-----	-----	-----	-----	16	-----	2	20.32	17.78	13.38	6.09	5.00
87914-1613	-----	-----	-----	-----	16	-----	3	20.32	17.78	10.92	5.84	2.79
87914-1623	-----	-----	-----	-----	16	-----	3	20.32	17.78	12.25	7.00	2.96
87914-1633	-----	-----	-----	-----	16	-----	3	20.32	17.78	13.38	6.09	5.00
87914-1614	-----	-----	-----	-----	16	-----	4	20.32	17.78	10.92	5.84	2.79
87914-1624	-----	-----	-----	-----	16	-----	4	20.32	17.78	12.25	7.00	2.96
87914-1634	-----	-----	-----	-----	16	-----	4	20.32	17.78	13.38	6.09	5.00
87914-1615	-----	-----	-----	-----	16	-----	5	20.32	17.78	10.92	5.84	2.79
87914-1625	-----	-----	-----	-----	16	-----	5	20.32	17.78	12.25	7.00	2.96
87914-1635	-----	-----	-----	-----	16	-----	5	20.32	17.78	13.38	6.09	5.00
87914-1616	-----	-----	-----	-----	16	-----	6	20.32	17.78	10.92	5.84	2.79
87914-1617	-----	-----	-----	-----	16	-----	6	20.32	17.78	10.92	5.84	2.79
87914-1626	-----	-----	-----	-----	16	-----	6	20.32	17.78	12.25	7.00	2.96
87914-1627	-----	-----	-----	-----	16	-----	6	20.32	17.78	12.25	7.00	2.96
87914-1636	-----	-----	-----	-----	16	-----	6	20.32	17.78	13.38	6.09	5.00
87914-1601	-----	-----	-----	-----	16	-----	4	20.32	17.78	13.21	8.13	2.79
87914-1602	-----	-----	-----	-----	16	-----	5	20.32	17.78	13.21	8.13	2.79
87914-1603	-----	-----	-----	-----	16	-----	6	20.32	17.78	13.21	8.13	2.79
87914-1604	-----	-----	-----	-----	16	-----	4	20.32	17.78	11.11	6.10	2.72
87914-1605	-----	-----	-----	-----	16	-----	5	20.32	17.78	11.11	6.10	2.72
87914-1606	-----	-----	-----	-----	16	-----	6	20.32	17.78	11.11	6.10	2.72
87914-1608	-----	-----	-----	-----	16	-----	6	20.32	17.78	11.11	6.10	2.72
87914-1650	-----	-----	-----	-----	16	-----	5	20.32	17.78	12.49	7.40	2.80
87914-1600	-----	-----	-----	-----	16	-----	5	20.32	17.78	9.49	4.50	2.70
87914-1607	-----	-----	-----	-----	16	-----	5	20.32	17.78	9.49	4.50	2.70
87914-1637	-----	-----	-----	-----	16	-----	5	20.32	17.78	15.79	10.45	3.05
87914-1652	-----	-----	-----	-----	16	-----	5	20.32	17.78	25.90	19.81	3.80

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT	
mm	NTS		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
	MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SLOW 2005/01/25
4 PLACES	±	±	
3 PLACES	±	±	
2 PLACES	± 0.2	±	
1 PLACE	±	±	
0 PLACES	±	±	DOCUMENT NUMBER SD-87914-013
ANGULAR TOL	± 3.0°		DOC TYPE PSD
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING A3-SIZE
		SERIES 87914	DOC PART 000
		MATERIAL NUMBER SEE TABLE	CUSTOMER GENERAL MARKET
		SHEET NUMBER 13 OF 45	REVISION D22

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P	G
87914-1811	-----	-----	-----	-----	18	-----	1	22.86	20.32	10.92	5.84	2.79	----
87914-1821	-----	-----	-----	-----	18	-----	1	22.86	20.32	12.25	7.00	2.96	----
87914-1831	-----	-----	-----	-----	18	-----	1	22.86	20.32	13.38	6.09	5.00	----
87914-1812	-----	-----	-----	-----	18	-----	2	22.86	20.32	10.92	5.84	2.79	----
87914-1822	-----	-----	-----	-----	18	-----	2	22.86	20.32	12.25	7.00	2.96	----
87914-1832	-----	-----	-----	-----	18	-----	2	22.86	20.32	13.38	6.09	5.00	----
87914-1813	-----	-----	-----	-----	18	-----	3	22.86	20.32	10.92	5.84	2.79	----
87914-1823	-----	-----	-----	-----	18	-----	3	22.86	20.32	12.25	7.00	2.96	----
87914-1833	-----	-----	-----	-----	18	-----	3	22.86	20.32	13.38	6.09	5.00	----
87914-1814	-----	-----	-----	-----	18	-----	4	22.86	20.32	10.92	5.84	2.79	----
87914-1824	-----	-----	-----	-----	18	-----	4	22.86	20.32	12.25	7.00	2.96	----
87914-1834	-----	-----	-----	-----	18	-----	4	22.86	20.32	13.38	6.09	5.00	----
87914-1815	-----	-----	-----	-----	18	-----	5	22.86	20.32	10.92	5.84	2.79	----
87914-1825	-----	-----	-----	-----	18	-----	5	22.86	20.32	12.25	7.00	2.96	----
87914-1835	-----	-----	-----	-----	18	-----	5	22.86	20.32	13.38	6.09	5.00	----
87914-1816	-----	-----	-----	-----	18	-----	6	22.86	20.32	10.92	5.84	2.79	----
87914-1817	-----	-----	-----	-----	18	-----	6	22.86	20.32	10.92	5.84	2.79	----
87914-1826	-----	-----	-----	-----	18	-----	6	22.86	20.32	12.25	7.00	2.96	----
87914-1827	-----	-----	-----	-----	18	-----	6	22.86	20.32	12.25	7.00	2.96	----
87914-1836	-----	-----	-----	-----	18	-----	6	22.86	20.32	13.38	6.09	5.00	----
87914-1801	-----	-----	-----	-----	18	-----	4	22.86	20.32	13.21	8.13	2.79	---
87914-1802	-----	-----	-----	-----	18	-----	5	22.86	20.32	13.21	8.13	2.79	---
87914-1803	-----	-----	-----	-----	18	-----	6	22.86	20.32	13.21	8.13	2.79	---
87914-1804	-----	-----	-----	-----	18	-----	4	22.86	20.32	11.11	6.10	2.72	---
87914-1805	-----	-----	-----	-----	18	-----	5	22.86	20.32	11.11	6.10	2.72	---
87914-1806	-----	-----	-----	-----	18	-----	6	22.86	20.32	11.11	6.10	2.72	---
87914-1809	-----	-----	-----	-----	18	-----	6	22.86	20.32	11.11	6.10	2.72	---
-----	-----	87914-1807	-----	-----	18	-----	5	22.86	20.32	17.02	11.05	3.68	18.02

D22

D22

D22

<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p> <p>CURRENT REV DESC: BRIGHT TIN PHASE OUT</p> <p>molex</p> <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11</p> <p>INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25</p> <p>DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22</p> <p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p> <p>THIRD ANGLE PROJECTION</p> <p>DRAWING: A3-SIZE SERIES: 87914 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 14 OF 45</p>										
DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31						

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-2011	-----	-----	-----	-----	20	-----	1	25.40	22.86	10.92	5.84	2.79
87914-2021	-----	-----	-----	-----	20	-----	1	25.40	22.86	12.25	7.00	2.96
87914-2031	-----	-----	-----	-----	20	-----	1	25.40	22.86	13.38	6.09	5.00
87914-2012	-----	-----	-----	-----	20	-----	2	25.40	22.86	10.92	5.84	2.79
87914-2022	-----	-----	-----	-----	20	-----	2	25.40	22.86	12.25	7.00	2.96
87914-2032	-----	-----	-----	-----	20	-----	2	25.40	22.86	13.38	6.09	5.00
87914-2013	-----	-----	-----	-----	20	-----	3	25.40	22.86	10.92	5.84	2.79
87914-2023	-----	-----	-----	-----	20	-----	3	25.40	22.86	12.25	7.00	2.96
87914-2033	-----	-----	-----	-----	20	-----	3	25.40	22.86	13.38	6.09	5.00
87914-2014	-----	-----	-----	-----	20	-----	4	25.40	22.86	10.92	5.84	2.79
87914-2024	-----	-----	-----	-----	20	-----	4	25.40	22.86	12.25	7.00	2.96
87914-2034	-----	-----	-----	-----	20	-----	4	25.40	22.86	13.38	6.09	5.00
87914-2015	-----	-----	-----	-----	20	-----	5	25.40	22.86	10.92	5.84	2.79
87914-2025	-----	-----	-----	-----	20	-----	5	25.40	22.86	12.25	7.00	2.96
87914-2035	-----	-----	-----	-----	20	-----	5	25.40	22.86	13.38	6.09	5.00
87914-2016	-----	-----	-----	-----	20	-----	6	25.40	22.86	10.92	5.84	2.79
87914-2017	-----	-----	-----	-----	20	-----	6	25.40	22.86	10.92	5.84	2.79
87914-2026	-----	-----	-----	-----	20	-----	6	25.40	22.86	12.25	7.00	2.96
87914-2027	-----	-----	-----	-----	20	-----	6	25.40	22.86	12.25	7.00	2.96
87914-2036	-----	-----	-----	-----	20	-----	6	25.40	22.86	13.38	6.09	5.00
87914-2037	-----	-----	-----	-----	20	-----	6	25.40	22.86	13.38	6.09	5.00
87914-2001	-----	-----	-----	-----	20	-----	4	25.40	22.86	13.21	8.13	2.79
87914-2002	-----	-----	-----	-----	20	-----	5	25.40	22.86	13.21	8.13	2.79
87914-2003	-----	-----	-----	-----	20	-----	6	25.40	22.86	13.21	8.13	2.79
87914-2004	-----	-----	-----	-----	20	-----	4	25.40	22.86	11.11	6.10	2.72
87914-2005	-----	-----	-----	-----	20	-----	5	25.40	22.86	11.11	6.10	2.72
87914-2006	-----	-----	-----	-----	20	-----	6	25.40	22.86	11.11	6.10	2.72
87914-2008	-----	-----	-----	-----	20	-----	6	25.40	22.86	11.11	6.10	2.72
87914-2051	-----	-----	-----	-----	20	-----	6	25.40	22.86	18.29	13.00	3.00
87914-0201	-----	-----	-----	-----	20	-----	5	25.40	22.86	18.84	13.46	3.09
87914-0202	-----	-----	-----	-----	20	-----	5	25.40	22.86	18.84	13.46	3.09

D22

D22

D22

D22



D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°		±							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87914		15 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-2211	-----	-----	-----	-----	22	-----	1	27.94	25.40	10.92	5.84	2.79
87914-2221	-----	-----	-----	-----	22	-----	1	27.94	25.40	12.25	7.00	2.96
87914-2231	-----	-----	-----	-----	22	-----	1	27.94	25.40	13.38	6.09	5.00
87914-2212	-----	-----	-----	-----	22	-----	2	27.94	25.40	10.92	5.84	2.79
87914-2222	-----	-----	-----	-----	22	-----	2	27.94	25.40	12.25	7.00	2.96
87914-2232	-----	-----	-----	-----	22	-----	2	27.94	25.40	13.38	6.09	5.00
87914-2213	-----	-----	-----	-----	22	-----	3	27.94	25.40	10.92	5.84	2.79
87914-2223	-----	-----	-----	-----	22	-----	3	27.94	25.40	12.25	7.00	2.96
87914-2233	-----	-----	-----	-----	22	-----	3	27.94	25.40	13.38	6.09	5.00
87914-2214	-----	-----	-----	-----	22	-----	4	27.94	25.40	10.92	5.84	2.79
87914-2224	-----	-----	-----	-----	22	-----	4	27.94	25.40	12.25	7.00	2.96
87914-2234	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.38	6.09	5.00
87914-2215	-----	-----	-----	-----	22	-----	5	27.94	25.40	10.92	5.84	2.79
87914-2225	-----	-----	-----	-----	22	-----	5	27.94	25.40	12.25	7.00	2.96
87914-2235	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.38	6.09	5.00
87914-2216	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79
87914-2217	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79
87914-2226	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96
87914-2227	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96
87914-2236	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.38	6.09	5.00
87914-2201	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.21	8.13	2.79
87914-2202	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.21	8.13	2.79
87914-2203	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.21	8.13	2.79
87914-2204	-----	-----	-----	-----	22	-----	4	27.94	25.40	11.11	6.10	2.72
87914-2205	-----	-----	-----	-----	22	-----	5	27.94	25.40	11.11	6.10	2.72
87914-2206	-----	-----	-----	-----	22	-----	6	27.94	25.40	11.11	6.10	2.72
87914-2207	-----	-----	-----	-----	22	-----	6	27.94	25.40	11.11	6.10	2.72

(D22)
(D22)
(D22)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25					
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±		DOCUMENT NUMBER		DOC TYPE		DOC PART	
ANGULAR TOL		± 3.0°				SD-87914-013		PSD		000 D22	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87914		16 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-2411	-----	-----	-----	-----	24	-----	1	30.48	27.94	10.92	5.84	2.79
87914-2421	-----	-----	-----	-----	24	-----	1	30.48	27.94	12.25	7.00	2.96
87914-2431	-----	-----	-----	-----	24	-----	1	30.48	27.94	13.38	6.09	5.00
87914-2412	-----	-----	-----	-----	24	-----	2	30.48	27.94	10.92	5.84	2.79
87914-2422	-----	-----	-----	-----	24	-----	2	30.48	27.94	12.25	7.00	2.96
87914-2432	-----	-----	-----	-----	24	-----	2	30.48	27.94	13.38	6.09	5.00
87914-2413	-----	-----	-----	-----	24	-----	3	30.48	27.94	10.92	5.84	2.79
87914-2423	-----	-----	-----	-----	24	-----	3	30.48	27.94	12.25	7.00	2.96
87914-2433	-----	-----	-----	-----	24	-----	3	30.48	27.94	13.38	6.09	5.00
87914-2414	-----	-----	-----	-----	24	-----	4	30.48	27.94	10.92	5.84	2.79
87914-2424	-----	-----	-----	-----	24	-----	4	30.48	27.94	12.25	7.00	2.96
87914-2434	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.38	6.09	5.00
87914-2415	-----	-----	-----	-----	24	-----	5	30.48	27.94	10.92	5.84	2.79
87914-2425	-----	-----	-----	-----	24	-----	5	30.48	27.94	12.25	7.00	2.96
87914-2435	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.38	6.09	5.00
87914-2416	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79
87914-2417	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79
87914-2426	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96
87914-2427	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96
87914-2436	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.38	6.09	5.00
87914-2401	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.21	8.13	2.79
87914-2402	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.21	8.13	2.79
87914-2403	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.21	8.13	2.79
87914-2404	-----	-----	-----	-----	24	-----	4	30.48	27.94	11.11	6.10	2.72
87914-2405	-----	-----	-----	-----	24	-----	5	30.48	27.94	11.11	6.10	2.72
87914-2406	-----	-----	-----	-----	24	-----	6	30.48	27.94	11.11	6.10	2.72
87914-2407	-----	-----	-----	-----	24	-----	6	30.48	27.94	11.11	6.10	2.72

(D22)
(D22)
(D22)

<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p> <p>DIMENSION UNITS: mm SCALE: NTS</p> <p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p> <table border="1"> <thead> <tr> <th></th> <th>MM</th> <th>INCH</th> </tr> </thead> <tbody> <tr><td>4 PLACES</td><td>±</td><td>±</td></tr> <tr><td>3 PLACES</td><td>±</td><td>±</td></tr> <tr><td>2 PLACES</td><td>± 0.2</td><td>±</td></tr> <tr><td>1 PLACE</td><td>±</td><td>±</td></tr> <tr><td>0 PLACES</td><td>±</td><td>±</td></tr> </tbody> </table> <p>ANGULAR TOL ± 3.0°</p> <p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p>											MM	INCH	4 PLACES	±	±	3 PLACES	±	±	2 PLACES	± 0.2	±	1 PLACE	±	±	0 PLACES	±	±	<p>CURRENT REV DESC: BRIGHT TIN PHASE OUT</p> <p>molex</p> <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11</p> <p>INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25</p> <p>DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22</p> <p>DRAWING: A3-SIZE SERIES: 87914 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 17 OF 45</p>									
	MM	INCH																																			
4 PLACES	±	±																																			
3 PLACES	±	±																																			
2 PLACES	± 0.2	±																																			
1 PLACE	±	±																																			
0 PLACES	±	±																																			

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-2611	-----	-----	-----	-----	26	-----	1	33.02	30.48	10.92	5.84	2.79
87914-2621	-----	-----	-----	-----	26	-----	1	33.02	30.48	12.25	7.00	2.96
87914-2631	-----	-----	-----	-----	26	-----	1	33.02	30.48	13.38	6.09	5.00
87914-2612	-----	-----	-----	-----	26	-----	2	33.02	30.48	10.92	5.84	2.79
87914-2622	-----	-----	-----	-----	26	-----	2	33.02	30.48	12.25	7.00	2.96
87914-2632	-----	-----	-----	-----	26	-----	2	33.02	30.48	13.38	6.09	5.00
87914-2613	-----	-----	-----	-----	26	-----	3	33.02	30.48	10.92	5.84	2.79
87914-2623	-----	-----	-----	-----	26	-----	3	33.02	30.48	12.25	7.00	2.96
87914-2633	-----	-----	-----	-----	26	-----	3	33.02	30.48	13.38	6.09	5.00
87914-2614	-----	-----	-----	-----	26	-----	4	33.02	30.48	10.92	5.84	2.79
87914-2624	-----	-----	-----	-----	26	-----	4	33.02	30.48	12.25	7.00	2.96
87914-2634	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.38	6.09	5.00
87914-2615	-----	-----	-----	-----	26	-----	5	33.02	30.48	10.92	5.84	2.79
87914-2625	-----	-----	-----	-----	26	-----	5	33.02	30.48	12.25	7.00	2.96
87914-2635	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.38	6.09	5.00
87914-2616	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79
87914-2617	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79
87914-2626	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96
87914-2627	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96
87914-2636	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.38	6.09	5.00
87914-2601	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.21	8.13	2.79
87914-2602	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.21	8.13	2.79
87914-2603	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.21	8.13	2.79
87914-2604	-----	-----	-----	-----	26	-----	4	33.02	30.48	11.11	6.10	2.72
87914-2605	-----	-----	-----	-----	26	-----	5	33.02	30.48	11.11	6.10	2.72
87914-2606	-----	-----	-----	-----	26	-----	6	33.02	30.48	11.11	6.10	2.72
87914-2607	-----	-----	-----	-----	26	-----	6	33.02	30.48	11.11	6.10	2.72

(D22)
(D22)
(D22)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						
mm		NTS		 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H						
GENERAL TOLERANCES (UNLESS SPECIFIED)										
		MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25						
4 PLACES	±		±							
3 PLACES	±		±							
2 PLACES	±	0.2	±							
1 PLACE	±		±							
0 PLACES	±		±	ANGULAR TOL ± 3.0°		DOCUMENT NUMBER SD-87914-013				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	DOC TYPE	DOC PART	REVISION
				A3-SIZE	87914	SEE TABLE	GENERAL MARKET	PSD	000	D22
SHEET NUMBER		18 OF 45								



DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-2811	-----	-----	-----	-----	28	-----	1	35.56	33.02	10.92	5.84	2.79
87914-2821	-----	-----	-----	-----	28	-----	1	35.56	33.02	12.25	7.00	2.96
87914-2831	-----	-----	-----	-----	28	-----	1	35.56	33.02	13.38	6.09	5.00
87914-2812	-----	-----	-----	-----	28	-----	2	35.56	33.02	10.92	5.84	2.79
87914-2822	-----	-----	-----	-----	28	-----	2	35.56	33.02	12.25	7.00	2.96
87914-2832	-----	-----	-----	-----	28	-----	2	35.56	33.02	13.38	6.09	5.00
87914-2813	-----	-----	-----	-----	28	-----	3	35.56	33.02	10.92	5.84	2.79
87914-2823	-----	-----	-----	-----	28	-----	3	35.56	33.02	12.25	7.00	2.96
87914-2833	-----	-----	-----	-----	28	-----	3	35.56	33.02	13.38	6.09	5.00
87914-2814	-----	-----	-----	-----	28	-----	4	35.56	33.02	10.92	5.84	2.79
87914-2824	-----	-----	-----	-----	28	-----	4	35.56	33.02	12.25	7.00	2.96
87914-2834	-----	-----	-----	-----	28	-----	4	35.56	33.02	13.38	6.09	5.00
87914-2815	-----	-----	-----	-----	28	-----	5	35.56	33.02	10.92	5.84	2.79
87914-2825	-----	-----	-----	-----	28	-----	5	35.56	33.02	12.25	7.00	2.96
87914-2835	-----	-----	-----	-----	28	-----	5	35.56	33.02	13.38	6.09	5.00
87914-2816	-----	-----	-----	-----	28	-----	6	35.56	33.02	10.92	5.84	2.79
87914-2817	-----	-----	-----	-----	28	-----	6	35.56	33.02	10.92	5.84	2.79
87914-2826	-----	-----	-----	-----	28	-----	6	35.56	33.02	12.25	7.00	2.96
87914-2827	-----	-----	-----	-----	28	-----	6	35.56	33.02	12.25	7.00	2.96
87914-2836	-----	-----	-----	-----	28	-----	6	35.56	33.02	13.38	6.09	5.00
87914-2801	-----	-----	-----	-----	28	-----	4	35.56	33.02	13.21	8.13	2.79
87914-2802	-----	-----	-----	-----	28	-----	5	35.56	33.02	13.21	8.13	2.79
87914-2803	-----	-----	-----	-----	28	-----	6	35.56	33.02	13.21	8.13	2.79
87914-2804	-----	-----	-----	-----	28	-----	4	35.56	33.02	11.11	6.10	2.72
87914-2805	-----	-----	-----	-----	28	-----	5	35.56	33.02	11.11	6.10	2.72
87914-2806	-----	-----	-----	-----	28	-----	6	35.56	33.02	11.11	6.10	2.72
87914-2807	-----	-----	-----	-----	28	-----	6	35.56	33.02	11.11	6.10	2.72

⊙D22

⊙D22

⊙D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25							
4 PLACES	±	±	±								
3 PLACES	±	±	±								
2 PLACES	±	0.2	±								
1 PLACE	±	±	±								
0 PLACES	±	±	±	ANGULAR TOL ± 3.0°		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE	87914	SEE TABLE	GENERAL MARKET	SHEET NUMBER 19 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------


PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P	G
87914-3011	-----	-----	-----	-----	30	-----	1	38.10	35.56	10.92	5.84	2.79	---
87914-3021	-----	-----	-----	-----	30	-----	1	38.10	35.56	12.25	7.00	2.96	---
87914-3031	-----	-----	-----	-----	30	-----	1	38.10	35.56	13.38	6.09	5.00	---
87914-3012	-----	-----	-----	-----	30	-----	2	38.10	35.56	10.92	5.84	2.79	---
87914-3022	-----	-----	-----	-----	30	-----	2	38.10	35.56	12.25	7.00	2.96	---
87914-3032	-----	-----	-----	-----	30	-----	2	38.10	35.56	13.38	6.09	5.00	---
87914-3013	-----	-----	-----	-----	30	-----	3	38.10	35.56	10.92	5.84	2.79	---
87914-3023	-----	-----	-----	-----	30	-----	3	38.10	35.56	12.25	7.00	2.96	---
87914-3033	-----	-----	-----	-----	30	-----	3	38.10	35.56	13.38	6.09	5.00	---
87914-3014	-----	-----	-----	-----	30	-----	4	38.10	35.56	10.92	5.84	2.79	---
87914-3024	-----	-----	-----	-----	30	-----	4	38.10	35.56	12.25	7.00	2.96	---
87914-3034	-----	-----	-----	-----	30	-----	4	38.10	35.56	13.38	6.09	5.00	---
87914-3015	-----	-----	-----	-----	30	-----	5	38.10	35.56	10.92	5.84	2.79	---
87914-3025	-----	-----	-----	-----	30	-----	5	38.10	35.56	12.25	7.00	2.96	---
87914-3035	-----	-----	-----	-----	30	-----	5	38.10	35.56	13.38	6.09	5.00	---
87914-3016	-----	-----	-----	-----	30	-----	6	38.10	35.56	10.92	5.84	2.79	---
87914-3017	-----	-----	-----	-----	30	-----	6	38.10	35.56	10.92	5.84	2.79	---
87914-3026	-----	-----	-----	-----	30	-----	6	38.10	35.56	12.25	7.00	2.96	---
87914-3027	-----	-----	-----	-----	30	-----	6	38.10	35.56	12.25	7.00	2.96	---
87914-3036	-----	-----	-----	-----	30	-----	6	38.10	35.56	13.38	6.09	5.00	---
87914-3001	-----	-----	-----	-----	30	-----	4	38.10	35.56	13.21	8.13	2.79	---
87914-3002	-----	-----	-----	-----	30	-----	5	38.10	35.56	13.21	8.13	2.79	---
87914-3003	-----	-----	-----	-----	30	-----	6	38.10	35.56	13.21	8.13	2.79	---
87914-3004	-----	-----	-----	-----	30	-----	4	38.10	35.56	11.11	6.10	2.72	---
87914-3005	-----	-----	-----	-----	30	-----	5	38.10	35.56	11.11	6.10	2.72	---
87914-3006	-----	-----	-----	-----	30	-----	6	38.10	35.56	11.11	6.10	2.72	---
87914-3007	-----	-----	-----	-----	30	-----	6	38.10	35.56	11.11	6.10	2.72	---
-----	-----	-----	-----	87914-3037	30	-----	6	38.10	35.56	15.29	10.00	3.00	16.29

D22

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT	
mm	NTS		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
	MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25
4 PLACES	±	±	
3 PLACES	±	±	
2 PLACES	± 0.2	±	
1 PLACE	±	±	
0 PLACES	±	±	DOCUMENT NUMBER SD-87914-013
ANGULAR TOL	± 3.0°		DOC TYPE PSD
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DOC PART 000
		DRAWING	REVISION D22
		SERIES	MATERIAL NUMBER 87914
		CUSTOMER	SHEET NUMBER 20 OF 45
			SEE TABLE GENERAL MARKET

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11 11:53:31
-----------------	----	--------------	---------------------

PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
-----	87914-0032	-----	-----	-----	-----	32	-----	5	40.64	38.10	7.62	3.05	2.28
87914-3211	-----	-----	-----	-----	-----	32	-----	1	40.64	38.10	10.92	5.84	2.79
87914-3221	-----	-----	-----	-----	-----	32	-----	1	40.64	38.10	12.25	7.00	2.96
87914-3231	-----	-----	-----	-----	-----	32	-----	1	40.64	38.10	13.38	6.09	5.00
87914-3212	-----	-----	-----	-----	-----	32	-----	2	40.64	38.10	10.92	5.84	2.79
87914-3222	-----	-----	-----	-----	-----	32	-----	2	40.64	38.10	12.25	7.00	2.96
87914-3232	-----	-----	-----	-----	-----	32	-----	2	40.64	38.10	13.38	6.09	5.00
87914-3213	-----	-----	-----	-----	-----	32	-----	3	40.64	38.10	10.92	5.84	2.79
87914-3223	-----	-----	-----	-----	-----	32	-----	3	40.64	38.10	12.25	7.00	2.96
87914-3233	-----	-----	-----	-----	-----	32	-----	3	40.64	38.10	13.38	6.09	5.00
87914-3214	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	10.92	5.84	2.79
87914-3224	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	12.25	7.00	2.96
87914-3234	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	13.38	6.09	5.00
87914-3215	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	10.92	5.84	2.79
87914-3225	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	12.25	7.00	2.96
87914-3235	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	13.38	6.09	5.00
87914-3216	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	10.92	5.84	2.79
87914-3217	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	10.92	5.84	2.79
87914-3226	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	12.25	7.00	2.96
87914-3227	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	12.25	7.00	2.96
87914-3236	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.38	6.09	5.00
87914-3201	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	13.21	8.13	2.79
87914-3202	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	13.21	8.13	2.79
87914-3203	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.21	8.13	2.79
87914-3207	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.21	8.13	2.79
87914-3204	-----	-----	-----	-----	-----	32	-----	4	40.64	38.10	11.11	6.10	2.72
87914-3205	-----	-----	-----	-----	-----	32	-----	5	40.64	38.10	11.11	6.10	2.72
87914-3206	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	11.11	6.10	2.72
87914-3208	-----	-----	-----	-----	-----	32	-----	6	40.64	38.10	11.11	6.10	2.72

D22
D22
D22
D22


<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p> <p>CURRENT REV DESC: BRIGHT TIN PHASE OUT</p> <p>molex</p> <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11</p> <p>INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SLOW 2005/01/25</p> <p>DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22</p> <p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p> <p>THIRD ANGLE PROJECTION</p> <p>DRAWING: A3-SIZE SERIES: 87914 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 21 OF 45</p>									
<p>4 PLACES ±</p> <p>3 PLACES ±</p> <p>2 PLACES ± 0.2</p> <p>1 PLACE ±</p> <p>0 PLACES ±</p>	<p>MM</p> <p>INCH</p>	<p>SCALE: NTS</p> <p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p>	<p>DIMENSION UNITS: mm</p>						

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-3411	-----	-----	-----	-----	34	-----	1	43.18	40.64	10.92	5.84	2.79
87914-3421	-----	-----	-----	-----	34	-----	1	43.18	40.64	12.25	7.00	2.96
87914-3431	-----	-----	-----	-----	34	-----	1	43.18	40.64	13.38	6.09	5.00
87914-3412	-----	-----	-----	-----	34	-----	2	43.18	40.64	10.92	5.84	2.79
87914-3422	-----	-----	-----	-----	34	-----	2	43.18	40.64	12.25	7.00	2.96
87914-3432	-----	-----	-----	-----	34	-----	2	43.18	40.64	13.38	6.09	5.00
87914-3413	-----	-----	-----	-----	34	-----	3	43.18	40.64	10.92	5.84	2.79
87914-3423	-----	-----	-----	-----	34	-----	3	43.18	40.64	12.25	7.00	2.96
87914-3433	-----	-----	-----	-----	34	-----	3	43.18	40.64	13.38	6.09	5.00
87914-3414	-----	-----	-----	-----	34	-----	4	43.18	40.64	10.92	5.84	2.79
87914-3424	-----	-----	-----	-----	34	-----	4	43.18	40.64	12.25	7.00	2.96
87914-3434	-----	-----	-----	-----	34	-----	4	43.18	40.64	13.38	6.09	5.00
87914-3415	-----	-----	-----	-----	34	-----	5	43.18	40.64	10.92	5.84	2.79
87914-3425	-----	-----	-----	-----	34	-----	5	43.18	40.64	12.25	7.00	2.96
87914-3435	-----	-----	-----	-----	34	-----	5	43.18	40.64	13.38	6.09	5.00
87914-3416	-----	-----	-----	-----	34	-----	6	43.18	40.64	10.92	5.84	2.79
87914-3417	-----	-----	-----	-----	34	-----	6	43.18	40.64	10.92	5.84	2.79
87914-3426	-----	-----	-----	-----	34	-----	6	43.18	40.64	12.25	7.00	2.96
87914-3427	-----	-----	-----	-----	34	-----	6	43.18	40.64	12.25	7.00	2.96
87914-3436	-----	-----	-----	-----	34	-----	6	43.18	40.64	13.38	6.09	5.00
87914-3401	-----	-----	-----	-----	34	-----	4	43.18	40.64	13.21	8.13	2.79
87914-3402	-----	-----	-----	-----	34	-----	5	43.18	40.64	13.21	8.13	2.79
87914-3403	-----	-----	-----	-----	34	-----	6	43.18	40.64	13.21	8.13	2.79
87914-3404	-----	-----	-----	-----	34	-----	4	43.18	40.64	11.11	6.10	2.72
87914-3405	-----	-----	-----	-----	34	-----	5	43.18	40.64	11.11	6.10	2.72
87914-3406	-----	-----	-----	-----	34	-----	6	43.18	40.64	11.11	6.10	2.72
87914-3407	-----	-----	-----	-----	34	-----	6	43.18	40.64	11.11	6.10	2.72

Ⓟ

Ⓟ

Ⓟ



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
				CHK'D: MRAMAKRISHNA		2021/10/11					
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:							
				DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER		DOC TYPE	
				APPR: SCLW		2005/01/25		SD-87914-013		PSD	
				ANGULAR TOL ± 3.0°				DOC PART		000	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87914		MATERIAL NUMBER	
								CUSTOMER		GENERAL MARKET	
										SHEET NUMBER	
										22 OF 45	

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-3611	-----	-----	-----	-----	36	-----	1	45.72	43.18	10.92	5.84	2.79
87914-3621	-----	-----	-----	-----	36	-----	1	45.72	43.18	12.25	7.00	2.96
87914-3631	-----	-----	-----	-----	36	-----	1	45.72	43.18	13.38	6.09	5.00
87914-3612	-----	-----	-----	-----	36	-----	2	45.72	43.18	10.92	5.84	2.79
87914-3622	-----	-----	-----	-----	36	-----	2	45.72	43.18	12.25	7.00	2.96
87914-3632	-----	-----	-----	-----	36	-----	2	45.72	43.18	13.38	6.09	5.00
87914-3613	-----	-----	-----	-----	36	-----	3	45.72	43.18	10.92	5.84	2.79
87914-3623	-----	-----	-----	-----	36	-----	3	45.72	43.18	12.25	7.00	2.96
87914-3633	-----	-----	-----	-----	36	-----	3	45.72	43.18	13.38	6.09	5.00
87914-3614	-----	-----	-----	-----	36	-----	4	45.72	43.18	10.92	5.84	2.79
87914-3624	-----	-----	-----	-----	36	-----	4	45.72	43.18	12.25	7.00	2.96
87914-3634	-----	-----	-----	-----	36	-----	4	45.72	43.18	13.38	6.09	5.00
87914-3615	-----	-----	-----	-----	36	-----	5	45.72	43.18	10.92	5.84	2.79
87914-3625	-----	-----	-----	-----	36	-----	5	45.72	43.18	12.25	7.00	2.96
87914-3635	-----	-----	-----	-----	36	-----	5	45.72	43.18	13.38	6.09	5.00
87914-3616	-----	-----	-----	-----	36	-----	6	45.72	43.18	10.92	5.84	2.79
87914-3617	-----	-----	-----	-----	36	-----	6	45.72	43.18	10.92	5.84	2.79
87914-3626	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.25	7.00	2.96
87914-3627	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.25	7.00	2.96
87914-3636	-----	-----	-----	-----	36	-----	6	45.72	43.18	13.38	6.09	5.00
87914-3601	-----	-----	-----	-----	36	-----	4	45.72	43.18	13.21	8.13	2.79
87914-3602	-----	-----	-----	-----	36	-----	5	45.72	43.18	13.21	8.13	2.79
87914-3603	-----	-----	-----	-----	36	-----	6	45.72	43.18	13.21	8.13	2.79
87914-3604	-----	-----	-----	-----	36	-----	4	45.72	43.18	11.11	6.10	2.72
87914-3605	-----	-----	-----	-----	36	-----	5	45.72	43.18	11.11	6.10	2.72
87914-3606	-----	-----	-----	-----	36	-----	6	45.72	43.18	11.11	6.10	2.72
87914-3607	-----	-----	-----	-----	36	-----	6	45.72	43.18	11.11	6.10	2.72

D22

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT											
mm		NTS		 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H											
GENERAL TOLERANCES (UNLESS SPECIFIED)															
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25									
4 PLACES		±		±											
3 PLACES		±		±											
2 PLACES		± 0.2		±											
1 PLACE		±		±											
0 PLACES		±		±		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
ANGULAR TOL		± 3.0°				SD-87914-013		PSD		000		D22			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87914		SEE TABLE		GENERAL MARKET		23 OF 45	



DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-3811	-----	-----	-----	-----	38	-----	1	48.26	45.72	10.92	5.84	2.79
87914-3821	-----	-----	-----	-----	38	-----	1	48.26	45.72	12.25	7.00	2.96
87914-3831	-----	-----	-----	-----	38	-----	1	48.26	45.72	13.38	6.09	5.00
87914-3812	-----	-----	-----	-----	38	-----	2	48.26	45.72	10.92	5.84	2.79
87914-3822	-----	-----	-----	-----	38	-----	2	48.26	45.72	12.25	7.00	2.96
87914-3832	-----	-----	-----	-----	38	-----	2	48.26	45.72	13.38	6.09	5.00
87914-3813	-----	-----	-----	-----	38	-----	3	48.26	45.72	10.92	5.84	2.79
87914-3823	-----	-----	-----	-----	38	-----	3	48.26	45.72	12.25	7.00	2.96
87914-3833	-----	-----	-----	-----	38	-----	3	48.26	45.72	13.38	6.09	5.00
87914-3814	-----	-----	-----	-----	38	-----	4	48.26	45.72	10.92	5.84	2.79
87914-3824	-----	-----	-----	-----	38	-----	4	48.26	45.72	12.25	7.00	2.96
87914-3834	-----	-----	-----	-----	38	-----	4	48.26	45.72	13.38	6.09	5.00
87914-3815	-----	-----	-----	-----	38	-----	5	48.26	45.72	10.92	5.84	2.79
87914-3825	-----	-----	-----	-----	38	-----	5	48.26	45.72	12.25	7.00	2.96
87914-3835	-----	-----	-----	-----	38	-----	5	48.26	45.72	13.38	6.09	5.00
87914-3816	-----	-----	-----	-----	38	-----	6	48.26	45.72	10.92	5.84	2.79
87914-3817	-----	-----	-----	-----	38	-----	6	48.26	45.72	10.92	5.84	2.79
87914-3826	-----	-----	-----	-----	38	-----	6	48.26	45.72	12.25	7.00	2.96
87914-3827	-----	-----	-----	-----	38	-----	6	48.26	45.72	12.25	7.00	2.96
87914-3836	-----	-----	-----	-----	38	-----	6	48.26	45.72	13.38	6.09	5.00
87914-3801	-----	-----	-----	-----	38	-----	4	48.26	45.72	13.21	8.13	2.79
87914-3802	-----	-----	-----	-----	38	-----	5	48.26	45.72	13.21	8.13	2.79
87914-3803	-----	-----	-----	-----	38	-----	6	48.26	45.72	13.21	8.13	2.79
87914-3804	-----	-----	-----	-----	38	-----	4	48.26	45.72	11.11	6.10	2.72
87914-3805	-----	-----	-----	-----	38	-----	5	48.26	45.72	11.11	6.10	2.72
87914-3806	-----	-----	-----	-----	38	-----	6	48.26	45.72	11.11	6.10	2.72
87914-3807	-----	-----	-----	-----	38	-----	6	48.26	45.72	11.11	6.10	2.72

D22

D22


D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
				CHK'D: MRAMAKRISHNA		2021/10/11					
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
				APPR: SCLW		2005/01/25				SD-87914-013	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										24 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-4011	-----	-----	-----	-----	40	-----	1	50.80	48.26	10.92	5.84	2.79
87914-4021	-----	-----	-----	-----	40	-----	1	50.80	48.26	12.25	7.00	2.96
87914-4031	-----	-----	-----	-----	40	-----	1	50.80	48.26	13.38	6.09	5.00
87914-4012	-----	-----	-----	-----	40	-----	2	50.80	48.26	10.92	5.84	2.79
87914-4022	-----	-----	-----	-----	40	-----	2	50.80	48.26	12.25	7.00	2.96
87914-4032	-----	-----	-----	-----	40	-----	2	50.80	48.26	13.38	6.09	5.00
87914-4013	-----	-----	-----	-----	40	-----	3	50.80	48.26	10.92	5.84	2.79
87914-4023	-----	-----	-----	-----	40	-----	3	50.80	48.26	12.25	7.00	2.96
87914-4033	-----	-----	-----	-----	40	-----	3	50.80	48.26	13.38	6.09	5.00
87914-4014	-----	-----	-----	-----	40	-----	4	50.80	48.26	10.92	5.84	2.79
87914-4024	-----	-----	-----	-----	40	-----	4	50.80	48.26	12.25	7.00	2.96
87914-4034	-----	-----	-----	-----	40	-----	4	50.80	48.26	13.38	6.09	5.00
87914-4015	-----	-----	-----	-----	40	-----	5	50.80	48.26	10.92	5.84	2.79
87914-4025	-----	-----	-----	-----	40	-----	5	50.80	48.26	12.25	7.00	2.96
87914-4035	-----	-----	-----	-----	40	-----	5	50.80	48.26	13.38	6.09	5.00
87914-4016	-----	-----	-----	-----	40	-----	6	50.80	48.26	10.92	5.84	2.79
87914-4017	-----	-----	-----	-----	40	-----	6	50.80	48.26	10.92	5.84	2.79
87914-4026	-----	-----	-----	-----	40	-----	6	50.80	48.26	12.25	7.00	2.96
87914-4027	-----	-----	-----	-----	40	-----	6	50.80	48.26	12.25	7.00	2.96
87914-4036	-----	-----	-----	-----	40	-----	6	50.80	48.26	13.38	6.09	5.00
87914-4001	-----	-----	-----	-----	40	-----	4	50.80	48.26	13.21	8.13	2.79
87914-4002	-----	-----	-----	-----	40	-----	5	50.80	48.26	13.21	8.13	2.79
87914-4003	-----	-----	-----	-----	40	-----	6	50.80	48.26	13.21	8.13	2.79
87914-4004	-----	-----	-----	-----	40	-----	4	50.80	48.26	11.11	6.10	2.72
87914-4005	-----	-----	-----	-----	40	-----	5	50.80	48.26	11.11	6.10	2.72
87914-4006	-----	-----	-----	-----	40	-----	6	50.80	48.26	11.11	6.10	2.72
87914-4007	-----	-----	-----	-----	40	-----	6	50.80	48.26	11.11	6.10	2.72

(D22)
(D22)
(D22)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT									
mm		NTS		 <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p>									
GENERAL TOLERANCES (UNLESS SPECIFIED)													
		MM	INCH	EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25									
4 PLACES	±		±										
3 PLACES	±		±										
2 PLACES	±	0.2	±										
1 PLACE	±		±										
ANGULAR TOL		± 3.0°		DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
						A3-SIZE		87914		SEE TABLE		GENERAL MARKET	
DOCUMENT STATUS		P1	RELEASE DATE	2021/10/11	11:53:31	SHEET NUMBER: 25 OF 45							

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-4211	-----	-----	-----	-----	42	-----	1	53.34	50.80	10.92	5.84	2.79
87914-4221	-----	-----	-----	-----	42	-----	1	53.34	50.80	12.25	7.00	2.96
87914-4212	-----	-----	-----	-----	42	-----	2	53.34	50.80	10.92	5.84	2.79
87914-4222	-----	-----	-----	-----	42	-----	2	53.34	50.80	12.25	7.00	2.96
87914-4213	-----	-----	-----	-----	42	-----	3	53.34	50.80	10.92	5.84	2.79
87914-4223	-----	-----	-----	-----	42	-----	3	53.34	50.80	12.25	7.00	2.96
87914-4214	-----	-----	-----	-----	42	-----	4	53.34	50.80	10.92	5.84	2.79
87914-4224	-----	-----	-----	-----	42	-----	4	53.34	50.80	12.25	7.00	2.96
87914-4215	-----	-----	-----	-----	42	-----	5	53.34	50.80	10.92	5.84	2.79
87914-4225	-----	-----	-----	-----	42	-----	5	53.34	50.80	12.25	7.00	2.96
87914-4216	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79
87914-4217	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79
87914-4226	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96
87914-4227	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96
87914-4201	-----	-----	-----	-----	42	-----	4	53.34	50.80	13.21	8.13	2.79
87914-4202	-----	-----	-----	-----	42	-----	5	53.34	50.80	13.21	8.13	2.79
87914-4203	-----	-----	-----	-----	42	-----	6	53.34	50.80	13.21	8.13	2.79
87914-4204	-----	-----	-----	-----	42	-----	4	53.34	50.80	11.11	6.10	2.72
87914-4205	-----	-----	-----	-----	42	-----	5	53.34	50.80	11.11	6.10	2.72
87914-4206	-----	-----	-----	-----	42	-----	6	53.34	50.80	11.11	6.10	2.72
87914-4207	-----	-----	-----	-----	42	-----	6	53.34	50.80	11.11	6.10	2.72

⊘D22
⊘D22
⊘D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
				CHK'D: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
				APPR: MRAMAKRISHNA		2021/10/11				DOCUMENT NUMBER	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		SD-87914-013	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		APPR: SLOW		DOC TYPE DOC PART REVISION	
2 PLACES ± 0.2				ANGULAR TOL ± 3.0°						PSD 000 D22	
1 PLACE ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
0 PLACES ±						A3-SIZE		87914		MATERIAL NUMBER CUSTOMER SHEET NUMBER	
								SEE TABLE		GENERAL MARKET 26 OF 45	


DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-4411	-----	-----	-----	-----	44	-----	1	55.88	53.34	10.92	5.84	2.79
87914-4421	-----	-----	-----	-----	44	-----	1	55.88	53.34	12.25	7.00	2.96
87914-4412	-----	-----	-----	-----	44	-----	2	55.88	53.34	10.92	5.84	2.79
87914-4422	-----	-----	-----	-----	44	-----	2	55.88	53.34	12.25	7.00	2.96
87914-4413	-----	-----	-----	-----	44	-----	3	55.88	53.34	10.92	5.84	2.79
87914-4423	-----	-----	-----	-----	44	-----	3	55.88	53.34	12.25	7.00	2.96
87914-4414	-----	-----	-----	-----	44	-----	4	55.88	53.34	10.92	5.84	2.79
87914-4424	-----	-----	-----	-----	44	-----	4	55.88	53.34	12.25	7.00	2.96
87914-4415	-----	-----	-----	-----	44	-----	5	55.88	53.34	10.92	5.84	2.79
87914-4425	-----	-----	-----	-----	44	-----	5	55.88	53.34	12.25	7.00	2.96
87914-4416	-----	-----	-----	-----	44	-----	6	55.88	53.34	10.92	5.84	2.79
87914-4417	-----	-----	-----	-----	44	-----	6	55.88	53.34	10.92	5.84	2.79
87914-4426	-----	-----	-----	-----	44	-----	6	55.88	53.34	12.25	7.00	2.96
87914-4427	-----	-----	-----	-----	44	-----	6	55.88	53.34	12.25	7.00	2.96
87914-4401	-----	-----	-----	-----	44	-----	4	55.88	53.34	13.21	8.13	2.79
87914-4402	-----	-----	-----	-----	44	-----	5	55.88	53.34	13.21	8.13	2.79
87914-4403	-----	-----	-----	-----	44	-----	6	55.88	53.34	13.21	8.13	2.79
87914-4404	-----	-----	-----	-----	44	-----	4	55.88	53.34	11.11	6.10	2.72
87914-4405	-----	-----	-----	-----	44	-----	5	55.88	53.34	11.11	6.10	2.72
87914-4406	-----	-----	-----	-----	44	-----	6	55.88	53.34	11.11	6.10	2.72
87914-4407	-----	-----	-----	-----	44	-----	6	55.88	53.34	11.11	6.10	2.72

Ⓟ

Ⓟ

Ⓟ

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		SD-87914-013		DOC TYPE DOC PART REVISION	
2 PLACES ± 0.2				APPR: SLOW		2005/01/25		PSD		000 D22	
1 PLACE ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
0 PLACES ±								A3-SIZE		87914	
ANGULAR TOL ± 3.0°								MATERIAL NUMBER		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										27 OF 45	


DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-4611	-----	-----	-----	-----	46	-----	1	58.42	55.88	10.92	5.84	2.79
87914-4621	-----	-----	-----	-----	46	-----	1	58.42	55.88	12.25	7.00	2.96
87914-4612	-----	-----	-----	-----	46	-----	2	58.42	55.88	10.92	5.84	2.79
87914-4622	-----	-----	-----	-----	46	-----	2	58.42	55.88	12.25	7.00	2.96
87914-4613	-----	-----	-----	-----	46	-----	3	58.42	55.88	10.92	5.84	2.79
87914-4623	-----	-----	-----	-----	46	-----	3	58.42	55.88	12.25	7.00	2.96
87914-4614	-----	-----	-----	-----	46	-----	4	58.42	55.88	10.92	5.84	2.79
87914-4624	-----	-----	-----	-----	46	-----	4	58.42	55.88	12.25	7.00	2.96
87914-4615	-----	-----	-----	-----	46	-----	5	58.42	55.88	10.92	5.84	2.79
87914-4625	-----	-----	-----	-----	46	-----	5	58.42	55.88	12.25	7.00	2.96
87914-4616	-----	-----	-----	-----	46	-----	6	58.42	55.88	10.92	5.84	2.79
87914-4617	-----	-----	-----	-----	46	-----	6	58.42	55.88	10.92	5.84	2.79
87914-4626	-----	-----	-----	-----	46	-----	6	58.42	55.88	12.25	7.00	2.96
87914-4627	-----	-----	-----	-----	46	-----	6	58.42	55.88	12.25	7.00	2.96
87914-4601	-----	-----	-----	-----	46	-----	4	58.42	55.88	13.21	8.13	2.79
87914-4602	-----	-----	-----	-----	46	-----	5	58.42	55.88	13.21	8.13	2.79
87914-4603	-----	-----	-----	-----	46	-----	6	58.42	55.88	13.21	8.13	2.79
87914-4604	-----	-----	-----	-----	46	-----	4	58.42	55.88	11.11	6.10	2.72
87914-4605	-----	-----	-----	-----	46	-----	5	58.42	55.88	11.11	6.10	2.72
87914-4606	-----	-----	-----	-----	46	-----	6	58.42	55.88	11.11	6.10	2.72
87914-4607	-----	-----	-----	-----	46	-----	6	58.42	55.88	11.11	6.10	2.72

Ⓟ

Ⓟ

Ⓟ

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		SD-87914-013		DOC TYPE DOC PART REVISION	
2 PLACES ± 0.2				APPR: SLOW		2005/01/25		PSD		000 D22	
1 PLACE ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
0 PLACES ±								A3-SIZE		87914	
ANGULAR TOL ± 3.0°								MATERIAL NUMBER		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										28 OF 45	



DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-4811	-----	-----	-----	-----	48	-----	1	60.96	58.42	10.92	5.84	2.79
87914-4821	-----	-----	-----	-----	48	-----	1	60.96	58.42	12.25	7.00	2.96
87914-4812	-----	-----	-----	-----	48	-----	2	60.96	58.42	10.92	5.84	2.79
87914-4822	-----	-----	-----	-----	48	-----	2	60.96	58.42	12.25	7.00	2.96
87914-4813	-----	-----	-----	-----	48	-----	3	60.96	58.42	10.92	5.84	2.79
87914-4823	-----	-----	-----	-----	48	-----	3	60.96	58.42	12.25	7.00	2.96
87914-4814	-----	-----	-----	-----	48	-----	4	60.96	58.42	10.92	5.84	2.79
87914-4824	-----	-----	-----	-----	48	-----	4	60.96	58.42	12.25	7.00	2.96
87914-4815	-----	-----	-----	-----	48	-----	5	60.96	58.42	10.92	5.84	2.79
87914-4825	-----	-----	-----	-----	48	-----	5	60.96	58.42	12.25	7.00	2.96
87914-4816	-----	-----	-----	-----	48	-----	6	60.96	58.42	10.92	5.84	2.79
87914-4817	-----	-----	-----	-----	48	-----	6	60.96	58.42	10.92	5.84	2.79
87914-4826	-----	-----	-----	-----	48	-----	6	60.96	58.42	12.25	7.00	2.96
87914-4827	-----	-----	-----	-----	48	-----	6	60.96	58.42	12.25	7.00	2.96
87914-4801	-----	-----	-----	-----	48	-----	4	60.96	58.42	13.21	8.13	2.79
87914-4802	-----	-----	-----	-----	48	-----	5	60.96	58.42	13.21	8.13	2.79
87914-4803	-----	-----	-----	-----	48	-----	6	60.96	58.42	13.21	8.13	2.79
87914-4804	-----	-----	-----	-----	48	-----	4	60.96	58.42	11.11	6.10	2.72
87914-4805	-----	-----	-----	-----	48	-----	5	60.96	58.42	11.11	6.10	2.72
87914-4806	-----	-----	-----	-----	48	-----	6	60.96	58.42	11.11	6.10	2.72
87914-4807	-----	-----	-----	-----	48	-----	6	60.96	58.42	11.11	6.10	2.72

⊘D22

⊘D22

⊘D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT								
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H		
				CHK'D: MRAMAKRISHNA		2021/10/11						
				APPR: MRAMAKRISHNA		2021/10/11		PRODUCT CUSTOMER DRAWING				
				INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
				DRWN: YLQIAO		2005/01/17		SD-87914-013		PSD	000	D22
				APPR: SLOW		2005/01/25						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
						A3-SIZE	87914	SEE TABLE	GENERAL MARKET		29 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
87914-0002	-----	-----	-----	-----	50	-----	8	63.50	60.96	18.54	11.58	4.47
87914-5011	-----	-----	-----	-----	50	-----	1	63.50	60.96	10.92	5.84	2.79
87914-5021	-----	-----	-----	-----	50	-----	1	63.50	60.96	12.25	7.00	2.96
87914-5012	-----	-----	-----	-----	50	-----	2	63.50	60.96	10.92	5.84	2.79
87914-5022	-----	-----	-----	-----	50	-----	2	63.50	60.96	12.25	7.00	2.96
87914-5013	-----	-----	-----	-----	50	-----	3	63.50	60.96	10.92	5.84	2.79
87914-5023	-----	-----	-----	-----	50	-----	3	63.50	60.96	12.25	7.00	2.96
87914-5014	-----	-----	-----	-----	50	-----	4	63.50	60.96	10.92	5.84	2.79
87914-5024	-----	-----	-----	-----	50	-----	4	63.50	60.96	12.25	7.00	2.96
87914-5015	-----	-----	-----	-----	50	-----	5	63.50	60.96	10.92	5.84	2.79
87914-5025	-----	-----	-----	-----	50	-----	5	63.50	60.96	12.25	7.00	2.96
87914-5016	-----	-----	-----	-----	50	-----	6	63.50	60.96	10.92	5.84	2.79
87914-5017	-----	-----	-----	-----	50	-----	6	63.50	60.96	10.92	5.84	2.79
87914-5026	-----	-----	-----	-----	50	-----	6	63.50	60.96	12.25	7.00	2.96
87914-5027	-----	-----	-----	-----	50	-----	6	63.50	60.96	12.25	7.00	2.96
87914-5001	-----	-----	-----	-----	50	-----	4	63.50	60.96	13.21	8.13	2.79
87914-5002	-----	-----	-----	-----	50	-----	5	63.50	60.96	13.21	8.13	2.79
87914-5003	-----	-----	-----	-----	50	-----	6	63.50	60.96	13.21	8.13	2.79
87914-5004	-----	-----	-----	-----	50	-----	4	63.50	60.96	11.11	6.10	2.72
87914-5005	-----	-----	-----	-----	50	-----	5	63.50	60.96	11.11	6.10	2.72
87914-5006	-----	-----	-----	-----	50	-----	6	63.50	60.96	11.11	6.10	2.72
87914-5007	-----	-----	-----	-----	50	-----	6	63.50	60.96	11.11	6.10	2.72

D22

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES	±		±			EC NO: 679909					
3 PLACES	±		±			DRWN: AKUMAR19		2021/06/29			
2 PLACES	±	0.2	±			CHK'D: MRAMAKRISHNA		2021/10/11			
1 PLACE	±		±			APPR: MRAMAKRISHNA		2021/10/11			
0 PLACES	±		±			INITIAL REVISION:					
		ANGULAR TOL		± 3.0°		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
						APPR: SCLW		2005/01/25		SD-87914-013	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
				A3-SIZE		87914		SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										30 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-5211	-----	-----	-----	-----	-----	52	-----	1	66.04	63.50	10.92	5.84	2.79
87914-5221	-----	-----	-----	-----	-----	52	-----	1	66.04	63.50	12.25	7.00	2.96
87914-5212	-----	-----	-----	-----	-----	52	-----	2	66.04	63.50	10.92	5.84	2.79
87914-5222	-----	-----	-----	-----	-----	52	-----	2	66.04	63.50	12.25	7.00	2.96
87914-5213	-----	-----	-----	-----	-----	52	-----	3	66.04	63.50	10.92	5.84	2.79
87914-5223	-----	-----	-----	-----	-----	52	-----	3	66.04	63.50	12.25	7.00	2.96
87914-5214	-----	-----	-----	-----	-----	52	-----	4	66.04	63.50	10.92	5.84	2.79
87914-5224	-----	-----	-----	-----	-----	52	-----	4	66.04	63.50	12.25	7.00	2.96
87914-5215	-----	-----	-----	-----	-----	52	-----	5	66.04	63.50	10.92	5.84	2.79
87914-5225	-----	-----	-----	-----	-----	52	-----	5	66.04	63.50	12.25	7.00	2.96
87914-5216	-----	-----	-----	-----	-----	52	-----	6	66.04	63.50	10.92	5.84	2.79
87914-5226	-----	-----	-----	-----	-----	52	-----	6	66.04	63.50	12.25	7.00	2.96
87914-5227	-----	-----	-----	-----	-----	52	-----	6	66.04	63.50	12.25	7.00	2.96
-----	87914-5201	-----	-----	-----	-----	52	-----	4	66.04	63.50	13.21	8.13	2.79
-----	87914-5202	-----	-----	-----	-----	52	-----	5	66.04	63.50	13.21	8.13	2.79
-----	87914-5203	-----	-----	-----	-----	52	-----	6	66.04	63.50	13.21	8.13	2.79
-----	87914-5204	-----	-----	-----	-----	52	-----	4	66.04	63.50	11.11	6.10	2.72
-----	87914-5205	-----	-----	-----	-----	52	-----	5	66.04	63.50	11.11	6.10	2.72
-----	87914-5206	-----	-----	-----	-----	52	-----	6	66.04	63.50	11.11	6.10	2.72
-----	87914-5207	-----	-----	-----	-----	52	-----	6	66.04	63.50	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25			
4 PLACES	±	±	±	±					
3 PLACES	±	±	±	±					
2 PLACES	±	0.2	±	±					
1 PLACE	±	±	±	±					
0 PLACES	±	±	±	±					
ANGULAR TOL		± 3.0°							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87914	
DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
SD-87914-013				PSD		000		D22	
MATERIAL NUMBER				CUSTOMER		SHEET NUMBER			
SEE TABLE				GENERAL MARKET		31 OF 45			

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-5411	-----	-----	-----	-----	-----	54	-----	1	68.58	66.04	10.92	5.84	2.79
87914-5421	-----	-----	-----	-----	-----	54	-----	1	68.58	66.04	12.25	7.00	2.96
87914-5412	-----	-----	-----	-----	-----	54	-----	2	68.58	66.04	10.92	5.84	2.79
87914-5422	-----	-----	-----	-----	-----	54	-----	2	68.58	66.04	12.25	7.00	2.96
87914-5413	-----	-----	-----	-----	-----	54	-----	3	68.58	66.04	10.92	5.84	2.79
87914-5423	-----	-----	-----	-----	-----	54	-----	3	68.58	66.04	12.25	7.00	2.96
87914-5414	-----	-----	-----	-----	-----	54	-----	4	68.58	66.04	10.92	5.84	2.79
87914-5424	-----	-----	-----	-----	-----	54	-----	4	68.58	66.04	12.25	7.00	2.96
87914-5415	-----	-----	-----	-----	-----	54	-----	5	68.58	66.04	10.92	5.84	2.79
87914-5425	-----	-----	-----	-----	-----	54	-----	5	68.58	66.04	12.25	7.00	2.96
87914-5416	-----	-----	-----	-----	-----	54	-----	6	68.58	66.04	10.92	5.84	2.79
87914-5426	-----	-----	-----	-----	-----	54	-----	6	68.58	66.04	12.25	7.00	2.96
87914-5427	-----	-----	-----	-----	-----	54	-----	6	68.58	66.04	12.25	7.00	2.96
-----	87914-5401	-----	-----	-----	-----	54	-----	4	68.58	66.04	13.21	8.13	2.79
-----	87914-5402	-----	-----	-----	-----	54	-----	5	68.58	66.04	13.21	8.13	2.79
-----	87914-5403	-----	-----	-----	-----	54	-----	6	68.58	66.04	13.21	8.13	2.79
-----	87914-5404	-----	-----	-----	-----	54	-----	4	68.58	66.04	11.11	6.10	2.72
-----	87914-5405	-----	-----	-----	-----	54	-----	5	68.58	66.04	11.11	6.10	2.72
-----	87914-5406	-----	-----	-----	-----	54	-----	6	68.58	66.04	11.11	6.10	2.72
-----	87914-5407	-----	-----	-----	-----	54	-----	6	68.58	66.04	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H PRODUCT CUSTOMER DRAWING			
				DRWN: AKUMAR19		2021/10/11					
				CHK'D: MRAMAKRISHNA		2021/10/11		DOCUMENT NUMBER: SD-87914-013 DOC TYPE: PSD DOC PART: 000 REVISION: D22			
				APPR: MRAMAKRISHNA		2021/10/11					
				INITIAL REVISION:				MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 32 OF 45			
				DRWN: YLQIAO		2005/01/17					
				APPR: SCLOW		2005/01/25		THIRD ANGLE PROJECTION: 			
				ANGULAR TOL: ± 3.0°							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING: A3-SIZE		SERIES: 87914					

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-5611	-----	-----	-----	-----	-----	56	-----	1	71.12	68.58	10.92	5.84	2.79
87914-5621	-----	-----	-----	-----	-----	56	-----	1	71.12	68.58	12.25	7.00	2.96
87914-5612	-----	-----	-----	-----	-----	56	-----	2	71.12	68.58	10.92	5.84	2.79
87914-5622	-----	-----	-----	-----	-----	56	-----	2	71.12	68.58	12.25	7.00	2.96
87914-5613	-----	-----	-----	-----	-----	56	-----	3	71.12	68.58	10.92	5.84	2.79
87914-5623	-----	-----	-----	-----	-----	56	-----	3	71.12	68.58	12.25	7.00	2.96
87914-5614	-----	-----	-----	-----	-----	56	-----	4	71.12	68.58	10.92	5.84	2.79
87914-5624	-----	-----	-----	-----	-----	56	-----	4	71.12	68.58	12.25	7.00	2.96
87914-5615	-----	-----	-----	-----	-----	56	-----	5	71.12	68.58	10.92	5.84	2.79
87914-5625	-----	-----	-----	-----	-----	56	-----	5	71.12	68.58	12.25	7.00	2.96
87914-5616	-----	-----	-----	-----	-----	56	-----	6	71.12	68.58	10.92	5.84	2.79
87914-5626	-----	-----	-----	-----	-----	56	-----	6	71.12	68.58	12.25	7.00	2.96
87914-5627	-----	-----	-----	-----	-----	56	-----	6	71.12	68.58	12.25	7.00	2.96
-----	87914-5601	-----	-----	-----	-----	56	-----	4	71.12	68.58	13.21	8.13	2.79
-----	87914-5602	-----	-----	-----	-----	56	-----	5	71.12	68.58	13.21	8.13	2.79
-----	87914-5603	-----	-----	-----	-----	56	-----	6	71.12	68.58	13.21	8.13	2.79
-----	87914-5604	-----	-----	-----	-----	56	-----	4	71.12	68.58	11.11	6.10	2.72
-----	87914-5605	-----	-----	-----	-----	56	-----	5	71.12	68.58	11.11	6.10	2.72
-----	87914-5606	-----	-----	-----	-----	56	-----	6	71.12	68.58	11.11	6.10	2.72
-----	87914-5607	-----	-----	-----	-----	56	-----	6	71.12	68.58	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		2005/01/25		SD-87914-013	
2 PLACES ± 0.2				APPR: SCLOW						DOC TYPE	
1 PLACE ±										PSD	
0 PLACES ±										DOC PART	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914		D22	
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				SEE TABLE		GENERAL MARKET		33 OF 45			

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-5811	-----	-----	-----	-----	-----	58	-----	1	73.66	71.12	10.92	5.84	2.79
87914-5821	-----	-----	-----	-----	-----	58	-----	1	73.66	71.12	12.25	7.00	2.96
87914-5812	-----	-----	-----	-----	-----	58	-----	2	73.66	71.12	10.92	5.84	2.79
87914-5822	-----	-----	-----	-----	-----	58	-----	2	73.66	71.12	12.25	7.00	2.96
87914-5813	-----	-----	-----	-----	-----	58	-----	3	73.66	71.12	10.92	5.84	2.79
87914-5823	-----	-----	-----	-----	-----	58	-----	3	73.66	71.12	12.25	7.00	2.96
87914-5814	-----	-----	-----	-----	-----	58	-----	4	73.66	71.12	10.92	5.84	2.79
87914-5824	-----	-----	-----	-----	-----	58	-----	4	73.66	71.12	12.25	7.00	2.96
87914-5815	-----	-----	-----	-----	-----	58	-----	5	73.66	71.12	10.92	5.84	2.79
87914-5825	-----	-----	-----	-----	-----	58	-----	5	73.66	71.12	12.25	7.00	2.96
87914-5816	-----	-----	-----	-----	-----	58	-----	6	73.66	71.12	10.92	5.84	2.79
87914-5826	-----	-----	-----	-----	-----	58	-----	6	73.66	71.12	12.25	7.00	2.96
87914-5827	-----	-----	-----	-----	-----	58	-----	6	73.66	71.12	12.25	7.00	2.96
-----	87914-5801	-----	-----	-----	-----	58	-----	4	73.66	71.12	13.21	8.13	2.79
-----	87914-5802	-----	-----	-----	-----	58	-----	5	73.66	71.12	13.21	8.13	2.79
-----	87914-5803	-----	-----	-----	-----	58	-----	6	73.66	71.12	13.21	8.13	2.79
-----	87914-5804	-----	-----	-----	-----	58	-----	4	73.66	71.12	11.11	6.10	2.72
-----	87914-5805	-----	-----	-----	-----	58	-----	5	73.66	71.12	11.11	6.10	2.72
-----	87914-5806	-----	-----	-----	-----	58	-----	6	73.66	71.12	11.11	6.10	2.72
-----	87914-5807	-----	-----	-----	-----	58	-----	6	73.66	71.12	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87914		34 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-6011	-----	-----	-----	-----	-----	60	-----	1	76.20	73.66	10.92	5.84	2.79
87914-6021	-----	-----	-----	-----	-----	60	-----	1	76.20	73.66	12.25	7.00	2.96
87914-6012	-----	-----	-----	-----	-----	60	-----	2	76.20	73.66	10.92	5.84	2.79
87914-6022	-----	-----	-----	-----	-----	60	-----	2	76.20	73.66	12.25	7.00	2.96
87914-6013	-----	-----	-----	-----	-----	60	-----	3	76.20	73.66	10.92	5.84	2.79
87914-6023	-----	-----	-----	-----	-----	60	-----	3	76.20	73.66	12.25	7.00	2.96
87914-6014	-----	-----	-----	-----	-----	60	-----	4	76.20	73.66	10.92	5.84	2.79
87914-6024	-----	-----	-----	-----	-----	60	-----	4	76.20	73.66	12.25	7.00	2.96
87914-6015	-----	-----	-----	-----	-----	60	-----	5	76.20	73.66	10.92	5.84	2.79
87914-6025	-----	-----	-----	-----	-----	60	-----	5	76.20	73.66	12.25	7.00	2.96
87914-6016	-----	-----	-----	-----	-----	60	-----	6	76.20	73.66	10.92	5.84	2.79
87914-6026	-----	-----	-----	-----	-----	60	-----	6	76.20	73.66	12.25	7.00	2.96
87914-6027	-----	-----	-----	-----	-----	60	-----	6	76.20	73.66	12.25	7.00	2.96
-----	87914-6001	-----	-----	-----	-----	60	-----	4	76.20	73.66	13.21	8.13	2.79
-----	87914-6002	-----	-----	-----	-----	60	-----	5	76.20	73.66	13.21	8.13	2.79
-----	87914-6003	-----	-----	-----	-----	60	-----	6	76.20	73.66	13.21	8.13	2.79
-----	87914-6004	-----	-----	-----	-----	60	-----	4	76.20	73.66	11.11	6.10	2.72
-----	87914-6005	-----	-----	-----	-----	60	-----	5	76.20	73.66	11.11	6.10	2.72
-----	87914-6006	-----	-----	-----	-----	60	-----	6	76.20	73.66	11.11	6.10	2.72
-----	87914-6007	-----	-----	-----	-----	60	-----	6	76.20	73.66	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		2005/01/25		SD-87914-013	
2 PLACES ± 0.2				APPR: SLOW						DOC TYPE	
1 PLACE ±										PSD	
0 PLACES ±										DOC PART	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914		D22	
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				SEE TABLE		GENERAL MARKET		35 OF 45			

DOCUMENT STATUS | P1 | RELEASE DATE | 2021/10/11 11:53:31

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-6211	-----	-----	-----	-----	-----	62	-----	1	78.74	76.20	10.92	5.84	2.79
87914-6221	-----	-----	-----	-----	-----	62	-----	1	78.74	76.20	12.25	7.00	2.96
87914-6212	-----	-----	-----	-----	-----	62	-----	2	78.74	76.20	10.92	5.84	2.79
87914-6222	-----	-----	-----	-----	-----	62	-----	2	78.74	76.20	12.25	7.00	2.96
87914-6213	-----	-----	-----	-----	-----	62	-----	3	78.74	76.20	10.92	5.84	2.79
87914-6223	-----	-----	-----	-----	-----	62	-----	3	78.74	76.20	12.25	7.00	2.96
87914-6214	-----	-----	-----	-----	-----	62	-----	4	78.74	76.20	10.92	5.84	2.79
87914-6224	-----	-----	-----	-----	-----	62	-----	4	78.74	76.20	12.25	7.00	2.96
87914-6215	-----	-----	-----	-----	-----	62	-----	5	78.74	76.20	10.92	5.84	2.79
87914-6225	-----	-----	-----	-----	-----	62	-----	5	78.74	76.20	12.25	7.00	2.96
87914-6216	-----	-----	-----	-----	-----	62	-----	6	78.74	76.20	10.92	5.84	2.79
87914-6226	-----	-----	-----	-----	-----	62	-----	6	78.74	76.20	12.25	7.00	2.96
87914-6227	-----	-----	-----	-----	-----	62	-----	6	78.74	76.20	12.25	7.00	2.96
-----	87914-6201	-----	-----	-----	-----	62	-----	4	78.74	76.20	13.21	8.13	2.79
-----	87914-6202	-----	-----	-----	-----	62	-----	5	78.74	76.20	13.21	8.13	2.79
-----	87914-6203	-----	-----	-----	-----	62	-----	6	78.74	76.20	13.21	8.13	2.79
-----	87914-6204	-----	-----	-----	-----	62	-----	4	78.74	76.20	11.11	6.10	2.72
-----	87914-6205	-----	-----	-----	-----	62	-----	5	78.74	76.20	11.11	6.10	2.72
-----	87914-6206	-----	-----	-----	-----	62	-----	6	78.74	76.20	11.11	6.10	2.72
-----	87914-6207	-----	-----	-----	-----	62	-----	6	78.74	76.20	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25			
4 PLACES	±	±	±	±					
3 PLACES	±	±	±	±					
2 PLACES	±	0.2	±	±					
1 PLACE	±	±	±	±					
0 PLACES	±	±	±	±					
ANGULAR TOL		± 3.0°							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87914	
DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
SD-87914-013				PSD		000		D22	
MATERIAL NUMBER				CUSTOMER		SHEET NUMBER			
SEE TABLE				GENERAL MARKET		36 OF 45			

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-6411	-----	-----	-----	-----	-----	64	-----	1	81.28	78.74	10.92	5.84	2.79
87914-6421	-----	-----	-----	-----	-----	64	-----	1	81.28	78.74	12.25	7.00	2.96
87914-6412	-----	-----	-----	-----	-----	64	-----	2	81.28	78.74	10.92	5.84	2.79
87914-6422	-----	-----	-----	-----	-----	64	-----	2	81.28	78.74	12.25	7.00	2.96
87914-6413	-----	-----	-----	-----	-----	64	-----	3	81.28	78.74	10.92	5.84	2.79
87914-6423	-----	-----	-----	-----	-----	64	-----	3	81.28	78.74	12.25	7.00	2.96
87914-6414	-----	-----	-----	-----	-----	64	-----	4	81.28	78.74	10.92	5.84	2.79
87914-6424	-----	-----	-----	-----	-----	64	-----	4	81.28	78.74	12.25	7.00	2.96
87914-6415	-----	-----	-----	-----	-----	64	-----	5	81.28	78.74	10.92	5.84	2.79
87914-6425	-----	-----	-----	-----	-----	64	-----	5	81.28	78.74	12.25	7.00	2.96
87914-6416	-----	-----	-----	-----	-----	64	-----	6	81.28	78.74	10.92	5.84	2.79
87914-6426	-----	-----	-----	-----	-----	64	-----	6	81.28	78.74	12.25	7.00	2.96
87914-6427	-----	-----	-----	-----	-----	64	-----	6	81.28	78.74	12.25	7.00	2.96
-----	87914-6401	-----	-----	-----	-----	64	-----	4	81.28	78.74	13.21	8.13	2.79
-----	87914-6402	-----	-----	-----	-----	64	-----	5	81.28	78.74	13.21	8.13	2.79
-----	87914-6403	-----	-----	-----	-----	64	-----	6	81.28	78.74	13.21	8.13	2.79
-----	87914-6404	-----	-----	-----	-----	64	-----	4	81.28	78.74	11.11	6.10	2.72
-----	87914-6405	-----	-----	-----	-----	64	-----	5	81.28	78.74	11.11	6.10	2.72
-----	87914-6406	-----	-----	-----	-----	64	-----	6	81.28	78.74	11.11	6.10	2.72
-----	87914-6407	-----	-----	-----	-----	64	-----	6	81.28	78.74	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		2005/01/25		SD-87914-013	
2 PLACES ± 0.2				APPR: SCLW						DOC TYPE	
1 PLACE ±										PSD	
0 PLACES ±										DOC PART	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914		D22	
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				SEE TABLE		GENERAL MARKET		37 OF 45			

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-6611	-----	-----	-----	-----	-----	66	-----	1	83.82	81.28	10.92	5.84	2.79
87914-6621	-----	-----	-----	-----	-----	66	-----	1	83.82	81.28	12.25	7.00	2.96
87914-6612	-----	-----	-----	-----	-----	66	-----	2	83.82	81.28	10.92	5.84	2.79
87914-6622	-----	-----	-----	-----	-----	66	-----	2	83.82	81.28	12.25	7.00	2.96
87914-6613	-----	-----	-----	-----	-----	66	-----	3	83.82	81.28	10.92	5.84	2.79
87914-6623	-----	-----	-----	-----	-----	66	-----	3	83.82	81.28	12.25	7.00	2.96
87914-6614	-----	-----	-----	-----	-----	66	-----	4	83.82	81.28	10.92	5.84	2.79
87914-6624	-----	-----	-----	-----	-----	66	-----	4	83.82	81.28	12.25	7.00	2.96
87914-6615	-----	-----	-----	-----	-----	66	-----	5	83.82	81.28	10.92	5.84	2.79
87914-6625	-----	-----	-----	-----	-----	66	-----	5	83.82	81.28	12.25	7.00	2.96
87914-6616	-----	-----	-----	-----	-----	66	-----	6	83.82	81.28	10.92	5.84	2.79
87914-6626	-----	-----	-----	-----	-----	66	-----	6	83.82	81.28	12.25	7.00	2.96
87914-6627	-----	-----	-----	-----	-----	66	-----	6	83.82	81.28	12.25	7.00	2.96
-----	87914-6601	-----	-----	-----	-----	66	-----	4	83.82	81.28	13.21	8.13	2.79
-----	87914-6602	-----	-----	-----	-----	66	-----	5	83.82	81.28	13.21	8.13	2.79
-----	87914-6603	-----	-----	-----	-----	66	-----	6	83.82	81.28	13.21	8.13	2.79
-----	87914-6604	-----	-----	-----	-----	66	-----	4	83.82	81.28	11.11	6.10	2.72
-----	87914-6605	-----	-----	-----	-----	66	-----	5	83.82	81.28	11.11	6.10	2.72
-----	87914-6606	-----	-----	-----	-----	66	-----	6	83.82	81.28	11.11	6.10	2.72
-----	87914-6607	-----	-----	-----	-----	66	-----	6	83.82	81.28	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT								
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)												
		MM		INCH		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SCLOW 2005/01/25						
4 PLACES	±	±	±	±	PRODUCT CUSTOMER DRAWING							
3 PLACES	±	±	±	±	DOCUMENT NUMBER SD-87914-013							
2 PLACES	±	0.2	±	±	DOC TYPE DOC PART REVISION PSD 000 D22							
1 PLACE	±	±	±	±	MATERIAL NUMBER CUSTOMER SHEET NUMBER SEE TABLE GENERAL MARKET 38 OF 45							
0 PLACES	±	±	±	±								
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914				

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-6811	-----	-----	-----	-----	-----	68	-----	1	86.36	83.82	10.92	5.84	2.79
87914-6821	-----	-----	-----	-----	-----	68	-----	1	86.36	83.82	12.25	7.00	2.96
87914-6812	-----	-----	-----	-----	-----	68	-----	2	86.36	83.82	10.92	5.84	2.79
87914-6822	-----	-----	-----	-----	-----	68	-----	2	86.36	83.82	12.25	7.00	2.96
87914-6813	-----	-----	-----	-----	-----	68	-----	3	86.36	83.82	10.92	5.84	2.79
87914-6823	-----	-----	-----	-----	-----	68	-----	3	86.36	83.82	12.25	7.00	2.96
87914-6814	-----	-----	-----	-----	-----	68	-----	4	86.36	83.82	10.92	5.84	2.79
87914-6824	-----	-----	-----	-----	-----	68	-----	4	86.36	83.82	12.25	7.00	2.96
87914-6815	-----	-----	-----	-----	-----	68	-----	5	86.36	83.82	10.92	5.84	2.79
87914-6825	-----	-----	-----	-----	-----	68	-----	5	86.36	83.82	12.25	7.00	2.96
87914-6816	-----	-----	-----	-----	-----	68	-----	6	86.36	83.82	10.92	5.84	2.79
87914-6826	-----	-----	-----	-----	-----	68	-----	6	86.36	83.82	12.25	7.00	2.96
87914-6827	-----	-----	-----	-----	-----	68	-----	6	86.36	83.82	12.25	7.00	2.96
-----	87914-6801	-----	-----	-----	-----	68	-----	4	86.36	83.82	13.21	8.13	2.79
-----	87914-6802	-----	-----	-----	-----	68	-----	5	86.36	83.82	13.21	8.13	2.79
-----	87914-6803	-----	-----	-----	-----	68	-----	6	86.36	83.82	13.21	8.13	2.79
-----	87914-6804	-----	-----	-----	-----	68	-----	4	86.36	83.82	11.11	6.10	2.72
-----	87914-6805	-----	-----	-----	-----	68	-----	5	86.36	83.82	11.11	6.10	2.72
-----	87914-6806	-----	-----	-----	-----	68	-----	6	86.36	83.82	11.11	6.10	2.72
-----	87914-6807	-----	-----	-----	-----	68	-----	6	86.36	83.82	11.11	6.10	2.72

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		SD-87914-013		DOC TYPE	
2 PLACES ± 0.2				APPR: SLOW						DOC PART	
1 PLACE ±										REVISION	
0 PLACES ±										D22	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										39 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-7011	-----	-----	-----	-----	-----	70	-----	1	88.90	86.36	10.92	5.84	2.79
87914-7021	-----	-----	-----	-----	-----	70	-----	1	88.90	86.36	12.25	7.00	2.96
87914-7012	-----	-----	-----	-----	-----	70	-----	2	88.90	86.36	10.92	5.84	2.79
87914-7022	-----	-----	-----	-----	-----	70	-----	2	88.90	86.36	12.25	7.00	2.96
87914-7013	-----	-----	-----	-----	-----	70	-----	3	88.90	86.36	10.92	5.84	2.79
87914-7023	-----	-----	-----	-----	-----	70	-----	3	88.90	86.36	12.25	7.00	2.96
87914-7014	-----	-----	-----	-----	-----	70	-----	4	88.90	86.36	10.92	5.84	2.79
87914-7024	-----	-----	-----	-----	-----	70	-----	4	88.90	86.36	12.25	7.00	2.96
87914-7015	-----	-----	-----	-----	-----	70	-----	5	88.90	86.36	10.92	5.84	2.79
87914-7025	-----	-----	-----	-----	-----	70	-----	5	88.90	86.36	12.25	7.00	2.96
87914-7016	-----	-----	-----	-----	-----	70	-----	6	88.90	86.36	10.92	5.84	2.79
87914-7026	-----	-----	-----	-----	-----	70	-----	6	88.90	86.36	12.25	7.00	2.96
87914-7027	-----	-----	-----	-----	-----	70	-----	6	88.90	86.36	12.25	7.00	2.96
-----	87914-7001	-----	-----	-----	-----	70	-----	4	88.90	86.36	13.21	8.13	2.79
-----	87914-7002	-----	-----	-----	-----	70	-----	5	88.90	86.36	13.21	8.13	2.79
-----	87914-7003	-----	-----	-----	-----	70	-----	6	88.90	86.36	13.21	8.13	2.79
-----	87914-7004	-----	-----	-----	-----	70	-----	4	88.90	86.36	11.11	6.10	2.72
-----	87914-7005	-----	-----	-----	-----	70	-----	5	88.90	86.36	11.11	6.10	2.72
-----	87914-7006	-----	-----	-----	-----	70	-----	6	88.90	86.36	11.11	6.10	2.72
-----	87914-7007	-----	-----	-----	-----	70	-----	6	88.90	86.36	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87914		40 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-7211	-----	-----	-----	-----	-----	72	-----	1	91.44	88.90	10.92	5.84	2.79
87914-7221	-----	-----	-----	-----	-----	72	-----	1	91.44	88.90	12.25	7.00	2.96
87914-7212	-----	-----	-----	-----	-----	72	-----	2	91.44	88.90	10.92	5.84	2.79
87914-7222	-----	-----	-----	-----	-----	72	-----	2	91.44	88.90	12.25	7.00	2.96
87914-7213	-----	-----	-----	-----	-----	72	-----	3	91.44	88.90	10.92	5.84	2.79
87914-7223	-----	-----	-----	-----	-----	72	-----	3	91.44	88.90	12.25	7.00	2.96
87914-7214	-----	-----	-----	-----	-----	72	-----	4	91.44	88.90	10.92	5.84	2.79
87914-7224	-----	-----	-----	-----	-----	72	-----	4	91.44	88.90	12.25	7.00	2.96
87914-7215	-----	-----	-----	-----	-----	72	-----	5	91.44	88.90	10.92	5.84	2.79
87914-7225	-----	-----	-----	-----	-----	72	-----	5	91.44	88.90	12.25	7.00	2.96
87914-7216	-----	-----	-----	-----	-----	72	-----	6	91.44	88.90	10.92	5.84	2.79
87914-7226	-----	-----	-----	-----	-----	72	-----	6	91.44	88.90	12.25	7.00	2.96
87914-7227	-----	-----	-----	-----	-----	72	-----	6	91.44	88.90	12.25	7.00	2.96
-----	87914-7201	-----	-----	-----	-----	72	-----	4	91.44	88.90	13.21	8.13	2.79
-----	87914-7202	-----	-----	-----	-----	72	-----	5	91.44	88.90	13.21	8.13	2.79
-----	87914-7203	-----	-----	-----	-----	72	-----	6	91.44	88.90	13.21	8.13	2.79
-----	87914-7204	-----	-----	-----	-----	72	-----	4	91.44	88.90	11.11	6.10	2.72
-----	87914-7205	-----	-----	-----	-----	72	-----	5	91.44	88.90	11.11	6.10	2.72
-----	87914-7206	-----	-----	-----	-----	72	-----	6	91.44	88.90	11.11	6.10	2.72
-----	87914-7207	-----	-----	-----	-----	72	-----	6	91.44	88.90	11.11	6.10	2.72

D22



D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS		 <p>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</p>					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM		INCH		EC NO: 679909			
4 PLACES		±		±		DRWN: AKUMAR19 2021/06/29			
3 PLACES		±		±		CHK'D: MRAMAKRISHNA 2021/10/11			
2 PLACES		± 0.2		±		APPR: MRAMAKRISHNA 2021/10/11			
1 PLACE		±		±		INITIAL REVISION:			
0 PLACES		±		±		DRWN: YLQIAO 2005/01/17			
ANGULAR TOL		± 3.0°		±		APPR: SCLOW 2005/01/25			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87914	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:31	
DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
SD-87914-013		PSD		000		D22			
MATERIAL NUMBER				CUSTOMER		SHEET NUMBER			
SEE TABLE				GENERAL MARKET		41 OF 45			

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-7411	-----	-----	-----	-----	-----	74	-----	1	93.98	91.44	10.92	5.84	2.79
87914-7421	-----	-----	-----	-----	-----	74	-----	1	93.98	91.44	12.25	7.00	2.96
87914-7412	-----	-----	-----	-----	-----	74	-----	2	93.98	91.44	10.92	5.84	2.79
87914-7422	-----	-----	-----	-----	-----	74	-----	2	93.98	91.44	12.25	7.00	2.96
87914-7413	-----	-----	-----	-----	-----	74	-----	3	93.98	91.44	10.92	5.84	2.79
87914-7423	-----	-----	-----	-----	-----	74	-----	3	93.98	91.44	12.25	7.00	2.96
87914-7414	-----	-----	-----	-----	-----	74	-----	4	93.98	91.44	10.92	5.84	2.79
87914-7424	-----	-----	-----	-----	-----	74	-----	4	93.98	91.44	12.25	7.00	2.96
87914-7415	-----	-----	-----	-----	-----	74	-----	5	93.98	91.44	10.92	5.84	2.79
87914-7425	-----	-----	-----	-----	-----	74	-----	5	93.98	91.44	12.25	7.00	2.96
87914-7416	-----	-----	-----	-----	-----	74	-----	6	93.98	91.44	10.92	5.84	2.79
87914-7426	-----	-----	-----	-----	-----	74	-----	6	93.98	91.44	12.25	7.00	2.96
87914-7427	-----	-----	-----	-----	-----	74	-----	6	93.98	91.44	12.25	7.00	2.96
-----	87914-7401	-----	-----	-----	-----	74	-----	4	93.98	91.44	13.21	8.13	2.79
-----	87914-7402	-----	-----	-----	-----	74	-----	5	93.98	91.44	13.21	8.13	2.79
-----	87914-7403	-----	-----	-----	-----	74	-----	6	93.98	91.44	13.21	8.13	2.79
-----	87914-7404	-----	-----	-----	-----	74	-----	4	93.98	91.44	11.11	6.10	2.72
-----	87914-7405	-----	-----	-----	-----	74	-----	5	93.98	91.44	11.11	6.10	2.72
-----	87914-7406	-----	-----	-----	-----	74	-----	6	93.98	91.44	11.11	6.10	2.72
-----	87914-7407	-----	-----	-----	-----	74	-----	6	93.98	91.44	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87914		42 OF 45	

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-7611	-----	-----	-----	-----	-----	76	-----	1	96.52	93.98	10.92	5.84	2.79
87914-7621	-----	-----	-----	-----	-----	76	-----	1	96.52	93.98	12.25	7.00	2.96
87914-7612	-----	-----	-----	-----	-----	76	-----	2	96.52	93.98	10.92	5.84	2.79
87914-7622	-----	-----	-----	-----	-----	76	-----	2	96.52	93.98	12.25	7.00	2.96
87914-7613	-----	-----	-----	-----	-----	76	-----	3	96.52	93.98	10.92	5.84	2.79
87914-7623	-----	-----	-----	-----	-----	76	-----	3	96.52	93.98	12.25	7.00	2.96
87914-7614	-----	-----	-----	-----	-----	76	-----	4	96.52	93.98	10.92	5.84	2.79
87914-7624	-----	-----	-----	-----	-----	76	-----	4	96.52	93.98	12.25	7.00	2.96
87914-7615	-----	-----	-----	-----	-----	76	-----	5	96.52	93.98	10.92	5.84	2.79
87914-7625	-----	-----	-----	-----	-----	76	-----	5	96.52	93.98	12.25	7.00	2.96
87914-7616	-----	-----	-----	-----	-----	76	-----	6	96.52	93.98	10.92	5.84	2.79
87914-7626	-----	-----	-----	-----	-----	76	-----	6	96.52	93.98	12.25	7.00	2.96
87914-7627	-----	-----	-----	-----	-----	76	-----	6	96.52	93.98	12.25	7.00	2.96
-----	87914-7601	-----	-----	-----	-----	76	-----	4	96.52	93.98	13.21	8.13	2.79
-----	87914-7602	-----	-----	-----	-----	76	-----	5	96.52	93.98	13.21	8.13	2.79
-----	87914-7603	-----	-----	-----	-----	76	-----	6	96.52	93.98	13.21	8.13	2.79
-----	87914-7604	-----	-----	-----	-----	76	-----	4	96.52	93.98	11.11	6.10	2.72
-----	87914-7605	-----	-----	-----	-----	76	-----	5	96.52	93.98	11.11	6.10	2.72
-----	87914-7606	-----	-----	-----	-----	76	-----	6	96.52	93.98	11.11	6.10	2.72
-----	87914-7607	-----	-----	-----	-----	76	-----	6	96.52	93.98	11.11	6.10	2.72

D22

D22



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT									
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		2021/06/29		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H					
				DRWN: AKUMAR19		2021/10/11							
				CHK'D: MRAMAKRISHNA		2021/10/11		PRODUCT CUSTOMER DRAWING					
				APPR: MRAMAKRISHNA		2021/10/11							
				INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
				DRWN: YLQIAO		2005/01/17		SD-87914-013		PSD	000	D22	
				APPR: SLOW		2005/01/25							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
						A3-SIZE		87914		SEE TABLE		GENERAL MARKET	43 OF 45

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-7811	-----	-----	-----	-----	-----	78	-----	1	99.06	96.52	10.92	5.84	2.79
87914-7821	-----	-----	-----	-----	-----	78	-----	1	99.06	96.52	12.25	7.00	2.96
87914-7812	-----	-----	-----	-----	-----	78	-----	2	99.06	96.52	10.92	5.84	2.79
87914-7822	-----	-----	-----	-----	-----	78	-----	2	99.06	96.52	12.25	7.00	2.96
87914-7813	-----	-----	-----	-----	-----	78	-----	3	99.06	96.52	10.92	5.84	2.79
87914-7823	-----	-----	-----	-----	-----	78	-----	3	99.06	96.52	12.25	7.00	2.96
87914-7814	-----	-----	-----	-----	-----	78	-----	4	99.06	96.52	10.92	5.84	2.79
87914-7824	-----	-----	-----	-----	-----	78	-----	4	99.06	96.52	12.25	7.00	2.96
87914-7815	-----	-----	-----	-----	-----	78	-----	5	99.06	96.52	10.92	5.84	2.79
87914-7825	-----	-----	-----	-----	-----	78	-----	5	99.06	96.52	12.25	7.00	2.96
87914-7816	-----	-----	-----	-----	-----	78	-----	6	99.06	96.52	10.92	5.84	2.79
87914-7826	-----	-----	-----	-----	-----	78	-----	6	99.06	96.52	12.25	7.00	2.96
87914-7827	-----	-----	-----	-----	-----	78	-----	6	99.06	96.52	12.25	7.00	2.96
-----	87914-7801	-----	-----	-----	-----	78	-----	4	99.06	96.52	13.21	8.13	2.79
-----	87914-7802	-----	-----	-----	-----	78	-----	5	99.06	96.52	13.21	8.13	2.79
-----	87914-7803	-----	-----	-----	-----	78	-----	6	99.06	96.52	13.21	8.13	2.79
-----	87914-7804	-----	-----	-----	-----	78	-----	4	99.06	96.52	11.11	6.10	2.72
-----	87914-7805	-----	-----	-----	-----	78	-----	5	99.06	96.52	11.11	6.10	2.72
-----	87914-7806	-----	-----	-----	-----	78	-----	6	99.06	96.52	11.11	6.10	2.72
-----	87914-7807	-----	-----	-----	-----	78	-----	6	99.06	96.52	11.11	6.10	2.72

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/29		2.54MM PITCH	
				CHK'D: MRAMAKRISHNA		2021/10/11				DUAL ROW HEADER SINGLE WAFER, T/H	
				APPR: MRAMAKRISHNA		2021/10/11				PRODUCT CUSTOMER DRAWING	
4 PLACES ±				INITIAL REVISION:		DRWN: YLQIAO		2005/01/17		DOCUMENT NUMBER	
3 PLACES ±				DRWN: YLQIAO		2005/01/25		2005/01/25		SD-87914-013	
2 PLACES ± 0.2				APPR: SCLW						DOC TYPE	
1 PLACE ±										PSD	
0 PLACES ±										DOC PART	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87914		MATERIAL NUMBER	
										CUSTOMER	
										GENERAL MARKET	
										SHEET NUMBER	
										44 OF 45	



DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------


PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
87914-8011	-----	-----	-----	-----	-----	80	-----	1	101.60	99.06	10.92	5.84	2.79
87914-8021	-----	-----	-----	-----	-----	80	-----	1	101.60	99.06	12.25	7.00	2.96
87914-8012	-----	-----	-----	-----	-----	80	-----	2	101.60	99.06	10.92	5.84	2.79
87914-8022	-----	-----	-----	-----	-----	80	-----	2	101.60	99.06	12.25	7.00	2.96
87914-8013	-----	-----	-----	-----	-----	80	-----	3	101.60	99.06	10.92	5.84	2.79
87914-8023	-----	-----	-----	-----	-----	80	-----	3	101.60	99.06	12.25	7.00	2.96
87914-8014	-----	-----	-----	-----	-----	80	-----	4	101.60	99.06	10.92	5.84	2.79
87914-8024	-----	-----	-----	-----	-----	80	-----	4	101.60	99.06	12.25	7.00	2.96
87914-8015	-----	-----	-----	-----	-----	80	-----	5	101.60	99.06	10.92	5.84	2.79
87914-8025	-----	-----	-----	-----	-----	80	-----	5	101.60	99.06	12.25	7.00	2.96
87914-8016	-----	-----	-----	-----	-----	80	-----	6	101.60	99.06	10.92	5.84	2.79
87914-8017	-----	-----	-----	-----	-----	80	-----	6	101.60	99.06	10.92	5.84	2.79
87914-8026	-----	-----	-----	-----	-----	80	-----	6	101.60	99.06	12.25	7.00	2.96
87914-8027	-----	-----	-----	-----	-----	80	-----	6	101.60	99.06	12.25	7.00	2.96
-----	87914-8001	-----	-----	-----	-----	80	-----	4	101.60	99.06	13.21	8.13	2.79
-----	87914-8002	-----	-----	-----	-----	80	-----	5	101.60	99.06	13.21	8.13	2.79
-----	87914-8003	-----	-----	-----	-----	80	-----	6	101.60	99.06	13.21	8.13	2.79
-----	87914-8004	-----	-----	-----	-----	80	-----	4	101.60	99.06	11.11	6.10	2.72
-----	87914-8005	-----	-----	-----	-----	80	-----	5	101.60	99.06	11.11	6.10	2.72
-----	87914-8006	-----	-----	-----	-----	80	-----	6	101.60	99.06	11.11	6.10	2.72
-----	87914-8007	-----	-----	-----	-----	80	-----	6	101.60	99.06	11.11	6.10	2.72

D22

D22

D22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL ± 3.0°											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87914		45 OF 45	

			
2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
PRODUCT CUSTOMER DRAWING			
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-87914-013	PSD	000	D22

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)