

This document was generated on 02/22/2020 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	1200660440		
Status:			
	Active		
Overview:	Brad Micro-Change		
Description:		P) Double-Ended Cordset, 5 Poles, Male (Straight) to Female PVC Cable, 10.0m (32.81') Length	
Documents:			
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	
Agency Certificat	ion		
CSA		LR6837	Series image - Reference only
UL		E152210	
Comoral			EU ELV
General		Inductrial Conducto	Not Reviewed
Product Family Series		Industrial Cordsets 120066	
Connector End A			EU RoHS China RoHS
Connector End A		Micro-Change (M12) Micro-Change (M12)	Not Reviewed
		IP67	REACH SVHC
IP Rating Material - Contact			Not Reviewed
		Copper Alloy	Halogen-Free
Overview		Brad Micro-Change (M12) Connectors	<u>Status</u>
Product Name		Micro-Change (M12)	Not Reviewed
Region		America	For more information, please visit Contact US
Туре		Double Ended	China ROHS Not Reviewed
UPC		78678840893	ELV Not Reviewed
Physical			RoHS Phthalates Not Reviewed
Cable Diameter		5.72mm (.225")	
Cable Length		10.0m (32.81')	
Color - Cable Jacket		Yellow	Search Parts in this Series
Coupling Style		Threaded	<u>120066</u> Series
Gender		Female-Male	
Keyway		Single	
LED Indicator		No	
Material - Cable Jacket		PVC	
Material - Connector Body		PVC	
Material - Coupling	j Nut	Nickel-plated Brass	
Material - O-Ring	•	Fluoro-elastomer	
Material - Plating N	/lating	Gold	
Orientation		Straight to Straight	
Poles		5	
Temperature Rang	je - Operating	-20°C to +105°C	
Wire Size AWG		22	
Wire/Cable Type		UL 2661	
Electrical			
Current - Maximur	n per Contact	4.0A	
Voltage - Maximun	n	250V AC/DC	
Material Info			
Engineering Numb	er	885030A09M100	
Reference - Draw Sales Drawing	ing Numbers	SD-120066-007	
,			

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Micro-D Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 89076GBEPR
 M2430815F
 M243082311F
 M2430833F
 M2430834F
 M24308/4-6F
 65-1920-15
 M83513/01-HN
 M83513/03-A10N

 M83513/03-B14C
 M83513/03-D09C
 M83513/03-D11N
 M83513/03-G02N
 M83513/03-G05N
 M83513/03-G08C
 M83513/03-G09N

 M83513/03-G12N
 M83513/03-H13N
 M83513/04-E15N
 M83513/04-G04C
 M83513/10-E01NP
 M83513/13-B01NP
 M83513/13-C01NN

 M83513/16-A01CP
 M83513/22-D01NP
 M83513/25-B01NP
 6R2004A30F015
 6R4006A28A120
 703006A13F060
 704002A03F200

 705001A13F120
 7-1532020-5
 748567-1-P
 MDM-15PCBRM7T
 MDM-15PH003B-A174
 MDM-15PH034B
 MDM-15SH004B
 MDM-21PH003F

 21PH003K
 MDM-21PH003P
 MDM-25PH003B-A174
 MDM-9PH003M7
 MDM-9SH006B
 773030D02F030
 790-024PA-5MS
 790-024PB

 9ML
 790-027SH-10P4MEP
 790-041PJ-25P2MPA
 791-004SH-66MSA
 7R3A00A19A1201
 7R3A04A19A120