

This document was generated on 11/05/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: Status: Overview: Description:	0934444206 Active <u>ML-XT Sealed Connection System</u> ML-XT Sealed 6 Circuit Receptacle Housing, Pre-Assembled with Large Rear Seal and Cover, White		
Documents: <u>3D Model</u> <u>Drawing (PDF)</u> <u>3D Model (PDF)</u> Product Specificatio	on 934430010-P (PDF)	Application Specification 934430010-A (PDF) Packaging Specification 934430002-K (PDF) RoHS Certificate of Compliance (PDF) Product Literature (PDF)	Series image - Reference only
Agency Certification	on	E29179	EU ELV Not Relevant
Application tooling		63824-5300	EU RoHS China RoHS Not Reviewed REACH SVHC
General Product Family Series Application Overview Product Literature C	Drder No	Crimp Housings <u>93444</u> Power, Signal, Wire-to-Wire <u>ML-XT Sealed Connection System</u> 987651-0201	Not Reviewed Halogen-Free Status Not Reviewed For more information, please visit <u>Contact Us</u>
Product Name UPC		ML-XT 889056280518	China ROHSNot ReviewedELVNot RelevantRoHS PhthalatesNot Reviewed
Physical		6	
Circuits (maximum) Color - Resin Gender Glow-Wire Capable Keying to Mating Part Lock to Mating Part Material - Resin Net Weight	art	6 White Receptacle No None Yes Nylon 9.330/g	Search Parts in this Series 93444 Series Mates With ML-XT Sealed 6 Circuit Plug Housing 934454206
Number of Rows Packaging Type Panel Mount Pitch - Mating Interf Polarized to Mating Temperature Range	Part	3 Bag No N/A Yes -55° to +125°C	Use With ML-XT Male (Pin) Terminal <u>845240004</u> (Nickel), ML-XT Male (Pin) Terminal <u>845240014</u> (Selective Gold), ML-XT 6 Circuit Receptacle Wedgelock <u>93447</u> , ML- XT Blind Cavity Plug <u>934941000</u>
Current - Maximum	per Contact	13.0A	
Material Info			Application Tooling FAQ Tooling specifications and manuals are found by selecting the products below.
Reference - Drawin Application Specific Packaging Specifica Product Specification Sales Drawing	ation ation	934430010-A 934430002-K 934430010-P 934430040-000	Crimp Height Specifications are then contained in the Application Tooling Specification document.GlobalProduct #Extraction Tool638245300 638245300 for ML-XT Sealed Connection System and Crimp Terminals

This document was generated on 11/05/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

003-018-000 60403001 60993906-B M902-2131 M902-2161 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004475-L 12010290 12010309-B 12015454 12020219-B 12020308 12041318-B 12052225-L 12052466 12059125 12064869 12004327-B 12010503-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546