

## This document was generated on 11/05/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>0934444207</u>		
Status:	Active		
Overview: ML-XT Sealed Connection System			
Description:		Receptacle Housing, Pre-Assembled with Large Rear Seal and	100
Jescription.	Cover, Brown	Receptacie Housing, Pre-Assembled with Large Real Seal and	
Documents:			
<u>3D Model</u>		Application Specification 934430010-A (PDF)	
Drawing (PDF)		Packaging Specification 934430002-K (PDF)	
3D Model (PDF)		RoHS Certificate of Compliance (PDF)	
Product Specificat	<u>ion 934430010-P (PDF)</u>	Product Literature (PDF)	Series image - Reference only
A manage Cartificat	41a m		
Agency Certificat	tion	F00470	<u>EU ELV</u>
UL		E29179	Not Relevant
Application toolir	ng part link		EU RoHS China RoHS
Application Tooling Part Link		63824-5300	Not Reviewed
			REACH SVHC
General			Not Reviewed
Product Family		Crimp Housings	
Series		93444	Halogen-Free
Application		Power, Signal, Wire-to-Wire	<u>Status</u>
Overview		ML-XT Sealed Connection System	Not Reviewed
Product Literature Order No		987651-0201	For more information, please visit <u>Contact</u>
Product Literature Order No Product Name			
		ML-XT	China ROHS Not Reviewed
UPC		889056280525	ELV Not Relevant RoHS Phthalates Not Reviewed
Physical			RoHS Phthalates Not Reviewed
Circuits (maximum	ו)	6	
Color - Resin		Brown	
Gender		Receptacle	Search Parts in this Series
Glow-Wire Capable		No	<u>93444</u> Series
Keying to Mating Part		None	
Lock to Mating Part		Yes	Mates With
Material - Resin		Nylon	
Net Weight		9.330/g	ML-XT Sealed 6 Circuit Plug Housing
Number of Rows		3.	934454207
Packaging Type		Bag	Use With
Panel Mount		No	ML-XT Male (Pin) Terminal <u>845240004</u>
Pitch - Mating Interface		N/A	(Nickel), ML-XT Male (Pin) Terminal
Polarized to Mating Part		Yes	845240014 (Selective Gold), ML-XT 6
Temperature Ranç	ge - Operating	-55° to +125°C	Circuit Receptacle Wedgelock <u>93447</u> , N
Electrical			XT Blind Cavity Plug <u>934941000</u>
Current - Maximur	n per Contact	13.0A	
Material Info			Application Tooling   FAQ
			Tooling specifications and manuals are
Reference - Draw	ving Numbers		found by selecting the products below.
Application Specification		934430010-A	Crimp Height Specifications are then
Packaging Specification		934430002-K	contained in the Application Tooling
Product Specification		934430010-P	Specification document.
Sales Drawing		934430040-000	Global
Sales Drawing			Description Product #
			Extraction Tool 638245300
			for ML-XT Sealed
			Connection System

Connection System and Crimp Terminals

This document was generated on 11/05/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

003-018-000 60403001 60993906-B M902-2131 M902-2161 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004147 12004475-L 12010290 12010309-B 12015454 12020219-B 12020308 12041318-B 12052466 12059125 12064869 12004327-B 12010503-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546