

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0934453109](#)  
**Status:** **Active**  
**Overview:** [ML-XT Sealed Connection System](#)  
**Description:** ML-XT Sealed 4 Circuit Plug Housing, Pre-Assembled with Small Rear Seal and Cover, Red

**Documents:**

|   |   |
|---|---|
| <a href="#">3D Model</a>                                | <a href="#">Application Specification 934430010-A (PDF)</a> |
| <a href="#">3D Model (PDF)</a>                          | <a href="#">Packaging Specification 934430002-K (PDF)</a>   |
| <a href="#">Drawing (PDF)</a>                           | <a href="#">RoHS Certificate of Compliance (PDF)</a>        |
| <a href="#">Product Specification 934430010-P (PDF)</a> | <a href="#">Product Literature (PDF)</a>                    |

**Agency Certification**

UL E29179

**Application tooling part link**

Application Tooling Part Link 63824-5300

**General**

|                             |  |
|-----------------------------|--|
| Product Family              | Crimp Housings                                 |
| Series                      | <a href="#">93445</a>                          |
| Application                 | Power, Signal, Wire-to-Wire                    |
| Overview                    | <a href="#">ML-XT Sealed Connection System</a> |
| Product Literature Order No | 987651-0201                                    |
| Product Name                | ML-XT  |
| UPC                         | 889056261760                                   |

**Physical**

|                               |                |
|-------------------------------|----------------|
| Circuits (maximum)            | 4              |
| Color - Resin                 | Red            |
| Gender                        | Plug           |
| Glow-Wire Capable             | No             |
| Keying to Mating Part         | None           |
| Lock to Mating Part           | Yes            |
| Material - Resin              | Nylon          |
| Net Weight                    | 6.674/g        |
| Number of Rows                | 2              |
| Packaging Type                | Bag            |
| Panel Mount                   | No             |
| Pitch - Mating Interface      | N/A            |
| Polarized to Mating Part      | Yes            |
| Temperature Range - Operating | -55° to +125°C |

**Electrical**

Current - Maximum per Contact 13.0A

**Material Info**

**Reference - Drawing Numbers**

|                           |               |
|---------------------------|---------------|
| Application Specification | 934430010-A   |
| Packaging Specification   | 934430002-K   |
| Product Specification     | 934430010-P   |
| Sales Drawing             | 934430030-000 |



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - ED/71/2019 (16 July 2019)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[93445 Series](#)

**Mates With**

[ML-XT Sealed 4 Circuit Receptacle Housing 934443109](#)

**Use With**

[ML-XT Female \(Socket\) Terminal 845250009 \(Nickel\)](#), [ML-XT Female \(Socket\) Terminal 845250032 \(Selective Gold\)](#), [ML-XT 4 Circuit Plug Wedgelock 93448](#), [ML-XT Blind Cavity Plug 934941000](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

|                                  |                           |
|----------------------------------|---------------------------|
| Extraction Tool for ML-XT Sealed | <a href="#">638245300</a> |
|----------------------------------|---------------------------|

This document was generated on 11/05/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052466](#)  
[12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#) [12047957](#)  
[12047957-L](#) [12059473](#) [12066261](#) [12110546](#)