

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0987811014](#)  
**Status:** **Active**  
**Description:** NSCC Pin Connector 3.33mm Pitch, 1.50mm, Shorting Bar, Short, 5 Circuit, Blue

**Documents:**

|  |   |
|--|---|
| <a href="#">3D Model</a>   | <a href="#">Application Specification AS-98781-005-CH-001 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                    | <a href="#">Packaging Specification PK-98781-001-001 (PDF)</a>      |
| <a href="#">Application Specification AS-98781-005-001 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>                |

**Application tooling part link**

|                               |            |
|-------------------------------|------------|
| Application Tooling Part Link | 63813-4100 |
| Application Tooling Part Link | 63813-4200 |

**General**

|                |                       |
|----------------|-----------------------|
| Product Family | Crimp Housings        |
| Series         | <a href="#">98781</a> |
| Application    | Wire-to-Wire          |
| Product Name   | SICMA                 |
| UPC            | 822350871396          |

**Physical**

|                               |               |
|-------------------------------|---------------|
| Circuits (maximum)            | 5             |
| Circuits Detail               | 5             |
| Color - Resin                 | Blue          |
| Gender                        | Plug          |
| Glow-Wire Capable             | No            |
| Lock to Mating Part           | Yes           |
| Material - Resin              | PBT           |
| Net Weight                    | 8.615/g       |
| Number of Rows                | 1             |
| Packaging Type                | Carton        |
| Panel Mount                   | No            |
| Pitch - Mating Interface      | 3.33mm        |
| Polarized to Mating Part      | Yes           |
| Stackable                     | No            |
| Temperature Range - Operating | -40° to +85°C |

**Solder Process Data**

|                             |     |
|-----------------------------|-----|
| Lead-freeProcess Capability | N/A |
|-----------------------------|-----|

**Material Info**

**Reference - Drawing Numbers**

|                           |                                       |
|---------------------------|---------------------------------------|
| Application Specification | AS-98781-005-001, AS-98781-005-CH-001 |
| Packaging Specification   | PK-98781-001-001                      |
| Sales Drawing             | SD-98781-001-001                      |



*Series image - Reference only*

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2020)4578-DC (25  
June 2020)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Compliant

RoHS Phthalates

Not Contained

**Search Parts in this Series**

[98781](#) Series

**Mates With**

[987841014](#) NSCC 3.33mm Pitch Female Housing

**Use With**

1.50mm Size FCI SICMA Male Terminal

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

| Description                           | Product #                 |
|---------------------------------------|---------------------------|
| Extractor Tool for 5-Way Male Housing | <a href="#">638134100</a> |
| Extractor Tool for 5-Way Male Housing | <a href="#">638134200</a> |

This document was generated on 12/28/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)  
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)  
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)